

SHANG SHI ZHI TONG GAO- camphor, menthol, methyl salicylate plaster
Henan Lingrui Pharmaceutical Co.; Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Henan Lingrui Pharmaceutical Co.; Ltd

ACTIVE INGREDIENTS

Camphor 3.0%

Menthol 1.5%

Methyl Salicylate 2.5%

PURPOSE

Camphor External Analgesic

Menthol External Analgesic

Methyl Salicylate External Analgesic

USES

To relieve the rheumatic pain and arthralgia by promoting blood circulation, used for rheumatoid arthristis muscular aches, sprain etc.

WARNINGS

For external use only.

Agergy Alert: This product contains natural rubber latex which may cause allergic reactions.

DO NOT USE

Do not use

on wounds.

on irritated or damaged skin

if the apperance of this product has changed

in excess of 12 hours

if you have know hypersensitivities to this product

otherwise than as directed

Ask a Doctor or Pharmacist before use if you are

Pregnent

taking other medications

When using this product

avoid contact with the eyes or mucous membranes

do not bandage tightly

supervise use by children

use caution if prone to allergic reactions

Stop use and ask a doctor if

condition worsens

symptoms persist for more than 7 days

symptoms clear up and occur again within 1 few days

excessive irritation of the skin develops

when using for pain of arthritis

pain persists for more than 10 days

redness is present

in conditions affecting children under 12 years

Keep out of reach of children.

Keep out of reach of children. If swallowed, get medical help or Poison Control Center right away.

Adults and children 12 years of age and older: Apply one or two plasters to affected area once a day. Remove after 12 hours.

DIRECTIONB

Refer to the above warnings: use otherwise than as directed may be dangerous.

Adults and children 12 years of age and older: Apply one or two plasters to affected area once a day. Remove after 12 hours.

Children 2 to 12 years of age and adults with compromised health: Use only under the guidance of a doctor.

Children under 2 years of age: Do not use, consult a doctor.

Refer to the above warnings: use otherwise than as directed may be dangerous.

OTHER INFORMATION

Keep container tightly closed.

Store below 20 degree centigrade (68 E F) in a dry area.

INACTIVE INGREDIENTS

BOSWELLIA SACRA BARK, COMMIPHORA MYRRHA TOP, CLOVE, CINNAMOMUM AROMATICUM WHOLE, SCHIZONEPETA TENUIFOLIA WHOLE, SAPOSHNIKOVIA DIVARICATA ROOT, GERANIUM WILFORDII TOP, PERIPLOCA SEPIUM ROOT BARK, DRYNARIA FORTUNEI ROOT, ANGELICA DAHURICA ROOT, GINGER, BORNEOL, BELLADONNA LEAF, NATURAL LATEX RUBBER, ROSIN, ZINC OXIDE, LANOLIN, PARAFFIN, DIMETHYL SULFOXIDE, ANTIOXIDANT 119

Questions or Commnets?

DRUG FACTS

SHANG SHI ZHI TONG GAO

External Analgesic
NDC 42217-201-10

羚锐

批准文号：国药准字 Z20023035

河南羚锐制药股份有限公司

伤湿止痛膏 精品 OTC

SHANG SHI ZHI TONG GAO

10 Plasters (贴)
Each Plaster 2.75 in x 3.94 in
(7 cm x 10 cm)

膏
痛
止
湿
伤

Drug Facts 藥品資料

Active ingredients 有效成份 Purposes 用途
Camphor 3% 樟腦.....External analgesic 外部止痛
Menthol 1.5% 薄荷醇..... External analgesic 外部止痛
Methyl Salicylate 2.5% 水楊酸甲酯.....External analgesic 外部止痛

Uses 作用
For the temporary relief of minor aches and pains of muscles and joints due to: 暫時緩解由以下情況引起的肌肉和關節疼痛：
 ■ simple backache 一般腰背痠痛
 ■ arthritis 關節炎
 ■ strains 扭傷
 ■ bruises 瘀傷
 ■ sprains 扭傷

Warnings 警告
For external use only 及供外部使用

Allergy alert: This product contains natural rubber latex which may cause allergic reactions
過敏警告：本產品含有天然橡膠乳，可能導致過敏反應

Do not use 不能用於
 ■ on wounds 傷口
 ■ on irritated or damaged skin 受刺激或受傷的皮膚
 ■ if the appearance of this product has changed 如果產品的外觀有改變
 ■ in excess of 12 hours 超過12小時
 ■ if you have known hypersensitivities to this product 如果對本產品有已知的超敏感
 ■ otherwise than as directed 醫囑以外的情況

Ask a doctor or pharmacist before use if you are
 ■ pregnant 已經懷孕
 ■ taking other medications 正在服用其他藥物

When using this product 在使用本產品時
 ■ avoid contact with the eyes or mucous membranes 避免接觸眼睛或黏膜
 ■ do not bandage tightly 避免包紮過緊
 ■ supervise use by children 指導兒童使用
 ■ use caution if prone to allergic reactions 過敏反應體質慎用

Stop use and ask a doctor if
 ■ symptoms persist for more than 7 days 症狀持續超過7天
 ■ symptoms clear up and occur again within a few days 症狀消失但幾天後復發
 ■ excessive irritation of the skin develops 皮膚出現過度刺激

Directions 使用說明
Apply one or two plasters to affected area once a day. Remove after 12 hours.
成人及12歲以上兒童：每天貼一至兩貼於患處。12小時後取下。
children 2 to 12 years of age and adults with compromised health 2至12歲兒童及有健康問題的成人：Use only under the guidance of a doctor 在醫生指導下使用。
children under 2 years of age 2歲以下兒童：Do not use, consult a doctor 不可使用，或向醫生諮詢
Refer to above warnings; use otherwise than as directed may be dangerous. 參考以上警告，不按說明使用會導致危險。

Other information 其它資訊
 ■ keep container tightly closed 將容器密封
 ■ store below 20°C (68°F) in a dry area 在乾燥處於攝氏20度(華氏68度)下儲存

Inactive ingredients 輔助成份
Boswellia sacra bark, commiphora myrrha top, clove, cinnamomum aromaticum whole, schizonepeta tenuifolia whole, saposhnikovia divaricata root, gnetum wilfordii top, periplocia sepium root bark, drynaria fortunei root, angelica dahurica root, ginger, borneol, belladonna leaf, natural latex rubber, rosin, zinc oxide, lanolin, paraffin, dimethyl sulfoxide, antioxidant 119.
乳香、沒藥、丁香、肉桂、荊芥、防風、透骨草、香加皮、骨碎補、白芷、幹姜、冰片、麝香、樟腦、麝香、氯化鈉、羊毛脂、液狀石蠟、二甲苯亞砷、抗氧劑 119。

Questions or comments? 問題或意見?
E-mail: info@bjwellspring.com

SHANG SHI ZHI TONG GAO			
camphor, menthol, methyl salicylate plaster			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42217-201
Route of Administration	TRANSDERMAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	3.0 g in 100 g	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1.5 g in 100 g	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	2.5 g in 100 g	

Inactive Ingredients

Ingredient Name	Strength
BOSWELLIA SACRA BARK (UNII: 1UK28DX728)	
COMMIPHORA MYRRHA TOP (UNII: N534J96ODY)	
CLOVE (UNII: K48IKT5321)	
CINNAMOMUM AROMATICUM WHOLE (UNII: 9BPF21T8ZR)	
SCHIZONEPETA TENUIFOLIA WHOLE (UNII: C1107616TR)	
SAPOSHNIKOVIA DIVARICATA ROOT (UNII: 8H84LFK2QD)	
GERANIUM WILFORDII TOP (UNII: 771B1S9W3R)	
PERIPLOCA SEPIUM ROOT BARK (UNII: 638OW484M3)	
DRYNARIA FORTUNEI ROOT (UNII: 731W842X8Q)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
GINGER (UNII: C5529G5JPQ)	
BORNEOL (UNII: M89NIB437X)	
BELLADONNA LEAF (UNII: 6GZW20TIOI)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
ROSIN (UNII: 88S87KL877)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
LANOLIN (UNII: 7EV65EAW6H)	
PARAFFIN (UNII: I9O0E3H2ZE)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
ANTIOXIDANT 119 (UNII: UBL01213LI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42217-201-10	10 in 1 BOX		
1		1 g in 1 PATCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	06/02/2010	

Labeler - Henan Lingrui Pharmaceutical Co.; Ltd (530021062)

Registrant - Henan Lingrui Pharmaceutical Co.; Ltd (530021062)

Establishment

Name	Address	ID/FEI	Business Operations
Henan Lingrui Pharmaceutical Co.; Ltd		530021062	manufacture(42217-201)