

**STOMACH RELIEF- bismuth subsalicylate tablet**  
**Wal-Mart Stores Inc**

-----  
**Equate 44-346**

***Active ingredient (in each caplet)***

Bismuth subsalicylate 262 mg

***Purpose***

Upset stomach reliever/antidiarrheal

***Uses***

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
  - belching
  - indigestion
  - gas
  - fullness
  - heartburn
  - nausea

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Contains salicylate. Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use**

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

## **Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

## **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

## **Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## ***Directions***

- **do not take more than directed**
- swallow with water; do not chew
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- adults and children 12 years and over: 2 caplets every ½ to 1 hour as needed. Do not exceed 8 doses (16 caplets) in 24 hours.
- do not use for more than 2 days unless directed by a doctor
- use until diarrhea stops, but not more than 2 days
- children under 12 years: ask a doctor

## ***Other information***

- **each caplet contains:** calcium 20 mg, salicylate 103 mg
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- avoid excessive heat
- see end flap for expiration date and lot number

## ***Inactive ingredients***

calcium carbonate, corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, povidone, silicon dioxide, sodium starch glycolate, stearic acid

**Questions or comments?**

**1-888-287-1915**

**Principal display panel**

**equate™**

NDC 49035-346-10

Compare to  
Pepto-Bismol®  
active  
ingredient\*

**Stomach  
Relief**

Bismuth Subsalicylate  
262 mg

**Upset Stomach Reliever/  
Antidiarrheal**

Relieves

- Nausea
- Heartburn
- Indigestion
- Upset Stomach
- Diarrhea

**262 mg  
EACH**

**40  
CAPLETS**

Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Satisfaction guaranteed - Or we'll replace it or  
give you your money back. For questions or  
comments please call **1-888-287-1915**.

**DISTRIBUTED BY: Walmart Inc.,  
Bentonville, AR 72716**

PRODUCT OF GERMANY AND MEXICO

\*This product is not manufactured or distributed by The  
Procter & Gamble Company, owner of the registered

trademark Pepto-Bismol®. 50844 REV0521B34610



**Equate 44-346**

## STOMACH RELIEF

bismuth subsalicylate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-346
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Basic of

Ingredient Name		Basis of Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ, BISMUTH CATION - UNII:ZS9CD1I8YE)		BISMUTH SUBSALICYLATE	262 mg	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
CALCIUM CARBONATE (UNII: H0G9379FGK)				
STARCH, CORN (UNII: O8232NY3SJ)				
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)				
D&C RED NO. 30 (UNII: 2S42T2808B)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MANNITOL (UNII: 3OWL53L36A)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
<b>Product Characteristics</b>				
Color	pink	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	44;346	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-346-10	1 in 1 CARTON	07/30/2019	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M008	07/30/2019		

**Labeler** - Wal-Mart Stores Inc (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(49035-346)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-346)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-346)

Revised: 2/2024

Wal-Mart Stores Inc