# OPTIMIS7- dextran 70, polyethylene glycol 400, povidone, tetrahydrozoline hcl liquid Pacific Health Collaborative, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Drug Facts**

### **Active Ingredient**

Dextran 70 0.1%

Polyethylene Glycol 400 1%

Povidone 1%

Tetrahydrozoline HCl 0.5%

#### **Purpose**

Lubricant

Lubricant

Lubricant

Redness reliever

#### Use

- for the relief of redness of the eye due to minor eye irritations
- for use as a protectant against further irritation or to relieve dryness of the eye

#### Warnings

Ask a doctor before use if you have narrow angle glaucoma

#### When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or become cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

#### Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Put 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

#### Other information

• store between 15° to 25°C (59°F to 77°F)

# **Inactive ingredients**

boric acid, sodium borate, edetate disodium, benzalkonium chloride, sodium chloride, dilite hydrochloric acid, sterile purified water

## package label

Optimis7



**OPTIMIS7** 

dextran 70, polyethylene glycol 400, povidone, tetrahydrozoline hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58697-064
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TETRAHYDRO ZO LINE HYDRO CHLO RIDE (UNII: 0 YZT43HS7D) (TETRAHYDRO ZO LINE - UNII:S9 U0 25 Y0 77)	TETRAHYDROZOLINE HYDROCHLORIDE	0.5 mg in 1 mL	
<b>DEXTRAN 70</b> (UNII: 7SA290 YK68) (DEXTRAN 70 - UNII:7SA290 YK68)	DEXTRAN 70	1 mg in 1 mL	

<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII:B697894SGQ)	POLYETHYLENE GLYCOL 400	10 mg in 1 mL
PO VIDO NE (UNII: FZ989GH94E) (PO VIDO NE - UNII: FZ989GH94E)	POVIDONE	10 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
BORIC ACID (UNII: R57ZHV85D4)		
SODIUM BORATE (UNII: 91MBZ8H3QO)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
WATER (UNII: 059QF0KO0R)		

	Packaging			
ı	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
ı	1 NDC:58697-064-05	1 in 1 BOX		
	1	15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	08/11/2011	

# **Labeler** - Pacific Health Collaborative, Inc. (555568133)

Revised: 3/2016 Pacific Health Collaborative, Inc.