

OXYGEN- oxygen gas
Central Welding Supply Company

Oxygen

OXYGEN, COMPRESSED USP

US1072

OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

CAS: 7782-44-7

CONTENTS: LTRS: CU.FT.

CENTRAL WELDING SUPPLY

WWW.CENTRALWELDING.COM


1-800-697-0182

13305 38TH AVE NE

MARYSVILLE, WA 98271

IN CASE OF EMERGENCY CALL CHEMREC 800-424-9300

CONTENTS: LTRS: CU.FT.



REFRIGERATED LIQUID
OXYGEN, REFRIGERATED LIQUID USP
UN1073
OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.
DO NOT CHANGE OR FORCE FIT CONNECTIONS.
CONTENTS: LTRS. CU.FT

WARNING: USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

CENTRAL WELDING SUPPLY

WWW.CENTRALWELDING.COM

1-800-697-0182

13305 38TH AVE NE

MARYSVILLE, WA 98271

IN CASE OF EMERGENCY CALL CHEMREC 800-424-9300



UN1075



↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: _____ LTRS:
CU.FT.

WARNING: **USP** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: **MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.**
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store **only outdoors** or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT change or force fit connections.** Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



www.centralwelding.com

1-800-697-0128

13305 38th Ave NE
MARYSVILLE, WA 98271



IN CASE OF EMERGENCY CALL CHEMTREC 800-424-9300

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:70151-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70151-001-01	420 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
2	NDC:70151-001-02	690 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
3	NDC:70151-001-03	2165 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
4	NDC:70151-001-04	3470 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
5	NDC:70151-001-05	4229 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
6	NDC:70151-001-06	6270 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
7	NDC:70151-001-07	7060 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
8	NDC:70151-001-08	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
9	NDC:70151-001-09	2640 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
10	NDC:70151-001-10	38.6 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
11	NDC:70151-001-11	104.8 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
12	NDC:70151-001-12	150.1 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
13	NDC:70151-001-13	209.5 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
14	NDC:70151-001-14	589 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
15	NDC:70151-001-15	572 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
16	NDC:70151-001-16	1723.6 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
17	NDC:70151-001-17	590.6 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
18	NDC:70151-001-18	1252 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
19	NDC:70151-001-19	180 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	02/03/2023
20	NDC:70151-001-20	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
21	NDC:70151-001-21	7926 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
22	NDC:70151-001-22	9340 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
23	NDC:70151-001-23	180 L in 1 DEWAR; Type 0: Not a Combination Product	11/15/2015	
24	NDC:70151-	1147 L in 1 CYLINDER; Type 0: Not a Combination	11/15/2015	

24	001-24	Product	11/15/2015	
25	NDC:70151-001-25	3831 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
26	NDC:70151-001-26	3137.5 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	
27	NDC:70151-001-27	248.4 L in 1 CYLINDER; Type 0: Not a Combination Product	11/15/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	11/15/2015	

Labeler - Central Welding Supply Company (020232583)

Establishment

Name	Address	ID/FEI	Business Operations
Central Welding Supply Company		020232583	manufacture(70151-001)

Revised: 10/2023

Central Welding Supply Company