

REGIONAL ALLERGIES SOUTHERN U.S.- adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, allium cepa, alnus serrulata, arum triphyllum, arundo mauritanica, carduus benedictus, cichorium intybus, cortisone aceticum, dolichos pruriens, euphrasia officinalis, galphimia glauca, histaminum hydrochloricum, juglans cinerea, kali muriaticum, nasturtium aquaticum, natrum muriaticum, rhus tox, rna, sabadilla, sassafras officinale. liquid

King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Regional Allergies Southern U.S.

Directions

Initially, depress pump until primed.

Spray one dose directly into mouth.

Adults: 3 sprays 3 times per day.

Children ages 6-12: 2 sprays 3 times per day.

Consult a physician for use in children under 6 years of age.

Use additionally as needed, up to 6 times per day.

Reference image:Southern U.S.jpg

Other information

Tamper resistant for your protection.

Use only if safety seal is intact.

Keep carton for complete drug facts and product information.

Questions? Call 866.298.2740

King Bio, Inc. 3 Westside Drive

Asheville, NC 2806 USA

FDA Reg. #1053442

For latest product information and instructions: www.DrKings.com

Reference image:Southern U.S.jpg

Inactive Ingredients

Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extact, demineralized water, glycerin, lactic acid), Honeysuckle (*Lonicera japonica*), Polylysine, Purified Water, Shagbark Hickory (*Carya Ovata*) Bark Extract, Steviol (Steviol Glycosides).

Reference image:Southern U.S.jpg

Active ingredients

Equal volumes of each HPUS** ingredient in 12X, 30X, and 1LM potencies unless otherwise noted.

Adenosinum cyclophosphoricum, Adrenalinum, Adrenocorticotrophin, Allium cepa, Alnus serrulata, Arum triphyllum, Arundo mauritanica, Carduus benedictus, Cichorium intybus, Cortisone aceticum, Dolichos pruriens, Euphrasia officinalis, Galphimia glauca, Histaminum hydrochloricum, Juglans cinerea, Kali muriaticum, Nasturtium aquaticum, Natrum muriaticum, Rhus tox, RNA, Sabadilla, Sassafras officinale.

HPUS indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Reference image:Southern U.S.jpg

Uses

Uses for temporary relief of allergy symptomse commonly experienced in AL, AR, DC, DE, FL, GA, KY, LA, MD, MS, NC, SC, TN, VA, WV:

Itchy, watery eyes

Runny nose

Sneezing

Sore throat

Sinus congestion

Cough

Stuffy nose

Fatigue

Itchy, irritated skin

Hoarseness

Headache

as per various homeopathic materia medicas. Claims based on traditional homeopathic practice, not accepted medical evidence. These uses have not been evaluated by the FDA,

and product has not been clinically tested.

Reference image:Southern U.S.jpg

Warnings

Stop use and consult a physician if symptoms worsen or persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Reference image:Southern U.S.jpg

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Reference image:Southern U.S.jpg

Active ingredients	Purpose †
Equal volumes of each HPUS** ingredient in 12X, 30X, and 1LM potencies.	
Adenosinum cyclophosphoricum.....	headache, runny nose
Adrenalinum	hay fever, swollen sinuses, lung congestion
Adrenocorticotrophin (30X)	congestion, cough
Allium cepa.....	hay fever, sinus headache, sneezing
Alnus serrulata	hay fever, bronchitis
Arum triphyllum	inflammation of nasal mucus membranes
Arundo mauritanica	nasal congestion and itching
Carduus benedictus	tickling in nose
Cichorium intybus.....	fatigue, headache
Cortisone aceticum.....	allergic reaction, irritability
Dolichos pruriens.....	sore throat, itchy skin
Euphrasia officinalis.....	discharge from eyes and nose
Galphimia glauca.....	puffy eyelids, hay fever
Histaminum hydrochloricum	coughing, itching throat
Juglans cinerea	red eyes, sneezing, sore throat
Kali muriaticum.....	hoarseness, stuffy nose
Nasturtium aquaticum	sensitivity to cigarette toxins
Natrum muriaticum	watery eyes, sneezing
Rhus tox	dry cough, sneezing, swelling of nose
RNA.....	allergic reactions
Sabadilla.....	sore throat, runny nose, sneezing
Sassafras officinale	minor breathing difficulty

**“HPUS” indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Reference image:Southern U.S.jpg

Drug Facts (continued)

Directions

- Initially, depress pump until primed.
- Spray one dose directly into mouth.
- Adults: 3 sprays 3 times per day.
- Children ages 6-12: 2 sprays 3 times per day.
- Consult a physician for use in children under 6 years of age.
- Use additionally as needed, up to 6 times per day.

Other Information

Tamper resistant for your protection. Use only if safety seal is intact.

Inactive Ingredients

Citrus Extract* (ascorbic acid, citric acid, citrus aurantium, citrus fruit extract, citrus limonum, citrus medica peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeyuckle (Lonicera japonica), Polysorbate Purified Water, Shagbark Hickory (*Carya ovata*) Bark Extract, Stevioside (Steviol glycosides).

*Organic Ingredient
Keep carton for complete drug facts and product information.
Questions? Call 866.298.2740
King Bio, Inc. • 3 Westside Drive Asheboro, NC 28806 USA
FDA Reg. #1053442
For latest product information and instructions, visit www.DrKings.com

Dr. King's
NATURAL MEDICINE

Regional Allergies Southern U.S.

For the temporary relief of:

Congestion & Sneezing

Headache & Fatigue

Itchy, Watery Eyes

Oral Spray
Pure Water Base

2 fl oz (59 mL)

Gluten Free • Less Than 1% Alcohol

Frank King, ND, DC, has facilitated optimal health empowerment for 40+ years. To help maximize your success, see Dr. King's tips and techniques: DrKings.com

Dr. King's Allergy Solutions

This product addresses symptoms from the allergens of regionally specific trees, flowers, grasses, and molds in AL, AR, DC, DE, FL, GA, KY, LA, MD, MS, NC, SC, TN, VA, and WV.

The Dr. King's Difference

Dr. King has formulated more than 500 safe, natural medicines for people and pets.

- Advanced Formulas
- Triple Potency Strength
- Broad Spectrum Relief
- Bio-Energetically Enhanced
- Pure Water Base
- Naturally Preserved

Homoeopathic medicine* has no known negative side effects and no known drug interactions.

*Product conforms according to Homoeopathic Pharmacopoeia of the United States (H.P.U.S.) standards.

Drug Facts

Active Ingredients	Purpose
Equal volumes of each H.P.U.S.* ingredient in 12X, 30X, and tincture potencies unless otherwise noted:	Purpose
Adenosinum cyclophosphoricum	headache, runny nose
Adrenalinum	hay fever, swollen sinuses, lung congestion
Adrenocorticotrophin (30X)	congestion, cough
Allium cepa	hay fever, sinus headache, sneezing
Alnus serrulata	hay fever, bronchitis
Arum triphyllum	inflammation of nasal mucus membranes
Arundo mauritanica	nasal congestion and itching
Carduus benedictus	itching of nose
Cichorium intybus	fatigue, headache
Cortisone aceticum	allergic reaction, irritability
Dolichos pruriens	sore throat, itchy skin
Euphrasia officinalis	discharge from eyes and nose
Galphimia glauca	puffy eyelids, hay fever
Histaminum hydrochloricum	coughing, itching throat
Juglans cinerea	red eyes, sneezing, sore throat
Kali muriaticum	hoarseness, stuffy nose
Nasturtium aquaticum	sensitivity to cigarette toxins
Natrum muriaticum	watery eyes, sneezing
Rhus tox	dry cough, sneezing, swelling of nose
Sabadilla	allergic reactions
Sassafras officinale	sore throat, runny nose, sneezing

*H.P.U.S. Indicates the active ingredients are in the official Homoeopathic Pharmacopoeia of the United States.

Uses For temporary relief of allergy symptoms commonly experienced in AL, AR, DC, DE, FL, GA, KY, LA, MD, MS, NC, SC, TN, VA, WV. ■ Itchy, watery eyes ■ Runny nose ■ Sneezing ■ Sore throat ■ Sinus congestion ■ Cough ■ Stuffy nose ■ Fatigue ■ Itch ■ Irritated skin ■ Hoarseness ■ Headache.

† as per various homeopathic materia medicae. Claims based on traditional homeopathic practices, not accepted medical evidence. These uses have not been evaluated by the FDA, and this product has not been clinically tested.

Warnings

- Stop use and consult a physician if symptoms worsen or persist for more than 7 days.
- If pregnant or breast-feeding, ask a healthcare professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately. ■

Package is larger than product size. Shaded bottle depicted & actual size.

REGIONAL ALLERGIES SOUTHERN U.S.

adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, allium cepa, alnus serrulata, arum triphyllum, arundo mauritanica, carduus benedictus, cichorium intybus, cortisone aceticum, dolichos pruriens, euphrasia officinalis, galphimia glauca, histaminum hydrochloricum, juglans cinerea, kali muriaticum, nasturtium aquaticum, natrum muriaticum, rhus tox, ma, sabadilla, sassafras officinale. liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDc:57955-0762
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ADENOSINE CYCLIC PHOSPHATE (UNII: E0399OZS9N) (ADENOSINE CYCLIC PHOSPHATE - UNII:E0399OZS9N)	ADENOSINE CYCLIC PHOSPHATE	12 [hp_X] in 59 mL
EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	12 [hp_X] in 59 mL
CORTICOTROPIN (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	30 [hp_X] in 59 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	12 [hp_X] in 59 mL
ALNUS SERRULATA BARK (UNII: BQ5P19J9OL) (ALNUS SERRULATA BARK - UNII:BQ5P19J9OL)	ALNUS SERRULATA BARK	12 [hp_X] in 59 mL
ARISAEMA TRIPHYLLUM ROOT (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUM ROOT - UNII:DM64K844DM)	ARISAEMA TRIPHYLLUM ROOT	12 [hp_X] in 59 mL
ARUNDO PLINIANA ROOT (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)	ARUNDO PLINIANA ROOT	12 [hp_X] in 59 mL
GENTIANA BENEDICTA (UNII: GLE7ZC070EY) (GENTIANA BENEDICTA)		12 [hp_X]

CENTAUREA BENEDICTA (UNII: 6L5ZL09795) (CENTAUREA BENEDICTA - UNII:6L5ZL09795)	CENTAUREA BENEDICTA	12 [hp_X] in 59 mL
CHICORY ROOT (UNII: 090CTY533N) (CHICORY ROOT - UNII:090CTY533N)	CHICORY ROOT	12 [hp_X] in 59 mL
CORTISONE ACETATE (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ)	CORTISONE ACETATE	12 [hp_X] in 59 mL
MUCUNA PRURIENS FRUIT TRICHOME (UNII: 3E271BS10C) (MUCUNA PRURIENS FRUIT TRICHOME - UNII:3E271BS10C)	MUCUNA PRURIENS FRUIT TRICHOME	12 [hp_X] in 59 mL
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	12 [hp_X] in 59 mL
GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E)	GALPHIMIA GLAUCA FLOWERING TOP	12 [hp_X] in 59 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	12 [hp_X] in 59 mL
JUGLANS CINEREA BRANCH BARK/ROOT BARK (UNII: 48FZ1BHO18) (JUGLANS CINEREA BRANCH BARK/ROOT BARK - UNII:48FZ1BHO18)	JUGLANS CINEREA BRANCH BARK/ROOT BARK	12 [hp_X] in 59 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	12 [hp_X] in 59 mL
NASTURTIUM OFFICINALE (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	12 [hp_X] in 59 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	12 [hp_X] in 59 mL
TOXICODENDRON PUBESCENTS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENTS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENTS LEAF	12 [hp_X] in 59 mL
SACCHAROMYCES CEREVISIAE RNA (UNII: J17GBZ5VGX) (SACCHAROMYCES CEREVISIAE RNA - UNII:J17GBZ5VGX)	SACCHAROMYCES CEREVISIAE RNA	12 [hp_X] in 59 mL
SCHOENOCAULON OFFICINALE SEED (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	12 [hp_X] in 59 mL
SASSAFRAS ALBIDUM ROOT BARK (UNII: XC5UMP9I5F) (SASSAFRAS ALBIDUM ROOT BARK - UNII:XC5UMP9I5F)	SASSAFRAS ALBIDUM ROOT BARK	12 [hp_X] in 59 mL

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CITRUS AURANTIUM FRUIT OIL (UNII: 59JDQ5VT0T)	
ORANGE PEEL (UNII: TI9T76XD44)	
CITRUS RETICULATA FRUIT OIL (UNII: 25P9H3QU5E)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	
BENZYL PENICILLOYL POLYLYSINE (UNII: 76479814OY)	
CARYA OVATA BARK (UNII: X765CF609L)	
STEVIOLE (UNII: 4741LYX6RT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-0762-2	1 in 1 CARTON	09/30/2022	
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/30/2022	

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment

Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-0762) , api manufacture(57955-0762)

Revised: 12/2022

King Bio Inc.