

WARTOVIR WART REMOVER- salicylic acid cream
BALBOA COMPANIES LLC

WARTOVIR Wart Remover

Drug Facts

Active ingredients

Salicylic Acid 5% w/v

Purpose

Wart Remover

Uses:

• For the removal of common warts. The common wart is easily recognized by the rough cauliflower-like appearance of the surface. • For the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings:

For external use only.

Flammable • Keep away from fire or flame.

Do not use

• this product on irritated skin, on any area that is infected or reddened, if diabetic, or if you have poor blood circulation • on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes.

When using this product

• If discomfort persists, see your doctor. • If product gets in eyes, flush with water for 15 minutes. • Avoid inhaling vapors.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding,

ask a health professional before use.

Directions:

- Wash affected area.
- May soak wart in warm water for 5 minutes
- Dry area thoroughly. Apply one drop at a time with applicator to sufficiently cover each wart. Let dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information:

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

Collodion, Ethyl Pyruvate, C13-14 Isoparaffin, Laureth-7, Melaleuca Alternifolia (Tea Tree) Oil, M e t h y l i s o t h i a z o l i n o n e, Polyacrylamide, Pyrus Malus (Apple Cider Vinegar), SD-Alcohol 40B, Tocopheryl Acetate (Vitamin E).

Questions?

1-800-571-8582

Package Labeling:

Drug Facts (continued)	
Directions: • Wash affected area. • May soak wart in warm water for 5 minutes • Dry area thoroughly. Apply one drop at a time with applicator to sufficiently cover each wart. Let dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.	
Other information: • Protect the product in this container from excessive heat and direct sun.	
Inactive ingredients: Collodion, Ethyl Pyruvate, C13-14 Isoparaffin, Laureth-7, Melaleuca Alternifolia (Tea Tree) Oil, M e t h y l i s o t h i a z o l i n o n e, Polyacrylamide, Pyrus Malus (Apple Cider Vinegar), SD-Alcohol 40B, Tocopheryl Acetate (Vitamin E).	
Questions? 1-800-571-8582	
DISTRIBUTED BY: Balboa Companies LLC 1401 21st Street Suite R Sacramento, CA 95811 www.Wartovir.com	



.5 OZ (15mL)

Drug Facts	
Active ingredient	Purpose Salicylic Acid 5% w/v Wart Remover
Uses: • For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. • For the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.	
Warnings: For external use only.	
Flammable • Keep away from fire or flame.	
Do not use • this product on irritated skin, on any area that is infected or reddened, if diabetic, or if you have poor blood circulation • on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes.	
When using this product • If discomfort persists, see your doctor. • If product gets in eyes, flush with water for 15 minutes. • Avoid inhaling vapors.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use.	

WARTOVIR WART REMOVER

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82266-238
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ETHYL PYRUVATE (UNII: 03O98E01OB)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
LAURETH-7 (UNII: Z95S6G8201)	
MELALEUCA ALTERNIFOLIA LEAF (UNII: G43C57162K)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
APPLE CIDER VINEGAR (UNII: 0UE22Q87VC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82266-238-00	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/01/2021	

Labeler - BALBOA COMPANIES LLC (116585823)

Revised: 11/2023

BALBOA COMPANIES LLC