

**P.CALM WATER BARRIER SUNCREAM- ethylhexyl triazone,terephthalydene dicamphor sulfonic acid, polysilicone-15, diethylamino hydroxybenzoyl hexyl benzoate, bis-ethylhexyloxyphenol methoxyphenyl triazine cream
LIFE WITH CORPORATION Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

83735-001_P.CALM Water Barrier Sun Cream

ETHYLHEXYL TRIAZONE 2.7%
TEREPHTHALYLIDENE DICAMPHOR SULFONIC ACID 2.64%
POLYSILICONE-15 1%
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE 1%
BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE 0.5%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only

Do not use on damaged or broken skin

Stop using and ask a doctor if rash occurs

When using this product, keep out of eyes. Rinse with water to remove

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

WATER, PROPANEDIOL, BUTYLOCTYL SALICYLATE, DIBUTYL ADIPATE, NIACINAMIDE, TROMETHAMINE, POLYGLYCERYL-3 DISTEARATE, OCTYLDODECANOL, CETEARYL ALCOHOL, 1,2-HEXANEDIOL, PENTYLENE GLYCOL, CAPRYLYL METHICONE, POLYMETHYLSILSESQUIOXANE, GLYCERYL STEARATE, POTASSIUM CETYL PHOSPHATE, METHYLPROPANEDIOL, POLY C10-30 ALKYL ACRYLATE, CARBOMER, GLYCERYL STEARATE CITRATE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER, ADENOSINE, POLYETHER-1, SODIUM GUAIAZULENE SULFONATE, BIOSACCHARIDE GUM-1, CERAMIDE NP, ALLANTOIN, GLUTATHIONE, MADECASSOSIDE, LACTOBACILLUS FERMENT, BUTYLENE GLYCOL, ALOE FEROX LEAF EXTRACT

Beauty Know-how
For Problematic Skin

피카프 워터베리어 선크림

미백, 주름개선, 자외선차단 기능성 화장품

SPF50+ PA++++

효능효과 | 피부의 미백에 도움을 준다. 피부의 주름개선에 도움을 준다. 자외선으로부터 피부를 보호한다. (SPF 50+, PA++++)

용법용량 | 본 품 적당량을 취해 피부에 골고루 펴 바른다.

전성분 | 정제수, 프로판다이올, 부틸옥틸살리실레이트, 디이부틸아디페이트, 에틸헥실트리아존, 테레프탈릴리덴디카μφ포르술포닉애씨드, 나이아신아마이드, 트로메타민, 폴리글리세릴-3다이스테아레이트, 옥틸도데칸올, 세테아일알코올, 1,2-헥산다이올, 펜틸렌글라이콜, 디에틸아미노하이드록시벤조일헥실벤조에이트, 카프릴메티콘, 폴리실리콘-15, 케아프알로에임추출물, 폴리메틸실세스퀴옥세인, 글리세릴스테아레이트, 비스-에틸헥실옥시사피놀메톡시페닐트리아진, 포타슘세틸포스페이트, 메틸프로판다이올, 폴리C10-30알킬아크릴레이트, 카보머, 글리세릴스테아레이트시트레이트, 아크릴레이트/C10-30알킬아크릴레이트크로스폴리머, 에틸헥실글리세린, 암모늄아크릴로일디아메틸타우레이트/브이피코폴리머, 아데노신, 폴리메타-1, 소듐구아아졸렌설포네이트, 바이오사카라이드검-1, 글루타디온, 락토바실러스발효물, 마데카소사이드, 세라마이드엔피, 알란토인, 부틸렌글라이콜

사용할 때의 주의사항 | 1) 화장품 사용 시 또는 사용 후 직사광선에 의하여 사용부위가 붉은 반점, 부어오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우에는 전문의 등과 상담할 것 2) 상처가 있는 부위 등에는 사용을 자제할 것 3) 보관 및 취급 시 주의사항 가) 어린이의 손이 닿지 않는 곳에 보관할 것 나) 직사광선을 피해서 보관할 것

제조번호 및 사용기한 | 별도표기

화장품제조업자 | 한국콜마(주)

세종특별자치시 전의면 산단길 22-17

화장품책임판매업자 | ㈜라이프드코퍼레이션 /

서울특별시 구로구 디지털로30길 28 마리아타워 513호

본 제품에 이상이 있을 경우 공정거래위원회 고시 '소비자분쟁해결기준'에 의해 교환 또는 보상해 드립니다. 고객상담실 +82-70-8865-1306

Ingredients | Water, Propanediol, Butyloctyl Salicylate, Dibutyl Adipate, Ethylhexyl Triazone, Terephthalylidene Dicamphor Sulfonic Acid, Niacinamide, Tro-methamine, Polyglyceryl-3 Distearate, Octyldodecanol, Cetearyl Alcohol, 1,2-hexanediol, Pentylene Glycol, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Caprylyl Methicone, Polysilicone-15, Aloe Ferox Leaf Extract, Polymethylsil-sesquioxane, Glyceryl Stearate, Bis-ethylhexyloxyphenol Methoxyphenyl Tri-azine, Potassium Cetyl Phosphate, Methylopropanediol, Poly C10-30 Alkyl Acrylate, Carbomer, Glyceryl Stearate Cit-rate, Acrylates/c10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Am-monium Acryloyldimethyltaurate/vp Copolymer, Adenosine, Polyether-1, So-dium Guaiazulene Sulfonate, Biosac-charide Gum-1, Glutathione, Lactobac-illus Ferment, Madecassoside, Ceram-ide Np, Allantoin, Butylene Glycol

How To Use | Take an appropriate amount of this product and apply evenly on the skin.

Cautions | 1. In case of having side effects such as red rash, swolleness and/or itching while using this cosmetic, or in case such symptoms appear by direct sunlight after using it, consult a dermatologist immediately. 2. Do not apply it on the part where you have a scar, eczema or dermatitis. 3. Precautions for treatment and storage 1) Keep it out of the reach of children. 2) Avoid the place where the direct sunlight is

Manufactured by
Kolmar Korea Co.,LTD /
22-17, Sandan-gil, Jeonui-myeon,
Sejong-si, Republic of Korea

Distributed by
LIFE WITH CORPORATION Inc. /
Unit513, 28, Digital-ro 30-gil, Guro-gu,
Seoul, Republic of Korea
(Contact +82 70-8865-1306)

MADE IN KOREA
PCALM.CO.KR

P.CALM

Water Barrier Sun Cream

SUNSCREEN

50+
SPF
PA++++

Cape Aloe, Ceramide NP
and Glutathione

50 ml - 1.69 fl.oz

DRUG FACTS

ACTIVE INGREDIENTS	Purposes
ETHYLHEXYL TRIAZONE 2.7%	Sunscreen
TEREPHTHALYLIDENE DICAMPHOR	
SULFONIC ACID 2.64%	Sunscreen
POLYSILICONE-15 1%	Sunscreen
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE 1%	Sunscreen
BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE 0.5%	Sunscreen

USE

■ Helps prevent sunburn

DIRECTIONS

■ Apply liberally 15 minutes before sun exposure
■ Use a water-resistant sunscreen if swimming or sweating
■ Reapply at least every 2 hours
■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.-2p.m./ Wear long sleeve shirts, pants, hats and sunglasses
■ Children under 6 months: Ask a doctor

WARNINGS

■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop using and ask a doctor if rash occurs. ■ When using this product, keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

INACTIVE INGREDIENTS

WATER, PROPANEDIOL, BUTYLOCTYL SALICYLATE, DIBUTYL ADIPATE, NIACINAMIDE, TROMETHAMINE, POLYGLYCERYL-3-DISTEARATE, OCTYLDODECANOL, CETEARYL ALCOHOL, 1,2-HEXANEDIOL, PENTYLENE GLYCOL, CAPRYLYL METHICONE, POLYMETHYLSILSESQUIOXANE, GLYCERYL STEARATE, POTASSIUM CETYL PHOSPHATE, METHYLPROPANEDIOL, POLY C10-30 ALKYL ACRYLATE, CARBOMER, GLYCERYL STEARATE CITRATE, ACRYLATES/C10-30 ALKYL ACRYLATE COPOLYMER, ETHYLHEXYLGLYCERIN, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, ADENOSINE, POLYETHER-1, SODIUM GUAIAZULENE SULFONATE, BIOSACCHARIDE GUM-1, CERAMIDE NP, ALLANTOIN, GLUTATHIONE, MADE-CASSOSIDE, LACTOBACILLUS FERMENT, BUTYLENE GLYCOL, ALOE FEROX LEAF EXTRACT

OTHER INFORMATION

■ Protect the product in this container from excessive heat and direct sunlight.



000000 1000407

P.CALM WATER BARRIER SUNCREAM

ethylhexyl triazone, terephthalylidene dicamphor sulfonic acid, polysilicone-15, diethylamino hydroxybenzoyl hexyl benzoate, bis-ethylhexyloxyphenol methoxyphenyl triazine cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:83735-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BEMOTRIZINOL (UNII: PWZ1720CBH) (BEMOTRIZINOL - UNII:PWZ1720CBH)	BEMOTRIZINOL	5 mg in 1 mL
ETHYLHEXYL TRIAZONE (UNII: XQN8R9SAK4) (ETHYLHEXYL TRIAZONE - UNII:XQN8R9SAK4)	ETHYLHEXYL TRIAZONE	27 mg in 1 mL
ECAMSULE (UNII: M94R1PM439) (ECAMSULE - UNII:M94R1PM439)	ECAMSULE	26.4 mg in 1 mL
POLYSILICONE-15 (UNII: F8DRP5BB29) (POLYSILICONE-15 - UNII:F8DRP5BB29)	POLYSILICONE-15	10 mg in 1 mL
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (UNII: ANQ870JD20) (DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE - UNII:ANQ870JD20)	DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIBUTYL ADIPATE (UNII: F4K100DXP3)	
PROPANEDIOL (UNII: 5965N8W85T)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
NIACINAMIDE (UNII: 25X51I8RD4)	
TROMETHAMINE (UNII: 023C2WHX2V)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
BEHENYL ACRYLATE POLYMER (UNII: D64PM5UT4U)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
ADENOSINE (UNII: K72T3FS567)	
SODIUM GUALENATE (UNII: 19WSH095WP)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
CERAMIDE NP (UNII: 4370DF050B)	
ALLANTOIN (UNII: 344S277G0Z)	
GLUTATHIONE (UNII: GAN16C9B8O)	
MADECASSOSIDE (UNII: CQ2F5O6YIY)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALOE FEROX LEAF (UNII: 0D145J8EME)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83735-001-02	1 in 1 CARTON	10/17/2023	
1	NDC:83735-001-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/17/2023	

Labeler - LIFE WITH CORPORATION Inc. (695397552)

Registrant - LIFE WITH CORPORATION Inc. (695397552)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co., Ltd		963271745	manufacture(83735-001)

Revised: 7/2024

LIFE WITH CORPORATION Inc.