

CARDINAL HEALTH ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 2% solution

Cardinal Health

2% Cardinal Health

Active ingredient

Chlorhexidine gluconate 2% solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers
- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL of product and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

WARNING: This product can expose you to chemicals including coconut oil diethanolamine condensate (cocamide diethanolamine/cocamide DEA), which is known to the State of California to cause cancer. For more information, go to P65Warnings.ca.gov

For Professional and Hospital Use

You may report serious side effects to 1-877-227-3462

Not made with natural rubber latex

Package Label

NDC: 63517-113-04

AS-2CHGL4

Cardinal Health

Chlorhexidine Gluconate

2% Solution

Single Use Antiseptic

Non Sterile Solution

Distributed by: Cardinal Health

Waukegan, IL 60085 USA

Rev. D 2019-06 • cardinalhealth.com

© 2019 Cardinal Health. All Rights Reserved.

CARDINAL HEALTH and the Cardinal Health LOGO

are trademarks of Cardinal Health and may be registered in the US and/or in other countries.

4 fl oz (118 mL)



Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 2% solution.....	Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

Lift Here to Check for TUBIC

Drug Facts (continued)

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock ■ facial swelling ■ hives ■ rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers
- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL of product and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water



Drug Facts (continued)

- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

⚠WARNING: This product can expose you to chemicals including cocamide DEA, which is known to the State of California to cause cancer. For more information, go to P65Warnings.ca.gov

For Professional and Hospital Use Only

You may report serious side effects to 1-877-227-3462

Not Made with Natural Rubber Latex

Distributed by

Cardinal Health

Waukegan, IL 60085 USA

Rev. D 2019-06 • cardinalhealth.com

© 2019 Cardinal Health. All Rights Reserved.

CARDINAL HEALTH and the Cardinal Health LOGO are trademarks of Cardinal Health and may be registered in the US and/or in other countries.

NDC: 63517-113-08

AS-2CHGL8

Cardinal Health

Chlorhexidine Gluconate

2% Solution

Antiseptic

8 fl oz (237 mL)

NDC: 63517-113-08

REF AS-2CHGL8



CardinalHealth™

Chlorhexidine Gluconate 2% Solution

Antiseptic



8 fl oz (237 mL)

2CHA088TLL8LC

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 2% solution	Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

▲ Lift Here

Drug Facts (continued)

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers
- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL of product and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Drug Facts (continued)

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

⚠ WARNING: This product can expose you to chemicals including cocamide DEA, which is known to the State of California to cause cancer. For more information, go to P65Warnings.ca.gov

Distributed by: **Cardinal Health**, Waukegan, IL 60085 USA
Rev. D 2019-06 - cardinalhealth.com

© 2019 Cardinal Health. All Rights Reserved. CARDINAL HEALTH and the Cardinal Health LOGO are trademarks of Cardinal Health and may be registered in the US and/or in other countries.

For Professional and Hospital Use Only
You may report serious side effects to 1-877-227-3462

Not Made with Natural Rubber Latex

CARDINAL HEALTH ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 2% solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63517-113

Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	2 g in 100 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	LAURAMINE OXIDE (UNII: 4F6FC4MI8W)			
	HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)			
	COCO DIETHANOLAMIDE (UNII: 92005F972D)			
	WATER (UNII: 059QF0KO0R)			
	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63517-113-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2015	
2	NDC:63517-113-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2015	
3	NDC:63517-113-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2015	05/31/2019
4	NDC:63517-113-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2015	05/31/2019
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA019422	05/01/2015		

Labeler - Cardinal Health (097537435)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(63517-113)