

NESTABS DHA PRENATAL MULTI-VITAMIN/MINERAL SUPPLEMENT WITH DHA/EPA- sodium ascorbate, cholecalciferol, di-alpha-tocopheryl acetate, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hcl, folic acid, cyanocobalamin, calcium formate, calcium carbonate, ferrous (ii) bis-glycinate chelate, potassium iodide, zinc oxide, choline bitartrate, with doconexent and icosapent

WOMENS CHOICE PHARMACEUTICALS LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NESTABS DHA Prenatal Multi-vitamin/Mineral Tablet

D escripton: Nestabs DHA combination tablet-capsule for oral administration is a light pink capsule-shaped film coated tablet with a pleasant sweet flavor with WCOO1 imprinted on one side of the tablet and a enteric coated light amber soft gel capsule omega-3 fatty acid containing both DHA and EPA.

I ndications and Usage: Nestabs DHA is indicated to provide vitamin/mineral and omega-3 fatty acid supplementation to women throughout pregnancy, during the postnatal for both lactating and nonlactating mothers. Nestabs DHA is also beneficial in improving the nutritional status of women prior to conception.

C ontraindications: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients .

W arnings: Ingestion of more than 3 grams of omega-fatty acids per day has been shown to have potential antithrombotic effects, including increased bleeding time and INR. Administration of omega-3 fatty acids should be avoided in patients on anticoagulants and in those known to have an inherited or acquired bleeding diathesis.

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

P recautions: Folic acid in doses above 0.1mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations remain progressive. This product contains formate, which if consumed above the recommended level, could cause visual impairment and other health effects. Do not take more than the recommended amount. If you are pregnant, nursing, or taking any medications consult your doctor before use. Discontinue use and consult your doctor if any adverse reactions occur. Not intended for use by persons under the age of 18.


A dverse Reactions: Allergic sensitization has been reported following both oral and

parenteral administration of folic acid.

Dosage and Administration: Nestabs DHA - One tablet and one soft gel capsule daily or as directed by a physician.

How Supplied: Nestabs DHA tablets for oral administration are supplied as six child-resistant blister cards containing 5 tablets and 5 softgel capsules each (NDC# 50967-317-30).

916650



Nestabs® DHA Prenatal Multi-Vitamin/Mineral Tablets with DHA and Choline
Indications and Usage: Nestabs® DHA is indicated to provide vitamin/mineral and omega-3 fatty acid supplementation to women throughout pregnancy, during the postpartum for both lactating and nonlactating mothers. Nestabs® DHA is also beneficial in improving the nutritional status of women prior to conception.
Contraindications: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.
Warnings: Ingestion of more than 3 grams of omega-3 fatty acids per day has been shown to have potential antithrombotic effects, including increased bleeding time and risk. Administration of omega-3 fatty acids should be avoided in patients on anticoagulants and in those known to have an increased or acquired bleeding diathesis.
Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.
WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.
Precautions: Folic acid in doses above 5 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations become progressive. This product contains ferrous sulfate, which if consumed above the recommended level, could cause visual impairment and other health effects. Do not take more than the recommended amount. If you are pregnant, nursing, or taking any medications consult your doctor before persons under the age of 18.
Adverse Reactions: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.
Dosage and Administration: Nestabs® DHA - One tablet and one soft gel capsule daily or as directed by a physician.
How Supplied: Nestabs® DHA tablets for oral administration are supplied as six child-resistant blister cards containing 5 tablets and 5 softgel capsules each (NDC# 50967-317-30).
 Store at controlled room temperature 15°-30° (59°-86° F). **RX only**

NestabsDHA
 a prenatal powerhouse
 Multi-Vitamin/Mineral Tablet Plus DHA/EPA Capsule
 Gluten Free



Womens Choice
 Beryn, PA 19312 • (800) 864-1460
 Beryn, PA 19312 • (800) 864-1460
 Formerly an registered trademark of
 Nephro-Tech 1, LLC
 US Patent #6,528,542
 Nestabs® is a registered trademark of
 Women's Choice Pharmaceuticals, LLC

Gluten Free

NDC: 50967-317-30 (30 count)
 6 blister cards,
 each containing
 5 tablets and 5 capsules

Supplement Facts	
Serving Size: 1 Tablet	
	Percent Daily Value
Vitamin C (Ascorbic Acid)	50.0% (50 mg)
Vitamin D3 (Cholecalciferol)	40.0% (10 mcg)
Vitamin E (dl-Alpha-Tocopheryl Acetate)	50.0% (50 IU)
Vitamin B1 (Thiamine Mononitrate)	10.0% (1 mg)
Vitamin B2 (Riboflavin)	10.0% (2 mg)
Niacin (Nicotinamide)	20.0% (20 mg)
Vitamin B3 (Pyridoxine HCl)	50.0% (5 mg)
Folic Acid	100.0% (5 mg)
Vitamin B12 (Cyanocobalamin)	10.0% (1 mcg)
Calcium	20.0% (20 mg)
as Form of Calcium Formate 100 mg Calcium Content of mg	
Iron (Ferrous Bisulfate Hydrate)	50.0% (10 mg)
Iron (Ferrous Sulfate)	100.0% (20 mg)
Zinc (Zinc Oxide)	50.0% (10 mg)
Choline (Choline Bitartrate)	80.0% (80 mg)

Other Ingredients: Hydroxypropyl Cellulose, Polydextrose, Hydroxypropyl Methylcellulose, Polyethylene Glycol, Magnesium Stearate, DIB, Sodium Hydroxide, Croscarmellose Sodium, Cellulose.

Each Omega-3 DHA tablet capsule contains:
 Docosahexaenoic Acid (DHA) 100 mg and
 Eicosapentaenoic Acid (EPA) 80 mg derived from fish oils
 (source of Omega-3).

Other ingredients in the DHA tablet capsule:
 Vitamin E (d-Alpha-Tocopheryl Acetate), Vitamin B12 (Cyanocobalamin), Folic Acid, Vitamin B1 (Thiamine Mononitrate), Vitamin B2 (Riboflavin), Niacin (Nicotinamide), Vitamin C (Ascorbic Acid), Calcium, Iron (Ferrous Sulfate), Zinc (Zinc Oxide).

NESTABS DHA PRENATAL MULTI-VITAMIN/MINERAL SUPPLEMENT WITH DHA/EPA

sodium ascorbate, cholecalciferol, di-alpha-tocopheryl acetate, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hcl, folic acid, cyanocobalamin, calcium formate, calcium carbonate, ferrous (ii) bis-glycinate chelate, potassium iodide, zinc oxide, choline bitartrate, with doconexent and icosapent kit

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50967-317
---------------------	-------------------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50967-317-30	4 in 1 CARTON	02/01/2011	
1		1 in 1 BLISTER PACK		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1		30
Part 2		30

Part 1 of 2

NESTABS MULTI-VITAMIN/MINERAL SUPPLEMENT

sodium ascorbate, cholecalciferol, di-alpha-tocopheryl acetate, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hcl, folic acid, cyanocobalamin, calcium formate, calcium carbonate, ferrous (ii) bis-glycinate chelate, potassium iodide, zinc oxide, choline bitartrate tablet

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE ION	3 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	3 mg
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	20 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	50 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	10 ug
CALCIUM FORMATE (UNII: NP3JD65NPY) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	155 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	45 mg
FERROUS BISGLYCINATE (UNII: SFW1D987QV) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	32 mg
SODIUM ASCORBATE (UNII: S033EH8359) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	450 [iU]
ALPHA-TOCOPHERYLQUINONE (UNII: Z0763K43XR) (ALPHA-TOCOPHERYLQUINONE - UNII:Z0763K43XR)	ALPHA-TOCOPHERYLQUINONE	30 [iU]
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	100 ug
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 mg
CHOLINE BITARTRATE (UNII: 6K2W7T9V6Y) (CHOLINE - UNII:N91BDP6H0X)	CHOLINE	55 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SACCHARIN (UNII: FST467XS7D)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	WC;001
Contains			

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved drug other		02/01/2011	

Part 2 of 2

NESTABS OMEGA 3-DHA

doconexent and icosapent supplement capsule, gelatin coated

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCONEXENT (UNII: ZAD9OKH9JC) (DOCONEXENT - UNII:ZAD9OKH9JC)	DOCONEXENT	230 mg
ICOSAPENT (UNII: AAN7QOV9EA) (ICOSAPENT - UNII:AAN7QOV9EA)	ICOSAPENT	30 mg
.ALPHA.-TOCOPHEROL, D- (UNII: N9PR3490H9) (.ALPHA.-TOCOPHEROL, D- - UNII:N9PR3490H9)	.ALPHA.-TOCOPHEROL, D-	2 [IU]

Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	6mm
Flavor		Imprint Code	;
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other		02/01/2011	
--------------------------	--	------------	--

Labeler - WOMENS CHOICE PHARMACEUTICALS LLC (833067841)

Registrant - WOMENS CHOICE PHARMACEUTICALS LLC (833067841)

Establishment

Name	Address	ID/FEI	Business Operations
Women's Choice Pharmaceuticals		833067841	label(50967-317)

Revised: 1/2023

WOMENS CHOICE PHARMACEUTICALS LLC