
YYBA (as PLD) - WELMATE ANTIHISTAMINE ALLERGY RELIEF (73581-011)

Active ingredient (in each tablet)

Fexofenadine HCI 180 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product:

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

age	do not use
adults 65 years and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 8.2 mg
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide.

Questions?

call toll-free 1-800-935-6737



Drug Facts	
	<i>ient (in each tablet) Purpose</i> 180 mgAntihistamine
o hay fever or othe	y relieves these symptoms due er upper respiratory allergies: sneezing = itchy, watery eyes ose or throat
	have ever had an allergic duct or any of its ingredients.
sk a doctor before	e use if you have kidney disease. determine if you need a different
nagnesium antacio	re than directed he same time as aluminum or
top use and ask	a doctor if an allergic reaction to s. Seek medical help right away.
f pregnant or breat professional before	e ast-feeding, ask a health e use.
verdose, get medi	of children. In case of ical help or contact a Polson 300-222-1222) right away.
PEEL FO	OR DIRECTIONS G7022-100-103-
Drug Fac	c ts (continued)
Directions	io (oonanaoa)
	take one 180 mg tablet with
adults and ohildren 12 years of age and over	water once a day; do not take more than 1 tablet in 24 hours
	Active ingredience of the exofenadine HCl Uses Temporarily to hay fever or other intching of the normalized of the nor

ask a doctor

ask a doctor

adults 65 years of age and older

oonsumers

with kidney disease

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 8.2 mg
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide.

Questions? call toll-free 1-866-933-6337

*This product is not manufactured or distributed by the owner of the registered trademark Allegra® Allergy 24 Hour Tablets



ALLERGY RELIEF

fexofenadine hydrochloride tablet

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-011				
Route of Administration	ORAL						
Active Ingredient/Active Moiety							

	Ingredie	nt Name		Basis of St		Strengt
FEXOFENADINE HYI UNII:E6582LOH6V)	DROCHLORIDE (L	JNII: 2S068B75ZU) (FEXOI	ENADINE -	FEXOFENADINE HYDROCHLORIDE		180 mg
Inactive Ingred	ients					
Ingredient Name				Strength		
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)						
SILICON DIOXIDE (U	NII: ETJ7Z6XBU4)					
STARCH, CORN (UNI	I: 08232NY3SJ)					
CROSCARMELLOSE						
HYPROMELLOSE, UI						
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)						
		IED (UNII: 3WJQ0SDW1A)				
CORN (UNII: 0N86727						
FERRIC OXIDE RED		5)				
STEARIC ACID (UNII:						
TITANIUM DIOXIDE	(UNII: 15FIX9V2JP)					
Product Charac	teristics					
Color	pink	Score		r	no score	
Shape	OVAL	Size]	18mm	
Flavor		Imprint Code		ç	SG202	
Contains					50202	
contains						
Packaging						
# Item Code	Packa	ge Description	Mark	eting Start Date		ting End ate
	LOO in 1 BOTTLE; ⁻ Product	Type 0: Not a Combination	n 03/25/20	21		
▲ 80 F	Product		n 03/25/20	21		
▲ 80 F	Product		n 03/25/20	21		
Marketing II	Product nformation		03/23/20	21 rketing Start Date		ting End Date
Marketing I	Product nformation) Number or Monogra	03/23/20	rketing Start Date		

Labeler - YYBA CORP (006339772)

Revised: 1/2024