

TIGER DELAYSPRAY- lidocaine spray
Magverz INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TIGER Spray

Lidocaine HCl 10 % ... External Anesthetic

Purpose

External Anesthetic

Keep out of Reach of Children

WARNINGS: Keep out of reach of children.

For External use only

Indication and Usage

temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Inactive Ingredients

Warning

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local Anesthetics.

Do not use - on broken or inflamed skin -if your partner is pregnant

Ask a doctor before use if you have, or ever had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs

when using this product

- do not get into eyes

- do not inhale

- do not exceed 24 sprays in 24 hours

Dosage and Administration

-apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or as directed by a doctor

-wash product after intercourse

-correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

Product Label



NEW



ORIGINAL
TIGER HERBAL
FORMULA

TIGER Delay Spray

With Natural Vitamin E
FOR MEN

Drug Facts

Active Ingredient

Lidocaine Base USP 10% w/w.....Topical Anesthetic
(approximately 10 mg per spray)

Purpose

Use temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Warnings

For external use only.

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local anesthetics

Do not use • on broken or inflamed skin • if your partner is pregnant

Ask a doctor before use if you have, or have had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs

When using this product

- do not get into eyes
- do not inhale
- do not exceed a maximum of 24 sprays in 24 hours.

Stop use and consult a doctor

- if you or your partner develop a rash or irritation, such as burning or itching
- if you do feel unwell or have any unpleasant effects after using the spray
- if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away

Directions

- apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- wash product off after intercourse
- correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

Other information

• this product is fitted with a Child Resistant Cap - insert key or coin, twist it to flip top open.

• Store below 25°C (77°F)

Inactive ingredients : Ethanol, Propylene glycol, vitamin E, Essence

NOUVEAU

For External Use Only

Retardez LeJet
Pour les Hommes

North America Distributor:

MAGVERZ INC, Santa Monica, CA 90401 USA

Distributed in Hongkong:

Menzbek International Limited, Room 805-807,
Yuen Long Commercial Center, 24 Kau Yuk Road,
Yuen Long, N.T. Hong Kong

PRODUCT OF PRC

12ml

Lot:
Exp:

TIGER DELAYS PRAY

lidocaine spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59240-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	10 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59240-005-06	6 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/03/2017	
2	NDC:59240-005-08	8 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/03/2017	
3	NDC:59240-005-12	12 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/03/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	01/03/2017	

Labeler - Magverz INC (078712269)

Registrant - Magverz INC (078712269)

Revised: 8/2016

Magverz INC