

OXYGEN- oxygen gas
T & C Flynn's Pharmacy Inc

oxygen

OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 Rx only

WARNING: WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. MAY CAUSE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid Spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52°C/125°F. Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS:7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

RENTAL T&C FLYNNS PHARMAY, INC. 173 ELM ST. . PITTSFIELD, MA 01201 . (413) 443-3219

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑
DO NOT CHANGE OR FORCE FIT CONNECTIONS

**OXYGEN,
REFRIGERATED
LIQUID
USP**

UN1073



R_x only

WARNING: **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. **Produced by Air Liquefaction.**

WARNING: **EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. MAY CAUSE FROSTBITE.**

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the **Material Safety Data Sheet (MSDS)**.

FIRST AID: **IN CASE OF FROSTBITE**, obtain medical treatment immediately.
CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

RENTAL

T&C FLYNNS PHARMACY, INC.

173 ELM ST. • PITTSFIELD, MA 01201 • (413) 443-3219 41550 (07/06)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:42821-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42821-001-01	283 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
2	NDC:42821-	339 L in 1 CYLINDER; Type 0: Not a Combination	01/01/2000	

2	001-02	Product	01/01/2000	
3	NDC:42821-001-03	424 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
4	NDC:42821-001-04	509 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
5	NDC:42821-001-05	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
6	NDC:42821-001-06	594 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
7	NDC:42821-001-07	792 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
8	NDC:42821-001-08	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
9	NDC:42821-001-09	1160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
10	NDC:42821-001-10	1274 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
11	NDC:42821-001-11	1302 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
12	NDC:42821-001-12	1557 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
13	NDC:42821-001-13	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/2000	

Labeler - T & C Flynn's Pharmacy Inc (019566108)

Establishment

Name	Address	ID/FEI	Business Operations
T & C Flynn's Pharmacy Inc		019566108	manufacture(42821-001)

Revised: 10/2023

T & C Flynn's Pharmacy Inc