

**BUFFERED ALCOHOL- isopropyl alcohol liquid**  
**Butler Animal Health Supply LLC, dba Covetrus North America**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**FOR EXTERNAL USE ONLY**

**DIRECTIONS FOR USE:**

Apply to skin directly or with clean gauze, cotton or swab.

For rubbing, apply liberally and rub with hands, wear protective gloves. Do not use in eyes or on mucous membranes. If redness, irritation or swelling persists or increases, discontinue use and consult a physician.

**PRECAUTIONARY STATEMENTS:**

Do not get in eyes. Wear eye protection. Wash hands and exposed skin after use. Avoid breathing vapors. Keep away from heat/sparks/open flame. No smoking. Store in cool, well ventilated place that is locked. Keep container tightly closed. Use only non-sparking tools. Take precautionary measure against static discharge.

**KEEP OUT OF REACH OF CHILDREN**

**FIRST AID:**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF ON CLOTHING: Immediately contaminated clothing and skin with plenty of water before removing clothes. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or persists.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if symptoms persist.

IF INGESTED: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

**REORDER NO. 012186**

**Principal Display Panel**

# FLAMMABLE LIQUID AND VAPOR, MAY CAUSE DROWSINESS OR DIZZINESS.

Causes serious eye irritation. Prolonged or repeated contact may dry the skin and cause irritation and burns.



 **Warning**  
  
 **Harmful**

  
5 40066 50031 5

## Buffered alcohol 70%

70% Isopropanol

**For external use only**

**Directions for use:** Apply to skin directly or with clean gauze, cotton, or swab. For rubbing, apply liberally and rub with hands, wear protective gloves. Do not use in eyes or on mucous membranes. If redness, irritation, or swelling persists or increases, discontinue use and consult a physician.

**Precautionary statements:** Do not get in eyes. Wear eye protection. Wash hands and exposed skin after use. Avoid breathing vapors. Keep away from heat/spark/open flame. No smoking. Store in cool, well-ventilated place that is locked. Keep container tightly closed. Use with only non-sparking tools. Take precautionary measures against static discharge.

**Keep out of reach of children**

**Net contents: One gallon (128 fluid oz)**

Reorder #012186

**Questions?**  
(855) 724-3461

Manufactured for:  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017  
covetrus.com

AH-012186-02  
REV: 1121

**WARNING**  
Flammable liquid and vapor, may cause drowsiness or dizziness.  
Causes serious eye irritation. Prolonged or repeated contact may dry the skin and cause irritation and burns.

**First aid:**  
If on skin (or hair): Immediately take off all contaminated clothing. Rinse skin with water before removing clothes. Wash contaminated clothing before reuse.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or persists.  
If inhaled: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if symptoms persist.  
If ingested: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

## BUFFERED ALCOHOL

isopropyl alcohol liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:11695-5575
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-5575-1	3785 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2013	

**Labeler** - Butler Animal Health Supply LLC, dba Covetrus North America (603750329)

## Establishment

Name	Address	ID/FEI	Business Operations
Best Sanitizers, Inc		627278224	api manufacture, manufacture

Revised: 1/2022

Butler Animal Health Supply LLC, dba Covetrus North America