

**OXYGEN- oxygen gas**  
**Volunteer Welding Supply Inc**

-----  
**Oxygen**

**OXYGEN COMPRESSED LABEL**

Produced by Air Liquefaction

**OXYGEN 2** 18033 (12/14)

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125° F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

**VOLUNTEER WELDING SUPPLY**

815 5<sup>TH</sup> AVE SOUTH • NASHVILLE, TN 37203

**615-256-5658**



**OXYGEN REFRIGERATED LIQUID LABEL**

**OXYGEN**

**REFRIGERATED LIQUID, U.S.P.  
UN 1073**

**(CRYOGENIC LIQUID)** Produced by Air Liquefaction  
OXYGEN 2

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION**  
**WARNING**

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications  
**RX only.**

**WARNING!** Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

WARNING: Caution Federal Law Prohibits Dispensing without Prescription  
**FIRST AID**

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

COMPANY NAME:

LOT NUMBER:

CONTENTS:

EXPIRATION DATE:

**DO NOT REMOVE THIS PRODUCT LABEL**

# OXYGEN

REFRIGERATED LIQUID, U.S.P.  
UN 1073  
(CRYOGENIC LIQUID)



Produced by Air Liquettection

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

**WARNING**

**WARNING:**  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIOLENTLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

**FIRST AID**

**IN CASE OF FROSTBITE,** obtain medical treatment immediately.

**PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.**

Company Name:  
Lot Number:  
Contents:  
Expiration Date:

**DO NOT REMOVE THIS PRODUCT LABEL**

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:53511-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53511-001-01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
2	NDC:53511-001-02	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
3	NDC:53511-001-03	426 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
4	NDC:53511-001-04	675 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
5	NDC:53511-001-05	3450 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
6	NDC:53511-	6896 L in 1 CYLINDER; Type 0: Not a Combination	01/01/1973	

0	001-06	Product	01/01/1973	
7	NDC:53511-001-07	7800 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
8	NDC:53511-001-08	145000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1973	
9	NDC:53511-001-09	155000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1973	
10	NDC:53511-001-10	172000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1973	
11	NDC:53511-001-11	185000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1973	
12	NDC:53511-001-12	200000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1973	
13	NDC:53511-001-13	227000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1973	
14	NDC:53511-001-14	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
15	NDC:53511-001-15	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
16	NDC:53511-001-16	3454 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
17	NDC:53511-001-17	6909 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
18	NDC:53511-001-18	8495 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
19	NDC:53511-001-19	180 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
20	NDC:53511-001-20	185 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
21	NDC:53511-001-21	190 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
22	NDC:53511-001-22	195 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	
23	NDC:53511-001-23	200 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1973	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205889	01/01/1973	

**Labeler** - Volunteer Welding Supply Inc (065836520)

**Registrant** - Volunteer Welding Supply Inc (065836520)

## Establishment

Name	Address	ID/FEI	Business Operations
Volunteer Welding Supply Inc		065836520	manufacture(53511-001)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

VOLUNTEER WELDING SUPPLY, INC.		118178728	manufacture(53511-001)
--------------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
VOLUNTEER WELDING SUPPLY, INC.		118794231	manufacture(53511-001)

## Establishment

Name	Address	ID/FEI	Business Operations
Volunteer Welding Supply Inc		624758439	manufacture(53511-001)

Revised: 11/2023

Volunteer Welding Supply Inc