

SLEEP AID NIGHTTIME- diphenhydramine hcl liquid
WinCo Foods, LLC

Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on the skin
- for children under 12 years of age
- with other drugs that cause drowsiness such as antihistamines, nighttime cold/flu products, and other nighttime sleep-aids

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers or any other sleep-aid.

When using this product

- drowsiness will occur
- avoid alcoholic beverages and other drugs that cause drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than directed can cause serious health problems. in case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only one dose per day (24 hours) - (see overdose warning)
- mL= milliliter
- keep dosing cup with product
- measure only with dosing cup provided do not use any other dosing device
- adults and children 12 years and over
 - one dose=30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years do not use

Other information

- **each 30 mL contains:** sodium 23 mg
- store at 20-25°C (68-77°F)
- do not refrigerate
- protect from light

Inactive ingredients

citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium , sodium benzoate, trisodium citrate dihydrate

Questions?

Or to report an adverse event call 800-824-1706 Monday - Friday 9am - 4PM MST

Principal Display Panel

*Compare to the active ingredient in ZZZQUIL®

NIGHTTIME

Sleep Aid

DIPHENHYDRAMINE HCl 50 mg / NIGHTTIME SLEEP-AID

Not For Treating Cold or Flu

Safe, Non-Habit Forming

Alcohol 10%

Berry Flavor

FL OZ (mL)

FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS CONSEQUENCES

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by The Procter & Gamble Company. ZZZQUIL® is a registered trademark of The Procter & Gamble Company.

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

www.wincofoods.com

Package Label

← Peel Here For Continued Drug Facts

Drug Facts	
Active ingredient (in each 30 mL) Diphenhydramine HCl 50 mg.....	Purpose Nighttime sleep-aid
Uses	
<ul style="list-style-type: none"> ■ for the relief of occasional sleeplessness ■ reduces time to fall asleep if you have difficulty falling asleep 	
Warnings	
Do not use <ul style="list-style-type: none"> ■ with any other product containing diphenhydramine, even one used on skin ■ for children under 12 years of age ■ with other drugs that cause drowsiness such as antihistamines, nighttime cold/flu products, and other nighttime sleep-aids 	

**FAILURE TO FOLLOW THESE WARNINGS
COULD RESULT IN SERIOUS CONSEQUENCES.**

*Compare to the active ingredient in ZZZQUIL®



**NIGHTTIME
Sleep Aid**

DIPHENHYDRAMINE HCl 50 mg/
NIGHTTIME SLEEP-AID

Not For Treating Cold or Flu
Safe, Non-Habit Forming
Alcohol 10%

Berry Flavor

6 FL OZ (177 mL)



**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL
AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704
*This product is not manufactured or distributed by
The Procter & Gamble Company. ZZZQUIL® is a registered
trademark of The Procter & Gamble Company.

100% SATISFACTION GUARANTEE
Comments & Questions?
800-824-1706 · www.wincofoods.com

PLD-A262C LB004154 WF1605



0 70552 24211 1

Drug Facts (continued)

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or any other sleep-aid.

When using this product

- drowsiness will occur
- avoid alcoholic beverages and other drugs that cause drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- take only one dose per day (24 hours) - see Overdose warning
- mL = milliliter ■ keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device
- adults and children 12 years and over
- one dose = 30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years do not use

Other information

- each 30 mL contains: sodium 23 mg ■ store at 20-25°C (68-77°F) ■ do not refrigerate ■ protect from light

Inactive ingredients citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions?
Or to report an adverse event call **800-824-1706** Monday - Friday 9am - 4pm MST

Winco Foods NightTime Sleep-Aid Berry Flavor

SLEEP AID NIGHTTIME

diphenhydramine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-290
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-290-17	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/30/2016	

Labeler - WinCo Foods, LLC (056098817)