

**COLD RELIEF MULTI-SYMPTOM- acetaminophen, chlorpheniramine maleate,
dextromethorphan hbr, phenylephrine hcl
L.N.K. International, Inc.**

Quality Plus 44-470C473C-09

Active ingredients (in each caplet) (Daytime Cold Multi-Symptom)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

Active ingredients (in each caplet) (Nighttime Cold Multi-Symptom)

Acetaminophen 325 mg
Chlorpheniramine maleate 2 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Antihistamine
Cough suppressant
Nasal decongestant

Uses

- temporarily relieves these common cold and flu symptoms:
 - cough
 - headache
 - sore throat
 - nasal congestion
 - minor aches and pains
 - sinus congestion and pressure
 - sneezing and runny nose (**Nighttime only**)
- helps clear nasal passages
- promotes nasal and sinus drainage
- relieves cough to help you sleep
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- diabetes
- liver disease
- high blood pressure
- heart disease
- glaucoma (**Nighttime only**)
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- difficulty in urination due to enlargement of the prostate gland
- thyroid disease
- a breathing problem such as emphysema or chronic bronchitis (**Nighttime only**)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (**Nighttime only**)

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children (**Nighttime only**)

- marked drowsiness may occur (**Nighttime only**)
- avoid alcoholic beverages (**Nighttime only**)
- use caution when driving a motor vehicle or operating machinery (**Nighttime only**)
- alcohol, sedatives, and tranquilizers may increase drowsiness (**Nighttime only**)

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not take DAYTIME and NIGHTTIME products at the same time.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - swallow whole – do not crush, chew, or dissolve
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **each caplet contains:** sodium 3 mg (**Nighttime only**)
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients (Daytime only)

corn starch, croscarmellose sodium, crospovidone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Inactive ingredients (Nighttime only)

corn starch, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

**QUALITY
+PLUS**

NDC 50844-529-09

MULTI-SYMPTOM
COLD RELIEF

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl PAIN RELIEVER/FEVER REDUCER, COUGH SUPPRESSANT, NASAL DECONGESTANT ACTUAL SIZE 12 Caplets	Acetaminophen, Chlorpheniramine maleate, Dextromethorphan HBr, Phenylephrine HCl PAIN RELIEVER/FEVER REDUCER, ANTIHISTAMINE, COUGH SUPPRESSANT, NASAL DECONGESTANT ACTUAL SIZE 8 Caplets
---	---

20 Total Caplets

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

PARENTS:

**Learn about teen medicine abuse
www.StopMedicineAbuse.org**

**Do Not Take Daytime and
Nighttime Products at the
Same Time.**

50844 ORG112247047309

Distributed by

LNK INTERNATIONAL, INC.

60 Arkay Drive

Hauppauge, NY 11788
USA

QUALITY PLUS DAY/NIGHT COMBO
MULTI-SYMP TOM
COLD RELIEF

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

QUALITY PLUS NDC 50844-529-09
MULTI-SYMP TOM
COLD RELIEF

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl
PAIN RELIEVER/FEVER REDUCER, COUGH SUPPRESSANT, NASAL DECONGESTANT

Acetaminophen, Chlorpheniramine maleate, Dextromethorphan HBr, Phenylephrine HCl
PAIN RELIEVER/FEVER REDUCER, ANTIHISTAMINE, COUGH SUPPRESSANT, NASAL DECONGESTANT

12 Caplets 20 Total Caplets 8 Caplets

Do Not Take Daytime and Nighttime Products at the Same Time. PARENTS: Learn about how medicine abuse www.StopMedicineAbuse.org

50844 ORIG112247047309
Distributed by LNK INTERNATIONAL, INC.
60 Arkay Drive
Hauppauge, NY 11788
USA

0 50844 52909 0

No Print / No Varnish Lot no. & Exp. date

Drug Facts (continued)

Directions

- Do not take more than directed
- Adults and children 17 years and over:
 - Take 2 caplets 4 times a day with meals and at bedtime.
 - Do not take more than 10 caplets in 24 hours.
 - Do not take more than 12 caplets in 24 hours.
- Children under 17 years: see a doctor

Other Information

- Each caplet contains acetaminophen 325 mg (acetaminophen only), dextromethorphan hydrobromide 1 mg (dextromethorphan only), chlorpheniramine maleate 2 mg (chlorpheniramine only), and phenylephrine hydrochloride 1 mg (phenylephrine HCl). Do not take with other products containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Keep out of reach of children. See important information about prescription drug interactions on the label.
- Keep this and all other medicines you are taking in a safe place. Do not take LAMTINE and NIGHTIME products at the same time.

Questions or comments? 1-800-426-3891

Drug Facts (continued)

Warnings

- Do not take if you are allergic to any of the ingredients.
- Do not take if you are taking any other drug containing dextromethorphan (prescription or over-the-counter). If you are not sure of an interaction, ask your pharmacist, doctor, or pharmacist.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.

Drug Facts (continued)

Directions

- Adults and children 17 years and over:
 - Take 2 caplets 4 times a day with meals and at bedtime.
 - Do not take more than 10 caplets in 24 hours.
 - Do not take more than 12 caplets in 24 hours.
- Children under 17 years: see a doctor

Other Information

- Each caplet contains acetaminophen 325 mg (acetaminophen only), dextromethorphan hydrobromide 1 mg (dextromethorphan only), chlorpheniramine maleate 2 mg (chlorpheniramine only), and phenylephrine hydrochloride 1 mg (phenylephrine HCl). Do not take with other products containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Keep out of reach of children. See important information about prescription drug interactions on the label.
- Keep this and all other medicines you are taking in a safe place. Do not take LAMTINE and NIGHTIME products at the same time.

Questions or comments? 1-800-426-3891

Drug Facts (continued)

Warnings

- Do not take if you are allergic to any of the ingredients.
- Do not take if you are taking any other drug containing dextromethorphan (prescription or over-the-counter). If you are not sure of an interaction, ask your pharmacist, doctor, or pharmacist.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.

Drug Facts (continued)

Directions

- Adults and children 17 years and over:
 - Take 2 caplets 4 times a day with meals and at bedtime.
 - Do not take more than 10 caplets in 24 hours.
 - Do not take more than 12 caplets in 24 hours.
- Children under 17 years: see a doctor

Other Information

- Each caplet contains acetaminophen 325 mg (acetaminophen only), dextromethorphan hydrobromide 1 mg (dextromethorphan only), chlorpheniramine maleate 2 mg (chlorpheniramine only), and phenylephrine hydrochloride 1 mg (phenylephrine HCl). Do not take with other products containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Keep out of reach of children. See important information about prescription drug interactions on the label.
- Keep this and all other medicines you are taking in a safe place. Do not take LAMTINE and NIGHTIME products at the same time.

Questions or comments? 1-800-426-3891

Drug Facts (continued)

Warnings

- Do not take if you are allergic to any of the ingredients.
- Do not take if you are taking any other drug containing dextromethorphan (prescription or over-the-counter). If you are not sure of an interaction, ask your pharmacist, doctor, or pharmacist.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.
- Do not take if you are taking any other drug containing acetaminophen, dextromethorphan, chlorpheniramine, or phenylephrine.

Quality Plus 44-470C473C

COLD RELIEF MULTI-SYMP TOM

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-529
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-529-09	1 in 1 CARTON; Type 0: Not a Combination Product	07/21/2005	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	12
Part 2	1 BLISTER PACK	8

Part 1 of 2

COLD RELIEF DAYTIME

acetaminophen, dextromethorphan hbr, phenylephrine hcl tablet, film coated

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor	MENTHOL	Imprint Code	44;470
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product	
---	---	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/15/2005	

Part 2 of 2

COLD RELIEF NIGHTTIME

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl tablet, film coated

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	17mm
Flavor	MENTHOL	Imprint Code	44;473
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/21/2005	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/21/2005	

Labeler - L.N.K. International, Inc. (038154464)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-529) , pack(50844-529)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(50844-529)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(50844-529)