

**ALL DAY ALLERGY D- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release**

**Kroger Company**

-----  
**Kroger Co. All Day Allergy-D Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland

- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**

- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

**Inactive ingredients**

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

**Questions or comments?**

**1-800-632-6900**

**Package/Label Principal Display Panel**

COMPARE TO the active ingredients of ZYRTEC-D® See side panel

OUR PHARMACIST RECOMMENDED

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy-D

Cetirizine Hydrochloride & Pseudoephedrine Hydrochloride Extended Release Tablets, 5 mg/120 mg

Antihistamine/Nasal Decongestant

12 HOUR

12 HOUR RELIEF OF:

Sneezing;

Itchy, Watery Eyes;

Runny Nose;

Itchy Throat or Nose;

Sinus Pressure;

Nasal Congestion

ALLERGY & CONGESTION

actual size

Indoor & Outdoor Allergies

24 EXTENDED RELEASE TABLETS

CODE AREA

14762 45 C3

**Drug Facts (continued)**

**Other information**

- store between 20° to 25°C (68° to 77°F)
- do not use if blister unit is broken or open
- see side panel for lot number and expiration date ■ meets USP *Dissolution Test 2*

**Inactive ingredients** colloid silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, croscarmellose sodium, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

**Questions or comments?** 1-800-632-6900



**Drug Facts (continued)**

**Active ingredients** (in each extended release tablet)  
Cetirizine HCl 5 mg ..... An histamine  
Pseudoephedrine HCl 120 mg ..... Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ nasal congestion
- temporarily relieves sinus congestion and pressure
- temporarily relieves sore throat

**Warnings**

- Do not use if you have ever had a heart condition to this product or any of its ingredients or are taking a prescription, over-the-counter, or herbal medicine for high blood pressure, heart disease, thyroid disease, diabetes, glaucoma, or high blood pressure
- temporarily relieves sinus congestion and pressure
- temporarily relieves sore throat

**Directions**

- adults and children 12 years and over: take 1 tablet every 12 hours, do not take more than 2 tablets in 24 hours.
- adults 65 years and over: ask a doctor
- children under 12 years of age: ask a doctor
- ask a doctor if you are pregnant, breastfeeding, or taking other medicines.

**Other information**

- ask a doctor if you are pregnant, breastfeeding, or taking other medicines.
- ask a doctor if you are pregnant, breastfeeding, or taking other medicines.

\*Zyrtec-D® is a registered trademark of UCB Biopharma SPRL, Brussels, Belgium. UCB Biopharma SPRL is not affiliated with The Kroger Co. or this product.

DISTRIBUTED BY  
THE KROGER CO.  
CINCINNATI, OHIO 45202

QUALITY GUARANTEE  
800-632-6900  
www.kroger.com

GLUTEN FREE  
PLEASE RECYCLE

**Kroger** ORIGINAL PRESCRIPTION STRENGTH  
**All Day Allergy-D**

Cetirizine Hydrochloride & Pseudoephedrine Hydrochloride  
Extended Release Tablets, 5 mg/120 mg  
Antihistamine/Nasal Decongestant



COMPARE TO the active ingredients of ZYRTEC-D® \*See side panel

**Kroger** ORIGINAL PRESCRIPTION STRENGTH  
**All Day Allergy-D**

Cetirizine Hydrochloride & Pseudoephedrine Hydrochloride  
Extended Release Tablets, 5 mg/120 mg  
Antihistamine/Nasal Decongestant



**12 HOUR**

**12 HOUR RELIEF OF:**

- Sneezing;
- Itchy, Watery Eyes;
- Runny Nose;
- Itchy Throat or Nose;
- Sinus Pressure;
- Nasal Congestion

**24 EXTENDED RELEASE TABLETS**

**ALLERGY & CONGESTION**  
Indoor & Outdoor Allergies



**ALL DAY ALLERGY D**  
cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30 142-450
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 2165RE0K14)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L147
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-450-62	24 in 1 CARTON	04/02/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	04/02/2020	

