# COUGH CHILDRENS- dextromethorphan hydrobromide, guaifenes in solution Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Walgreen Co. Cough Drug Facts

# Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg Guaifenesin 100 mg

# Purpose

Cough suppressant Expectorant

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep

#### **Warnings**

#### Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

#### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

## Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours
children under 4 years	do not use

#### Other information

- do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

# **Inactive ingredients**

acesulfame potassium, anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

### Questions or comments?

1-800-719-9260

# **Principal Display Panel**

Compare to Children's Mucinex® Cough active ingredients children's Cough

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

GUAIFENESIN / EXPECTORANT

ALCOHOL FREE

Breaks up the mucus that causes congestion while controlling coughs

AGES 4 - 12 YEARS

**CHERRY FLAVOR** 

4 FL OZ (118 mL)



# Walgreens

Compare to Children's Mucinex® Cough active ingredients<sup>††</sup>

NDC 0363-0419-26

children's



DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT GUAIFENESIN / EXPECTORANT >

**ALCOHOL FREE** 

Breaks up the mucus that

causes congestion while

controlling coughs

#### **ALCOHOL FREE**

 Breaks up the mucus that causes congestion while controlling coughs





4 FL 0Z (118 mL)



4 FL 0Z (118 mL)

AGES 4-12 YEARS

ORG0717-F

#### Drug Facts

Active Ingredients Purpose (In each 5 mL) Dextromethorphan HBr 5 mg...

Walgreens

GUAIFENESIN / EXPECTORANT COUGH SUPPRESSANT DEXTROMETHORPHAN HBr

...Cough suppressant .....Expectorant Guaifenesin 100 mg...

- helps loosen phleam (mucus) and thin bronchial leleps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
   lemporarily relieves:
   lemporarily relieves:
   lemporarily relieves:
   meyough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants.
   the intensity of couphing.

- the intensity of coughing
   the impulse to cough to help your child get to sleep

#### Warnings

Warnings
Do not use in a child who is taking a prescription
monoamine oxidase inhibitor (MAO0) (certain drugs for
depression, psychiatric, or emotional conditions, or
Parkinson's disease), or for 2 weeks after stopping the
MAOI drug. If you do not know if your child's prescription
drug contains an MAOI, ask a doctor or pharmacist
before giving this product.

Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus)
persistent or chronic cough such as occurs
with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not take more than 6 doses in any 24-hour period
- oo not take more than 6 uoses in any 24-n measure only with dosing cup provided do not use dosing cup with other products mL = millifiter

Age	Dose	٦
children 6 years to under 12 years	5 mL – 10 mL every 4 hours	1
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours	1
children under 4 years	do not use	٦

#### Drug Facts (continued)

- Other Information do not use if printed neckband is broken or missing
   store at 20-25°C (68-77°F)
   do not refrigerate
   dosing cup provided

Inactive Ingredients acesulfame potassium anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

Questions or comments? 1-800-719-9260



Health expertise





Walgreens Pharmacist Survey This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Cough

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 Walgreens

100% SATISFACTION GUARANTEED walgreens.com ©2017 Walgreen Co.





LOT NO.

EXP.

41926 94 (6

# **COUGH CHILDRENS**

dextromethorphan hydrobromide, guaifenesin solution

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0419

ORAL Route of Administration

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ACESULFAME POTASSIUM (UNII: 230 V73Q5G9)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		
XANTHAN GUM (UNII: TTV12P4NEE)		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		

Product Characteristics			
Color	RED (Dark Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

l	Packaging			
l	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
l	1 NDC:0363-0419-26	1 in 1 CARTON	08/03/2007	
l	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/09/1993	

# Labeler - Walgreen Company (008965063)

Revised: 10/2017 Walgreen Company