

MEIJER FIBER THERAPY- psyllium husk powder
MEIJER DISTRIBUTION INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

meijer® Fiber Therapy 100% NATURAL PSYLLIUM HUSK Orange Flavor Sugar free 180 Teaspoon Doses

Drug Facts

Active ingredient: (in each TEASPOON)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

Warnings:

Choking:

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	1 rounded TEASPOON in 8 oz of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs :	½ adult dose in 8 oz of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users:

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- **each teaspoon contains:** potassium 35 mg; sodium 5 mg
- **PHENYLKETONURICS: CONTAINS PHENYLALANINE,** 25 mg per teaspoon
- contains a 100% natural, therapeutic fiber
- store at room temperature. Keep the container tightly closed to protect from humidity

Inactive ingredients:

aspartame, citric acid, FD&C yellow 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

meijer®

NDC 41250-508-18

Compare to Metamucil® 4 in 1 Multihealth Fiber!™ fiber content*

FIBER Therapy

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement Therapy for Regularity

Orange Smooth

Naturally and Artificially Flavored

- Helps you **feel less hungry** between meals**
- Helps maintain **healthy blood sugar** levels as part of your diet**
- Helps **lower cholesterol** to promote heart health†
- Promotes **digestive health****
- Gluten free

SUGAR FREE

not a low calorie food

180 Teaspoon‡

NET WT 36.8 OZ (1043 g)

FILL CONTROLLED BY WEIGHT, NOT VOLUME

PAREVE

‡Serving size varies See DIRECTIONS on back panel for more information.

†See back for information about soluble fiber and heart disease.

****THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!™.

SF SUGAR FREE

GF GLUTEN FREE


GLUTEN FREE if you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

OUR QUALITY GUARANTEE

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544



meijer Compare to Metamucil®
4 in 1 MultiHealth Fiber™
fiber content*

fiber powder

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement
Therapy for Regularity

SUGAR-FREE
not a low calorie food

Orange Smooth
Naturally and Artificially Flavored

Helps you feel less hungry between meals**
Helps maintain healthy blood sugar levels
as part of your diet**
Helps lower cholesterol to promote heart health†
Promotes digestive health**

Gluten-Free

NET WT 36.8 OZ (2.3 LBS) 1.04 kg
fill controlled by weight, not volume

180 teaspoon* doses

*See back for information about psyllium fiber and heart disease.
**These statements have been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Supplement Facts

Serving Size Serving Per Container	2 rounded (1.1g) About 180	1 rounded (5.1g) About 102	%DV*
Amount Per Serving			
Calories	45	20	
Total Carbohydrate	11 g	49%	5 g 20%
Dietary Fiber	8 g	21%	3 g 11%
Soluble Fiber	5 g	1	2 g 1
Total Sugars	0 g	0%	0 g 0
Includes Added Sugars	0 g	0%	0 g 0%
Iron	1.4 mg	8%	0.7 mg 4%
Sodium	10 mg	<1%	5 mg <1%
Potassium	70 mg	1%	35 mg 1%

*Percent Daily Values are based on a diet of other people's misdeeds.
†Daily Value (DV) not established.

Ingredients: Psyllium Husk, Maltodextrin, Citric Acid, Natural & Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. 6.

Notice: Put 1 dose of product into an empty glass. Mix this product with at least 8 ounces in full glass of liquid. Stir slowly and drink promptly. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium. Contact your doctor BEFORE using this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

New Users: Start with 1 serving per day, gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement:

Fiber Supplement Information

Uses & Directions:

For feeling less hungry between meals**
Adults & children 12 yrs. and over: Two rounded teaspoons in 8 or more ounces of liquid with meals, up to 3 times daily.

For lowering cholesterol to promote heart health†
Adults & children 12 yrs. & over: One rounded teaspoon in 8 ounces of liquid, 3 times daily. *Data were in subjects fed and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesterol-lowering program.

For maintaining healthy blood sugar levels as part of your diet**
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

For promoting and maintaining digestive health**
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid up to 3 times daily for fiber supplementation. For occasional constipation and to help promote and maintain regularity. For children under 12 yrs.: consult a doctor.

When used as a therapy for regularity:

Drug Facts

Active ingredient (in each teaspoon) Psyllium husk approximately 3.4 g. **Purpose** Bulk-forming Laxative

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces of full glass of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs:	1/2 adult dose in 8 ounces of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users: Start with 1 serving per day, gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

- each teaspoon contains: potassium 35 mg; sodium 5 mg
- **PHENYLETANOLIC ACIDS: CONTAINS PHENYLALANINE.** 25 mg per teaspoon
- contains a 100% natural, therapeutic fiber
- store at room temperature. Keep the container tightly closed to protect from humidity

Inactive ingredients aspartame, citric acid, FD&C Yellow No. 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by The Procter & Gamble Co., owner of the trademarks Metamucil® and 4 in 1 MultiHealth Fiber™.

⚠️ THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

LOT: 519-H06L9L18
EXP: 17

PD 445819
08820 27550 8

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

CALIFORNIA FREE may contain trace amounts less than 10 ppm. If you have specific dietary needs, see product label for more information concerning this product.
This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

MEIJER FIBER THERAPY

psyllium husk powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-508
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G)	PSYLLIUM HUSK	3.4 g in 5.79 g

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C Yellow No. 6 (UNII: H77VEI93A8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	BROWN (Light Yellowish)	Score	
--------------	-------------------------	--------------	--

Shape		Size	
Flavor	ORANGE (natural and artificial)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-508-18	425 g in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/14/2017	

Labeler - MEIJER DISTRIBUTION INC (006959555)

Revised: 1/2023

MEIJER DISTRIBUTION INC