

LESS DROWSY MOTION SICKNESS RELIEF- meclizine hcl tablet
Rite Aid Corporation

Rite Aid 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take the first dose ½ hour to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-0775-9

Compare to the active ingredient in
Dramamine® Less Drowsy*

LESS DROWSY FORMULA

MOTION SICKNESS

RELIEF

MECLIZINE HCl 25 mg

Antiemetic

Helps prevent nausea & dizziness
due to motion sickness for up to 24 hours
Ages 12 Years and Over

8 TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by
Medtech Products Inc., owner of the registered trademark
Dramamine® Less Drowsy. 50844 REV0423A40319

DISTRIBUTED BY: RITE AID,

200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll
happily refund your money.

NDC 11822-0775-9

Compare to the active ingredient in
Dramamine® Less Drowsy*

LESS DROWSY FORMULA
MOTION SICKNESS RELIEF

MECLIZINE HCl 25 mg

Antiemetic

E1044

NDC 11822-0775-9

Compare to the active ingredient in
Dramamine® Less Drowsy*

LESS DROWSY FORMULA
MOTION SICKNESS RELIEF

MECLIZINE HCl 25 mg

Antiemetic

Helps prevent nausea & dizziness
due to motion sickness for up to 24 hours
Ages 12 Years and Over



ACTUAL SIZE

8

TABLETS

LESS DROWSY FORMULA
MOTION SICKNESS RELIEF

MECLIZINE HCl 25 mg

B-1702-403A-19-R3F
REV0423440319

LESS DROWSY FORMULA
MOTION SICKNESS RELIEF

MECLIZINE HCl 25 mg

Directions ■ do not take more than directed daily, or as directed by a doctor

■ take first dose 1/2 to 1 hour before starting activity

■ adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

■ **TAMPER EVIDENT; DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTERS ARE TORN OR BROKEN**

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ protect from heat and humidity

■ see end flap for expiration date and lot number

Inactive ingredients colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments? 1-800-426-9391

Warnings

Do not use for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking

sedatives or tranquilizers.


When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

or dizziness associated with motion sickness



armish area
xp. date



Rite Aid 44-403A

LESS DROWSY MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0775
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:11822-0775-9	1 in 1 CARTON	06/30/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0775-3	10 in 1 VIAL, PLASTIC; Type 0: Not a Combination Product	06/30/2019	06/30/2019

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	06/30/2019	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-0775)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0775) , pack(11822-0775)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-0775)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0775)

Revised: 1/2024

Rite Aid Corporation