

**EQUATE ALLERGY AND CONGESTION RELIEF- loratadine, pseudoephedrine sulfate tablet, film coated, extended release**

**Wal-Mart Stores Inc**

-----  
**Wal-Mart Allergy and Congestion Relief Drug Facts**

**Active ingredients (in each tablet)**

Loratadine 5 mg

Pseudoephedrine sulfate 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed.**

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet every 12 hours; not more than 2 tablets in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- **each tablet contains:** calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

**Questions or comments?**

**1-888-287-1915**

**Package/Label Principal Display Panel**

Compare to Claritin-D® 12 Hour Extended Release Tablets active ingredients

NON-DROWSY\*

Allergy & Congestion Relief

Pseudoephedrine Sulfate 120 mg/Loratadine 5 mg

Extended Release Tablets

Nasal Decongestant/Antihistamine

INDOOR AND OUTDOOR ALLERGIES

12 HOUR

Relief of:

Nasal and sinus congestion due to colds or allergies

Sneezing

Runny nose

Itchy, watery eyes

Itchy throat or nose due to allergies

10 EXTENDED RELEASE TABLETS

\*When taken as directed. See Drug Facts Panel.

Actual Size

# equate™ Allergy & Congestion Relief

**Pseudoephedrine**

Sulfate 120 mg/Loratadine 5 mg

Extended Release Tablets

Nasal Decongestant/Antihistamine

**INDOOR AND OUTDOOR ALLERGIES**



NDC 49035-643-46

# equate™

**NON-DROWSY\***

Compare to  
**Claritin-D®**  
12 Hour Extended Release  
Tablets active ingredients\*\*

# Allergy & Congestion Relief

**Pseudoephedrine** Sulfate 120 mg/Loratadine 5 mg

Extended Release Tablets

Nasal Decongestant/Antihistamine

**INDOOR AND OUTDOOR ALLERGIES**



Relief of:

- Nasal and sinus congestion due to colds or allergies
- Sneezing • Runny nose • Itchy, watery eyes
- Itchy throat or nose due to allergies



\*When taken as directed. See Drug Facts Panel

Actual Size

**10**  
EXTENDED  
RELEASE  
TABLETS

## Drug Facts

**Active ingredients (in each tablet)** **Purpose**  
Loratadine 5 mg.....Antihistamine  
Pseudoephedrine sulfate 120 mg.....Nasal decongestant

### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

### Warnings

#### Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

## Drug Facts (continued)

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

### Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

do not divide, crush, chew or dissolve the tablet  
adults and children 12 years and over 1 tablet every 12 hours; not more than 2 tablets in 24 hours

children under 12 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

### Other information

- each tablet contains: calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

## Drug Facts (continued)

Questions or comments? 1-888-287-1915



Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

\*\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Claritin-D®.



how2recycle.info

PAPER BOX MULTI-LAYER TRAY



6 81131 35551 3

7111131313

7U046 2E C2

OPEN OTHER END

CONVENIENT RECLOSING TAB

# EQUATE ALLERGY AND CONGESTION RELIEF

loratadine, pseudoephedrine sulfate tablet, film coated, extended release

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-643
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg
PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	120 mg

## Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	WHITE (to off white)	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	7U0
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-643-46	10 in 1 CARTON	07/24/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49035-643-60	20 in 1 CARTON	07/24/2020	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076050	07/24/2020	

