

HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid

Hy-Vee

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water

- swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Principi Display Panel

Hydrogen Peroxide

3% Solution U.S.P

First Aid Antiseptic/Oral Debriding Agent

- For treatment of minor cuts and abrasions
- For use as a gargle or rinse

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISISNG.

FL OZ (mL)

Distributed by Hy-vee, Inc

5820 Westown parkway

West Des Moines, IA 50266

Call1-800-289-8343

www.hy-vee.com

Package Label

HyVee
health

NDC 42507-268-16

Hydrogen Peroxide

3% Solution U.S.P.

First Aid Antiseptic /
Oral Debriding Agent

- For Treatment of Minor Cuts and Abrasions
- For Use as a Gargle or Rinse

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOWN PARKWAY
WEST DES MOINES, IA 50266

SATISFACTION GUARANTEED
CALL 1-800-289-8343
www.hy-vee.com

**TAMPER EVIDENT: DO NOT USE IF
PRINTED SAFETY SEAL AROUND OR
UNDER CAP IS BROKEN OR MISSING.**

16 FL OZ
(1 PT) 473 mL

HV-29714C



Drug Facts

Active ingredient Hydrogen peroxide 3%.....**Purpose** First aid antiseptic/oral debriding agent

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes, and burns • aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use • in the eyes or apply over large areas of the body • longer than one week

Ask a doctor before use if you have

• deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days

• irritation, pain, or redness persists or worsens

• swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions For use as a first aid antiseptic:

• clean affected area • apply small amount of product on affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

• **adults and children 2 years of age and over:** • mix with an equal amount of water • swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.

• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor • **children under 12 years** should be supervised in the use of this product

• **children under 2 years of age:** consult a doctor or dentist

Other information

• keep tightly closed and in a dark place at room temperature.

• do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

PLD-A220B LB002146

HyVee Hydrogen Peroxide 3% Solution

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-268
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-268-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2014	
2	NDC:42507-268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2014	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part356	10/31/2014		

Labeler - Hy-Vee (006925671)

Revised: 6/2017

Hy-Vee