FOLAMAX- beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, pyridoxine hydrochloride, biotin, folic acid, levomefolate calcium, cyanocobalamin, calcium carbonate, magnesium oxide, ferrous bisglycinate, and potassium iodide tablet Redmont Pharmaceuticals, LLC

FolaMax

71741-086-30 Multivitamin Dietary Supplement Dispensed by Prescription

DESCRIPTION

FolaMax is a prescription multivitamin/multimineral dietary supplement.

Supplement Facts			
Serving size 1 Tablet			
Amount per Serving:	%Daily Value		
Vitamin A (as Beta-Carotene)	300 mcg RAE	33%	
Vitamin C (as Ascorbic Acid)	60 mg	67%	
Vitamin D (as Cholecalciferol)	10 mcg	50%	
Vitamin E (as dl-Alpha Tocopherol Acetate)	4.5 mg (10 IU)	33%	
Vitamin B6 (as Pyridoxine HCl)	26 mg	1529%	
Biotin	0.280 mg	933%	
Folate	1.67 mg DFE	418%	
(from Folic Acid)	0.67 mg DFE	*	
(from 5-Methyl Tetrahydrofolate, Calcium Salt)	1 mg DFE	*	
Vitamin B12 (as Cyanocobalamin)	0.013 mg	542%	
Calcium (as Calcium Carbonate)	80 mg	6%	
Magnesium (as Magnesium Oxide)	25 mg	6%	
Ferrochel™ Iron (as Ferrous BisGlycinate Chelate)	20 mg	111%	
lodine (as Potassium lodide) * Daily Value not established	0.150 mg	100%	

OTHER INGREDIENTS: Microcrystalline Cellulose, Maltodextrin, Croscarmellose Sodium, Silicon Dioxide, Stearic Acid, Magnesium Stearate, Film Coating (Hydroxypropyl Methylcellulose, Polyethylene Glycol, Titanium Dioxide, FD&C Blue # 1)

Allergen: NONE

INDICATIONS

FolaMax is a prescription multivitamin/multimineral dietary supplement formulated for the clinical dietary management of suboptimal nutritional status in patients where advanced folate, vitamin B supplementation, and maintenance of good health is needed.

CONTRAINDICATIONS

FolaMax is contraindicated in patients with a known hypersensitivity to any of the ingredients.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Supplement

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poising in children under 6. Keep this product out of the reach of children. In the case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

You should call your doctor for medical advice about serious adverse events. To report adverse side effects or to obtain product information, contact Redmont Pharmaceuticals, LLC at 1-800-986-5909.

DOSAGE AND ADMINISTRATION

One tablet daily or as directed by a physician.

HOW SUPPLIED

Bottles of 30 tablets (71741-086-30¹). Tablet is light blue, oblong.

This product is a prescription-folate with or without other dietary ingredients that – due to increased folate levels increased risk associated with masking B12 deficiency (pernicious anemia) requires administration under the care of a licensed medical practitioner (64 FR 8760). 1-3 The most appropriate way to ensure pedigree reporting consistent with these regulatory guidelines and safety monitoring is to dispense this product only by prescription. This is not an Orange Book product. This product may be administered only under a physician's supervision and all prescriptions using this product shall be pursuant to state statues as applicable. The ingredients, indication or claims of this product are not to be construed to be drug claims.

1. Federal Register Notice of August 2, 1973 (38 FR 20750)

- 2. Federal Register Notice of October 17, 1980 (45 FR 69043, 69044)
- 3. Federal Register Notice of March 5, 1996 (61 FR 8760)
- 1 *Redmont Pharmaceuticals does not represent this product code to be National Drug Code (NDC). Product codes are formatted according to standard industry practice, to meet the formatting requirement by pedigree reporting and supply-chain control including pharmacies.

STORAGE AND HANDLING

STORAGE

Store at 20°-25° C (68°-77°F) excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Avoid excessive heat, light and moisture.

TAMPER EVIDENT

Do not use if seal is broken or missing.

MADE IN USA

Distributed by:

Redmont Pharmaceuticals, LLC Birmingham, AL 35209 800-986-5909

Ferrochel[™] is a trademark of Albion Laboratories, Inc.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN

© 2021 Redmont Pharmaceuticals, LLC 086111-1121

PRINCIPAL DISPLAY PANEL - 30 Tablet Bottle Label


71741-086-30

FolaMax

DIETARY SUPPLEMENT

30 TABLETS

Dispensed by Prescription



FOLAMAX

Inactive Ingredients

beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, pyridoxine hydrochloride, biotin, folic acid, levomefolate calcium, cyanocobalamin, calcium carbonate, magnesium oxide, ferrous bisglycinate, and potassium iodide tablet

Product Information				
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:71741-086	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BETA CAROTENE (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J)	BETA CAROTENE	300 ug		
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	60 mg		
Cholecalciferol (UNII: 1C6V77QF41) (Cholecalciferol - UNII:1C6V77QF41)	Cholecalciferol	10 ug		
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0) (.ALPHATOCOPHEROL - UNII:H4N855PNZ1)	.ALPHATOCOPHEROL ACETATE	4.5 mg		
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z)	PYRIDOXINE HYDROCHLORIDE	26 mg		
Biotin (UNII: 6SO6U10H04) (Biotin - UNII:6SO6U10H04)	Biotin	0.280 mg		
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	0.400 mg		
LEVOMEFOLATE CALCIUM (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLATE CALCIUM	0.600 mg		
Cyanocobalamin (UNII: P6YC3EG204) (Cyanocobalamin - UNII:P6YC3EG204)	Cyanocobalamin	0.013 mg		
Calcium Carbonate (UNII: H0G9379FGK) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Carbonate	80 mg		
MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (Magnesium Cation - UNII:T6V3LHY838)	MAGNESIUM OXIDE	25 mg		
FERROUS BISGLYCINATE (UNII: SFW1D987QV) (Ferrous Cation - UNII:GW895810WR)	Ferrous Cation	20 mg		
Potassium Iodide (UNII: 1C4QK22F9J) (Iodide Ion - UNII:09G4I6V86Q)	Potassium lodide	0.150 mg		

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)	
Maltodextrin (UNII: 7CVR7L4A2D)	

Cro	scarmellose Sodiur	m (UNII: M28OL1HH48)				
Silicon Dioxide (UNII: ETJ7Z6XBU4)						
Ste	aric Acid (UNII: 4ELV	7Z65AP)				
MA	GNESIUM PALMITOS	STEARATE (UNII: R4OXA9G5BV)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)						
РО	LYETHYLENE GLYCO	L, UNSPECIFIED (UNII: 3WJQ0S	DW1A)			
Tit	anium Dioxide (UNII:	15FIX9V2JP)				
FD	&C Blue No. 1 (UNII:	H3R47K3TBD)				
Packaging						
ГС	cicaging					
	Item Code	Package Description	Marketin	g Start Date	Marke	ting End Date
#	•••	Package Description 30 in 1 BOTTLE	Marketin	g Start Date	Marke	ting End Date
#	ltem Code		Marketin	g Start Date	Marke	ting End Date
#	ltem Code		Marketin	g Start Date	Marke	ting End Date
# 1	ltem Code	30 in 1 BOTTLE	Marketin	g Start Date	Marke	ting End Date
# 1	Item Code NHRIC:71741-086-30	30 in 1 BOTTLE		g Start Date Marketing S [.] Date		ting End Date Marketing End Date

Supplement Facts				
Serving Size :		Serving per Container :		
	Amount Per Serving	% Daily Value		
color				
scoring	1			
shape				
size (solid drugs)	19 mm			

Labeler - Redmont Pharmaceuticals, LLC (080843607)

Revised: 11/2021

Redmont Pharmaceuticals, LLC