

**GUAIFENESIN AND PSEUDOEPHEDRINE HYDROCHLORIDE- guaifenesin and pseudoephedrine hydrochloride tablet, extended release**  
**WALGREEN COMPANY**

-----  
**Guaifenesin and Pseudoephedrine Hydrochloride**

***Drug Facts***

<b><i>Active ingredients (in each extended-release tablet)</i></b>	<b><i>Purposes</i></b>
Guaifenesin 600 mg	Expectorant
Pseudoephedrine HCl 60 mg	Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

### **Other information**

- **Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.**
- store between 20-25°C (68-77°F)

### **Inactive ingredients**

carbomer homopolymer type B; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

### **Questions?**

**(1-800-406-7984)**

You may also report side effects to this phone number.

**DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015**

**PRINCIPAL DISPLAY PANEL - 600 mg/60 mg Tablet Blister Pack Carton**

**Walgreens**

*Compare to Mucinex<sup>®</sup> D  
active ingredients<sup>††</sup>*

12 HOUR  
EXTENDED-RELEASE TABLETS

NDC 0363-0077-18

**Mucus  
Relief D**

GUAIFENESIN 600 mg &  
PSEUDOEPHEDRINE HCl 60 mg

EXTENDED-RELEASE TABLETS  
EXPECTORANT & NASAL DECONGESTANT

12 HOUR

- Clears nasal & sinus congestion
- Thins & loosens mucus
- Immediate & extended release

18  
EXTENDED-RELEASE  
TABLETS

ACTUAL SIZE



**GUAIFENESIN AND PSEUDOEPHEDRINE HYDROCHLORIDE**

guaifenesin and pseudoephedrine hydrochloride tablet, extended release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0077
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Guaifenesin</b> (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	600 mg
<b>Pseudoephedrine Hydrochloride</b> (UNII: 6 V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	60 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: HHT01ZNK31)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	xeuMnci;600
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0077-18	1 in 1 CARTON	08/01/2017	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0077-36	2 in 1 CARTON	08/01/2017	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021585	08/01/2017	

**Labeler** - WALGREEN COMPANY (008965063)**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(0363-0077)