

**TOLNAFTATE- antifungal liquid spray aerosol, spray**  
**Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Antifungal Liquid Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- if used daily, can prevent recurrence of athlete's foot
- relieves symptoms of athlete's foot, including itching, burning and cracking

***Warnings***

**For external use only.**

**☐Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F.

**When using this product**

- do not get into eyes or mouth
- use only as directed

Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within four weeks (for athlete's foot) or two weeks (for jock itch)

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. **Do not use** on children under two years of age unless directed by a doctor.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily

- use daily for 4 weeks; if conditions persist, consult a doctor
- to prevent athlete's foot, appl morning and/or night
- this product is not effective on the scalp or nails

▯ ***Other information***

store between 20° and 30°C (68°F and 86°)

▯ ***Inactive ingredients***

BHT, isobutane (propellant), PPG-12-buteth-16, SD alcohol 40-B(36%w/w)

▯ ***Questions?***

call 1-800-910-6874

**Principal Display Panel**

**antifungal liquid spray**

tolnaftate 1%

**Compare to Tinactin® Liquid Spray**

cures and prevents most athlete's foot

cures most jock itch and ringworm

helps relieve burning and itching

up&up

Net WT 5.3 OZ (150.2g)▯


NDC 11673-448-05

Compare to Tinactin® Liquid Spray\*

# soothing antifungal liquid spray

tolnaftate 1%

cures and prevents most  
athlete's foot and ringworm  
helps relieve itching, burning



NET WT 5.3 OZ (150.2 g)

## Drug Facts

### Active Ingredient

Tolnaftate 1%

**Uses** ■ proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis)  
■ prevents the recurrence of most athlete's foot  
■ for effective relief of itching, cracking and burning

### Warnings

For external use only.

**Flammable:** Do not use while smoking or in the presence of an open flame. Do not puncture or incinerate. Contents should not be stored at temperature above 120°F. In case of fire, do not deliberately concentrate and inhale fumes, which may be harmful or fatal.

**When using this product** ■ avoid contact with eyes  
■ use only as directed

**Stop use and ask a doctor if** ■ irritation occurs  
■ no improvement within 4 weeks

**Do not use on children under 2 years of age unless directed by a doctor.** Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

**Directions** ■ wash affected area and dry thoroughly  
■ shake can well and spray a thin layer over affected area (morning and night) ■ supervise children in their use  
■ for athlete's foot: pay special attention to spaces between toes, wear well-fitting, ventilated shoes, and change shoes and socks daily  
■ use daily for 4 weeks ■ if condition persists  
■ to prevent athlete's foot, apply once or twice daily  
■ this product is not effective on the scalp or on the face

**Other information** store at controlled room temperature between 20° and 30°C (68° and 86°F)

**Inactive ingredients** BHT, isobutane (propellant), PPG-12-buteth-16, SD alcohol 40-B (36% w/w)

**Questions?** Call 1-800-910-6874

Distributed by Target Corporation  
Minneapolis, MN 55403  
Made in U.S.A.

©2015 Target Brands, Inc.

\*This product is not manufactured or distributed by the Bayer Corporation, owner of the registered trademark Tinactin®.

245 06 0405 R00

## TOLNAFTATE

antifungal liquid spray aerosol, spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-448
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.5 g in 150.2 g

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-448-05	150.2 g in 1 CANISTER; Type 0: Not a Combination Product	12/31/2008	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	12/31/2008	

**Labeler** - Target Corporation (006961700)

Revised: 10/2016

Target Corporation