

**GUAIFENESIN- guaifenesin liquid**  
**Method Pharmaceuticals, LLC**

-----  
**Guaifenesin**

**NDC 58657-509-16**

**Guaifenesin**

**Liquid USP**

100 mg/5 mL

Expectorant

Sugar Free • Alcohol Free

Cherry Flavor

Loosens and Relieves Chest Congestion

16 fl. oz. (473 mL)

***Drug Facts***

***Active ingredient (in each 5 mL)***

Guaifenesin 100 mg

***Purpose***

Expectorant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

***Warnings***

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- age dose adults and children 2 to 4 teaspoonfuls
- 12 years and over every 4 hours
- children 6 years to 1 to 2 teaspoonfuls
- under 12 years every 4 hours
- children 2 years to ½ to 1 teaspoonful
- under 6 years every 4 hours
- children under 2 years ask a doctor

**Drug Facts**(continued)

**Other information**

- store at 20°-25°C (68°-77°F)
- packaged with tamper evident seal under cap

**Inactive ingredients**

Bitter Mask, Cherry Flavor, Citric Acid, FD&C Red#40, Glycerin, Propylene Glycol, Purified Water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, Sorbitol Solution

**Questions or Comments**

1-877-250-3427

Manufactured For:

**Method Pharmaceuticals, LLC**  
Fort Worth, Texas 76118 Rev. 09/16

**PRINCIPAL DISPLAY PANEL**

NDC 58657- 509- 16

Guaifenesin

Liquid USP

100 mg/ 5 mL

Expectorant

16 fl. oz. (473 mL)

## Drug Facts

**Active ingredient (in each 5 mL)** Purpose  
Guaifenesin 100 mg Expectorant

### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

### Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not take more than 6 doses in any 24-hour period

age	dose
adults and children 12 years and over	2 to 4 teaspoonsful every 4 hours
children 6 years to under 12 years	1 to 2 teaspoonsful every 4 hours
children 2 years to under 6 years	½ to 1 teaspoonful every 4 hours
children under 2 years	ask a doctor



NDC 58657-509-16

# Guaifenesin Liquid USP

100 mg/5 mL

Expectorant

Sugar Free • Alcohol Free  
Cherry Flavor

Loosens and  
Relieves Chest Congestion

16 fl. oz. (473 mL)

## Drug Facts (continued)

### Other information

- store at 20°-25°C (68°-77°F)
- packaged with tamper evident seal under cap

### Inactive ingredients

Bitter Mask, Cherry Flavor, Citric Acid, FD&C Red#40, Glycerin, Propylene Glycol, Purified Water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, Sorbitol Solution

### Questions or Comments

1-877-250-3427

Manufactured For:  
Method Pharmaceuticals, LLC  
Fort Worth, Texas 76118

Rev. 09/16



Lot:  
Exp.:

## GUAIFENESIN

guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58657-509
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58657-509-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/09/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/09/2016	

**Labeler** - Method Pharmaceuticals, LLC (060216698)

Revised: 11/2024

Method Pharmaceuticals, LLC