# BENZOYL PEROXIDE- benzoyl peroxide liquid Padagis Israel Pharmaceuticals Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Perrigo Benzoyl Peroxide 5% Drug Facts**

### **Active ingredient**

Benzoyl peroxide 5%

### **Purpose**

Acne medication

### Use

for the treatment of acne

### Warnings

For external use only

### Do not use

if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

### When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

### Stop use and ask a doctor if

irritation becomes severe

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- shake well
- Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

### **Inactive ingredients**

carbomer homopolymer, citric acid\*, edetate disodium, glycerin, imidurea, lauryl methacrylate/glycol dimethacrylate crosspolymer, purified water, sodium C14-16 olefin sulfonate, sodium hydroxide \*may contain this ingredient

### Questions or comments?

1-800-719-9260

### Package/Label Principal Display Panel

Benzoyl Peroxide 5%

Acne Medication Wash

NET WT 5 OZ (142 g)

## Perrigo®

NDC 45802-**280**-01

# Benzoyl Peroxide 5%

Acne Medication Wash

NET WT 5 OZ (142 g)

### **Drug Facts**

Active ingredient
Benzovl peroxide 5%.....

Purpose ..Acne medication

Use for the treatment of acne

### Warnings

For external use only

**Do not use** if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide

#### When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
   avoid contact with hair and dyed fabrics,
- avoid contact with hair and dyed fabrics which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

### Stop use and ask a doctor if

■ irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions** ■ shake well

- Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor

### **Drug Facts** (continued)

- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

# Inactive ingredients carbomer homopolymer, citric acid\*, edetate disodium, glycerin, imidurea, lauryl methacrylate/glycol dimethacrylate crosspolymer, purified water, sodium C14-16 olefin sulfonate, sodium hydroxide

### ( Questions or comments? 1-800-719-9260

Store at 20-25°C (68-77°F).

\*may contain this ingredient





When public and private health plans provide coverage for OTC pharmaceuticals, consumers get relief and drug formularies can reduce costs.

At Perrigo, we call it ORx





Distributed By

Perrigo®
Allegan, MI 49010
www.perrigo.com



### **BENZOYL PEROXIDE**

benzoyl peroxide liquid

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:45802-280

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII: W9WZN9A0GM)	BENZ OYL PEROXIDE	5 g in 100 g

### **Inactive Ingredients**

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
IMIDUREA (UNII: M629807ATL)	
WATER (UNII: 059QF0KO0R)	
SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LAURYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EX0F4CZ66H)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:45802-280- 01	142 g in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2013			
2	NDC:45802-280- 34	227 g in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2013			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333D	01/24/2013		

### Labeler - Padagis Israel Pharmaceuticals Ltd (600093611)

Revised: 11/2021 Padagis Israel Pharmaceuticals Ltd