

**APIZELEN- alfalfa, aralia quinquefolia, avena sativa, beta vulgaris, calendula officinalis, chelidonium majus, echinacea (angustifolia), natrum muriaticum, oxalis acetosella, paloondo, phytolacca decandra, trifolium pratense, urtica dioica, viscum album, cobalt acetate, cobalt gluconate, copper gluconate, cuprum aceticum, glutathione, magnesium gluconicum dihydricum, ganoderma lucidum, ubidecarenonum, argentum metallicum, germanium metallicum liquid**

**BioActive Nutritional, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts:**

### **ACTIVE INGREDIENTS:**

Alfalfa 1C, Aralia Quinquefolia 2C, Avena Sativa 1C, Beta Vulgaris 2C, Calendula Officinalis 2C, Chelidonium Majus 1C, Echinacea (Angustifolia) 2C, Natrum Muriaticum 2C, Oxalis Acetosella 2C, Paloondo 2C, Phytolacca Decandra 2C, Trifolium Pratense 2C, Urtica Dioica 2C, Viscum Album 2C, Cobalt Acetate 3C, Cobalt Gluconate 3C, Copper Gluconate 3C, Cuprum Aceticum 3C, Glutathione 3C, Magnesium Gluconicum Dihydricum 3C, Ganoderma Lucidum 5C, Ubidecarenonum 5C, Argentum Metallicum 8C, Germanium Metallicum 8C.

### **INDICATIONS:**

For temporary relief of fatigue, indigestion, and flatulent colic.

### **WARNINGS:**

**If pregnant or breast-feeding,** ask a health care professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of

age.

## INDICATIONS:

For temporary relief of fatigue, indigestion, and flatulent colic.

## INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

## QUESTIONS:

Distributed by:  
BioActive Nutritional, Inc.  
1803 N. Wickham Rd.  
Melbourne, FL 32935  
bioactivenutritional.com

## PACKAGE LABEL DISPLAY:

**BIOActive Nutritional**

**APIZELEN**

**HOMEOPATHIC**

**1 FL OZ (30 ml)**

 **BIOActiveNutritional**

**WARNINGS:** If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

### LOT:

Distributed by:  
BioActive Nutritional, Inc.  
1803 N. Wickham Rd.  
Melbourne, FL 32935  
bioactivenutritional.com

## APIZELEN

**HOMEOPATHIC**

### ACTIVE INGREDIENTS:

Alfalfa 2C, Aralia Quin 2C, Avena 2C, Beta Vulg 2C, Calendula 2C, Chelidonium Maj 2C, Echinacea 2C, Nat Mur 2C, Oxalis 2C, Paloondo 2C, Phytolacca 2C, Trifolium Prat 2C, Urtica Di 2C, Viscum 2C, Cobalt Acetate 3C, Cobalt Gluconate 3C, Copper Gluconate 3C, Cuprum Acet 3C, Glutathione 3C, Magnesium Gluconate 3C, Ganoderma Lucidum 5C, Ubidecarenonum 5C, Arg Met 8C, Germanium Metallicum 8C.

### INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

**1 FL OZ (30 ml)**

### INDICATIONS:

For temporary relief of fatigue, indigestion, and flatulent colic.

### DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

## APIZELEN

alfalfa, aralia quinquefolia, avena sativa, beta vulgaris, calendula officinalis, chelidonium majus, echinacea (angustifolia), natrum muriaticum, oxalis acetosella, paloondo, phytolacca decandra,

trifolium pratense, urtica dioica, viscum album, cobalt acetate, cobalt gluconate, copper gluconate, cuprum aceticum, glutathione, magnesium gluconicum dihydricum, ganoderma lucidum, ubidecarenonum, argentum metallicum, germanium metallicum liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43857-0490
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MEDICAGO SATIVA WHOLE</b> (UNII: DJO934BRBD) (ALFALFA - UNII:DJO934BRBD)	MEDICAGO SATIVA WHOLE	2 [hp_C] in 1 mL
<b>AMERICAN GINSENG</b> (UNII: 8W75VCV53Q) (AMERICAN GINSENG - UNII:8W75VCV53Q)	AMERICAN GINSENG	2 [hp_C] in 1 mL
<b>AVENA SATIVA FLOWERING TOP</b> (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	2 [hp_C] in 1 mL
<b>BETA VULGARIS WHOLE</b> (UNII: 4G174V5051) (BETA VULGARIS - UNII:4G174V5051)	BETA VULGARIS WHOLE	2 [hp_C] in 1 mL
<b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	2 [hp_C] in 1 mL
<b>CHELIDONIUM MAJUS WHOLE</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS WHOLE	2 [hp_C] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA WHOLE</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA WHOLE	2 [hp_C] in 1 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	2 [hp_C] in 1 mL
<b>OXALIS ACETOSELLA LEAF</b> (UNII: U1W3U02EW0) (OXALIS ACETOSELLA LEAF - UNII:U1W3U02EW0)	OXALIS ACETOSELLA LEAF	2 [hp_C] in 1 mL
<b>LARREA TRIDENTATA LEAF</b> (UNII: PK0TXD049P) (LARREA TRIDENTATA LEAF - UNII:PK0TXD049P)	LARREA TRIDENTATA LEAF	2 [hp_C] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	2 [hp_C] in 1 mL
<b>TRIFOLIUM PRATENSE FLOWER</b> (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)	TRIFOLIUM PRATENSE FLOWER	2 [hp_C] in 1 mL
<b>URTICA DIOICA WHOLE</b> (UNII: 710FLW4U46) (URTICA DIOICA - UNII:710FLW4U46)	URTICA DIOICA WHOLE	2 [hp_C] in 1 mL
<b>VISCUM ALBUM FRUITING TOP</b> (UNII: BK9092J5MP) (VISCUM ALBUM FRUITING TOP - UNII:BK9092J5MP)	VISCUM ALBUM FRUITING TOP	2 [hp_C] in 1 mL
<b>COBALTOUS ACETATE</b> (UNII: 3XC4P44U7E) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS ACETATE	3 [hp_C] in 1 mL
<b>COBALTOUS GLUCONATE</b> (UNII: 26SK597UWW) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS GLUCONATE	3 [hp_C] in 1 mL
<b>COPPER GLUCONATE</b> (UNII: RV823G6G67) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	3 [hp_C] in 1 mL
<b>CUPRIC ACETATE</b> (UNII: 39M11XPH03) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC ACETATE	3 [hp_C] in 1 mL
<b>GLUTATHIONE</b> (UNII: GAN16C9B80) (GLUTATHIONE - UNII:GAN16C9B80)	GLUTATHIONE	3 [hp_C] in 1 mL
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	3 [hp_C] in 1 mL
<b>REISHI</b> (UNII: TKD8LH0X2Z) (REISHI - UNII:TKD8LH0X2Z)	REISHI	5 [hp_C] in 1 mL
<b>UBIDECARENONE</b> (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	5 [hp_C] in 1 mL

<b>SILVER</b> (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	8 [hp_C] in 1 mL
<b>GERMANIUM</b> (UNII: 00072J7XWS) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM	8 [hp_C] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0490-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/10/2018	09/11/2024

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/10/2018	09/11/2024

**Labeler** - BioActive Nutritional, Inc. (624980496)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0490) , api manufacture(43857-0490) , label(43857-0490) , pack(43857-0490)

Revised: 5/2024

BioActive Nutritional, Inc.