

**CHILDRENS MUCUS RELIEF COUGH CHERRY LIQUID- dextromethorphan hbr,
guaifensin liquid
Topco Associates**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg

Guaifenesin 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep

Warnings

Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Other information

- **each 5 mL contains:** sodium 2 mg
- store between 20-25°C (68-77°). Do not refrigerate.

Inactive ingredients

citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

Questions or comments?

Call toll free **1-888-423-0139**

Principal Display Panel

Compare to Children's Mucinex® Cough active ingredients*

Children's Cough Mucus Relief

Dextromethorphan HBr 5 mg - Cough Suppressant

Guaifenesin 100 mg - Expectorant

Relieves:

- cough

- chest congestion
- breaks up mucus

Alcohol Free

For Ages 4 to 11 Years

Cherry Flavor

FL OZ (mL)

Dosing Cup Included

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Cough.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

topcare@topco.com www.topcarebrand.com

Package Label

Drug Facts (continued)

Inactive ingredients citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

Questions or comments?

Call toll free 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PLVA0222 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com



Scan here for more
information or call 1-888-423-0139



Dosing Cup Included



This TopCare® product is laboratory
tested to guarantee its highest quality.
Your total satisfaction is guaranteed.

*This product is not manufactured or distributed by Reckitt Benckiser,
distributor of Children's Mucinex® Cough.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED
SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



COMPARE TO CHILDREN'S
MUCINEX® COUGH
ACTIVE INGREDIENTS*

children's Cough Mucus Relief

DEXTROMETHORPHAN HBr 5 mg -
COUGH SUPPRESSANT
GUAIFENESIN 100 mg - EXPECTORANT

RELIEVES:

- Cough
- Chest Congestion
- Breaks up Mucus

ALCOHOL
FREE

Ages 4
to
11 Years



CHERRY
FLAVOR

4 FL OZ (118 mL) DOSING CUP INCLUDED



COMPARE TO CHILDREN'S
MUCINEX® COUGH
ACTIVE INGREDIENTS*

children's Cough Mucus Relief

DEXTROMETHORPHAN HBr 5 mg -
COUGH SUPPRESSANT
GUAIFENESIN 100 mg - EXPECTORANT

RELIEVES:

- Cough
- Chest Congestion
- Breaks up Mucus

ALCOHOL
FREE

Ages 4
to
11 Years



CHERRY
FLAVOR

4 FL OZ (118 mL) DOSING CUP INCLUDED

Drug Facts**Active ingredients**
(in each 5 mL)

Dextromethorphan HBr 5 mg.....Cough suppressant
Guaifenesin 100 mg.....Expectorant

Purposes**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter ■ shake well before using

Age	Dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Other information

- each 5 mL contains: sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.



0 36800 24463 4

PLD-A243C FD008032

Lot No.:

Exp. Date:

Topcare Children's Mucus Relief Cough Cherry Liquid

CHILDRENS MUCUS RELIEF COUGH CHERRY LIQUID

dextromethorphan hbr, guaifensin liquid

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:76162-294

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 405W7451VQ) (GUAIFENESIN - UNII: 405W7451VQ)	GUAIFENESIN	100 mg

GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)

GUAIFENESIN

in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-294-04	1 in 1 CARTON	04/18/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/18/2022	

Labeler - Topco Associates (006935977)**Registrant** - P & L Development, LLC (079765031)