

BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid bandage liquid
Premier Brands of America Inc.

Premier Brands Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

- do not store at temperature above 120 °F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

Other information

- ***cap bottle tightly***
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces - will stain

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel**Premier****For small Cuts & Wounds****Liquid Bandage****Topical Analgesic & Antiseptic**

Prevents infection

Invisible & flexible

Easy to use

NET 0.3 FL OZ (9 mL)

USE LIQUID BANDAGE FOR:

Blisters, chapped & cracked finger tips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

GREAT FOR:

Athletes, active lifestyles, outdoor sportment & musicians.



DO NOT USE IF NECKBAND IS BROKEN

Active ingredients: Benzethonium Chloride 0.2% and Dyclonine Hydrochloride 0.75% **Purpose:** First aid antiseptic and topical analgesic. **Uses:** First aid to prevent bacterial contamination in minor cuts, scrapes, and burns. For the temporary relief of pain.

Warnings: For external use only. **Flammable:** Keep away from fire or flame. **Do not use** in eyes, over large areas of the body, and longer than 1 week unless directed by a doctor.

Premier
For Small Cuts & Wounds
LIQUID BANDAGE
Topical Analgesic & Antiseptic Seals to Protect

NET 0.3 FL OZ (9 mL)

Ask a doctor before use if you have deep or puncture wounds, deep cuts, animal bites and serious burns. **When using this product** avoid contact with eyes.

Stop use and ask a doctor if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur again within a few days, and infection occurs.

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Directions: For adults and children 2 years of age and older. Clean affected area. Apply a small amount on the area 1 to 3 times daily and let dry. A second coating may be applied for extra protection. Children under 2 years of age: consult a doctor.

Other information: Cap bottle tightly. Store between 20° to 25°C (68° to 77°F). May temporarily sting upon application. To remove, apply more Liquid Bandage and quickly wipe off.

Inactive ingredients: acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions? Call 1-866-964-0939
©2019 Premier Brands of America Inc.
White Plains, New York 10601
www.premier-brands.com

MADE IN USA WITH U.S. AND IMPORTED PARTS

NO VARNISH AREA
0.5315" AREA

50-033PB

Premier

NDC 00000-000-00

For Small Cuts & Wounds
LIQUID BANDAGE

Topical Analgesic & Antiseptic Seals to Protect

- Prevents infection
- Invisible & flexible
- Water resistant

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%
First aid antiseptic
Topical analgesic

Uses

First aid to prevent bacterial contamination in minor cuts, scrapes and burns
for the temporary relief of pain

Warnings

For external use only.
Flammable: Keep away from fire or flame.
Do not use in the eyes
over large areas of the body
longer than 1 week unless directed by a doctor

Ask a doctor before use if you have deep or puncture wounds
deep cuts
animal bites
serious burns

When using this product avoid contact with eyes

Stop use and ask a doctor if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur again within a few days, and infection occurs.

NET 1.0 FL OZ (29.6 mL)

USE LIQUID BANDAGE FOR:

Blisters, chapped & cracked finger tips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

GREAT FOR:

Athletes, active lifestyles, outdoor sportsmen & musicians.

For Small
Cuts & Wounds

**LIQUID
BANDAGE**

For Small Cuts & Wounds

LIQUID BANDAGE

Topical Analgesic & Antiseptic
Seals to Protect

NET 1.0 FL OZ (29.6 mL)

Distributed by:
©2021 Premier Brands of America Inc.
White Plains, NY 10601
www.premier-brands.com
Questions? Call 1-866-964-0939



MADE IN USA WITH U.S.
AND IMPORTED PARTS

Care ■ Wipe top of bottle clean after each use.

Questions? Call 1-866-964-0939

Inactive ingredients acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Other information ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more Liquid Bandage and quickly wipe off

Directions ■ for adults and children 2 years of age and older ■ clean affected area ■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating may be applied for extra protection ■ children under 2 years of age: consult a doctor

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.
■ infection occurs
■ symptoms persist for more than 7 days or clear up and occur again within a few days

When using this product ■ avoid contact with eyes
■ deep cuts ■ animal bites ■ serious burns

Ask a doctor before use if you have ■ deep or puncture wounds
■ longer than 1 week unless directed by a doctor

Do not use ■ in the eyes ■ over large areas of the body

Flammable: Keep away from fire or flame.

For external use only.

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns ■ for the temporary relief of pain

Active ingredients Benzethonium chloride 0.2%.....First aid antiseptic
Dyclonine hydrochloride 0.75%.....Topical analgesic

Purpose

DO NOT USE IF NECKBAND IS BROKEN





BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 9 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-040-03	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/03/2018	
2	NDC:56104-040-30	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/03/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/03/2018	

Labeler - Premier Brands of America Inc. (117557458)

Revised: 2/2024

Premier Brands of America Inc.