

**IRRITABLE BOWEL SYNDROME THERAPY- asafetida - bismuth subnitrate - bryonia alba root - activated charcoal - lycopodium clavatum spore - sodium carbonate - strychnos nux-vomica seed - veratrum album root - tablet, orally disintegrating
TRP Company**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Irritable Bowel Syndrome Therapy™ Homeopathic Fast Dissolving Tablets

Asafoetida HPUS 3x 6x 12x 18x

Bismuthum subnitricum HPUS 6x 12x 18x

Bryonia HPUS 6x 12x 18x

Carbo vegetabilis HPUS 6x 12x 18x

Lycopodium Clavatum HPUS 6x 12x 18x

Natrum carbonicum HPUS 6x 12x 18x

Nux vomica HPUS 6x 12x 18x

Veratrum album HPUS 6x 12x 18x

HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Asafoetida HPUS - Bloating, Cramping

Bismuthum subnitricum HPUS - Irritation

Bryonia HPUS - Dry, hard stools

Carbo vegetabilis HPUS - Indigestion, Belching

Lycopodium Clavatum HPUS - Loose stools, Flatulence

Natrum carbonicum HPUS - Stomach discomfort

Nux vomica HPUS - Irritability

Veratrum album HPUS - Irregularity

Uses:*

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION

OF A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.

Stop use and ask a doctor if:

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

- In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

Homeopathic remedies may not be effective for everyone.

Other information

- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Irritable Bowel Syndrome Therapy™ Homeopathic Fast Dissolving Tablet are homeopathic dilutions: see www.thereliefproducts.com for details.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

www.thereliefproducts.com, 1-888-969-6855

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™ NDC # 17312-034-14

Irritable Bowel Syndrome Therapy™

HOMEOPATHIC FAST DISSOLVING TABLETS™



Temporarily Relieves: Alivio Temporal de:

- Loose bowels Cólicos abdominales
- Flatulence Flatulencia
- Irregularity Irregularidad
- Bloating Hinchazón
- Dry, hard stools Estreñimiento

MONEY BACK GUARANTEE
GARANTÍA DE DEVOLUCIÓN DE SU DINERO

50 Tablets

Stay Healthy, Naturally.™
Manténgase la Salud, Naturalmente.

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™ NDC # 17312-034-14

Irritable Bowel Syndrome Therapy™

HOMEOPATHIC FAST DISSOLVING TABLETS™



Irritable Bowel Syndrome Therapy™ provides temporary relief for dry, hard, or loose stools, cramping, gas, and bloating. There are no known contraindications with your other medications.

WORKS WITH Our natural products **work** with other delivery systems to achieve a unique synergy. In this case, use **Irritable Bowel Syndrome Therapy™** with **Constipation Relief™**, **Diarrhea Relief™**, or **Hearbium Relief™** Fast Dissolving Tablets™ to achieve **MAXIMUM EFFECT** to **Stay Healthy, Naturally.™**



Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

Drug Facts

Active Ingredients
Asafetida HPUS 3x, 6x, 12x, 18x.....Bloating, Cramping
Bismuthum subnitricum HPUS 6x, 12x, 18x.....Irritation
Bryonia HPUS 6x, 12x, 18x.....Dry, hard stools
Carbo vegetabilis HPUS 6x, 12x, 18x.....Indigestion, Belching
Lycopodium clavatum HPUS 6x, 12x, 18x.....Loose stools, Flatulence
Natrium carbonicum HPUS 6x, 12x, 18x.....Stomach discomfort
Nux vomica HPUS 6x, 12x, 18x.....Irritability
Veratrum album HPUS 6x, 12x, 18x.....Irregularity

Purpose
"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Uses*
According to homeopathic indications these ingredients temporarily relieve symptoms such as:
• loose stools • bloating • dry, hard stools • cramping • irritability • flatulence • irregularity • stomach discomfort after a diagnosis by a physician. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings
USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.
• This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • A physician should always be consulted to rule out serious causes. • **If pregnant or breast-feeding, ask a health professional before use.**
• **Keep out of reach of children.** • In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if:**
• You experience worsening symptoms.
• Symptoms last longer than 7 days.

Directions
• Suitable for adults and children 12 years and above. • Dissolve entire tablet under tongue. ▶

Drug Facts (continued)

• Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • Homeopathic remedies may not be effective for everyone.

Other Information
• There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location.
• **Irritable Bowel Syndrome Therapy™** Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive Ingredients
Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose.

Irritable Bowel Syndrome Therapy™

FAST DISSOLVING TABLETS™
Stay Healthy, Naturally.™

Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2015 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com



PLEASE RECYCLE
RECYCLABLE ENVAJE

TRP the relief products™

TRP 100% Natural ACTIVE INGREDIENTS
the relief products™ NDC # 17312-034-14

Irritable Bowel Syndrome Therapy™

HOMEOPATHIC FAST DISSOLVING TABLETS™



Temporarily Relieves: • Loose bowels • Flatulence • Irregularity • Bloating • Dry, hard stools

Do not use if tamper evident seal is torn, broken or missing.

50 Tablets

Stay Healthy, Naturally.™

Active Ingredients
Asafetida HPUS 3x, 6x, 12x, 18x, Bismuthum subnitricum HPUS 6x, 12x, 18x, Bryonia HPUS 6x, 12x, 18x, Carbo vegetabilis HPUS 6x, 12x, 18x, Lycopodium clavatum HPUS 6x, 12x, 18x, Natrium carbonicum HPUS 6x, 12x, 18x, Nux vomica HPUS 6x, 12x, 18x, Veratrum album HPUS 6x, 12x, 18x

Directions
• Suitable for adults and children 12 years and above. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • Homeopathic remedies may not be effective for everyone.

Inactive Ingredients
Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose

Other Information
• There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location.
• **Irritable Bowel Syndrome Therapy™** Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Drug Facts are in Spanish on the interior of this carton.

© 2015 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com

UNWARRANTED

IRRITABLE BOWEL SYNDROME THERAPY

asafetida - bismuth subnitrate - bryonia alba root - activated charcoal - lycopodium clavatum spore - sodium carbonate - strychnos nux-vomica seed - veratrum album root - tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-034
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	3 [hp_X]
BISMUTH SUBNITRATE (UNII: H19J064BA5) (BISMUTH CATION - UNII:ZS9CD1I8YE)	BISMUTH SUBNITRATE	6 [hp_X]
BRYONIA ALBA ROOT (UNII: T7J046Y12B) (BRYONIA ALBA ROOT - UNII:T7J046Y12B)	BRYONIA ALBA ROOT	6 [hp_X]
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	6 [hp_X]

LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_X]
SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ5OPE7D)	SODIUM CARBONATE	6 [hp_X]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_X]
VERATRUM ALBUM ROOT (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	6 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	DIAMOND	Size	13mm
Flavor		Imprint Code	TRP
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-034-14	1 in 1 PACKAGE	04/01/2016	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/01/2016	

Labeler - TRP Company (105185719)