

CHLORPHENIRAMINE MALEATE 4 MG- chlorpheniramine maleate tablet
Reliable 1 Laboratories LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Chlorpheniramine Maleate 4 mg

Drug Facts

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Warnings

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Drug Facts *continued on back of label*

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 1 tablet every 4 to 6 hours, not more than 6 tablets in 24 hours
children 6 years to under 12 years	take 1/2 tablet every 4 to 6 hours, not more than 3 tablets in 24 hours

children under 6 years

do not use

Other information

- **each tablet contains:** calcium 40 mg
- store at 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow# 10 (Al-lake), dicalcium phosphate, magnesium stearate, microcrystalline cellulose, pregelatinized starch, silicon dioxide

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

* Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Chlor-Trimeton®

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

www.reliable1labs.com

Uses

temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy nose or throat
- itchy, watery eyes

NDC 69618-022-01

Chlorpheniramine Maleate 4mg

ANTIHISTAMINE

100 Tablets

*Compare to Active Ingredients in Chlor-Trimeton®

NDC 69618-022-01



Chlorpheniramine Maleate

4 mg
ANTIHISTAMINE

100 TABLETS

*Compare to Active Ingredient in Chlor-Trimeton®

Drug Facts

Active ingredient (in each tablet)
Chlorpheniramine maleate 4 mg ... Antihistamine

Purpose
Chlorpheniramine maleate 4 mg ... Antihistamine

Uses
temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ itchy nose or throat
 ■ sneezing
 ■ itchy, watery eyes

Warnings
Ask a doctor before use if you have
 ■ glaucoma
 ■ trouble urinating due to enlarged prostate gland
 ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product
 ■ you may get drowsy
 ■ avoid alcoholic drinks
 ■ alcohol, sedatives and tranquilizers may increase drowsiness

Drug Facts continued on back of label

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Chlor-Trimeton®.
 Distributed by: **Reliable 1 Laboratories LLC**
 Valley Stream, NY 11580
 www.reliable1tabs.com

Lot No. :
 Exp. Date:



Drug Facts (continued)

■ be careful when driving a motor vehicle or operating machinery
 ■ excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 1 tablet every 4 to 6 hours, not more than 6 tablets in 24 hours
children 6 years to under 12 years	take 1/2 tablet every 4 to 6 hours, not more than 3 tablets in 24 hours
children under 6 years	do not use

Other Information
 ■ each tablet contains: calcium 40 mg
 ■ store at 15°-30°C (59°-86°F)

Inactive ingredients
 croscarmellose sodium, D&C yellow# 10 (Al-lake), dicalcium phosphate, magnesium stearate, microcrystalline cellulose, pregelatinized starch, silicon dioxide

Questions or comments?
 call 516-341-0666, 8:30 am - 4:30 pm ET, Monday - Friday

CHLORPHENIRAMINE MALEATE 4 MG

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69618-022
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9J9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------


D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	AP;016
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69618-022-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	
2	NDC:69618-022-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	



CHLORPHENIRAMINE MALEATE 4mg Tablet

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	11/01/2015	

Labeler - Reliable 1 Laboratories LLC (079718111)

Revised: 10/2021

Reliable 1 Laboratories LLC