

FIBER CAPS - calcium polycarbophil tablet, film coated

Guardian Drug Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Fiber-Caps

Active ingredient (in each caplet)

Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil

Purpose

Bulk-forming laxative

Uses

relieves:

- constipation
- helps restore and maintain regularity
- promotes normal function of the bowel
- this product generally produces bowel movement in 12 to 72 hours

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- difficulty in swallowing
- a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work

When using this product

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

Stop use and ask a doctor if

- you experience chest pain, abdominal pain, nausea, vomiting, difficulty in breathing or swallowing
- you fail to have a bowel movement after use
- rectal bleeding occurs

Directions

- take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- dosage will vary according to diet, exercise, previous laxative use or severity of constipation
- continued use for 1 to 3 days is normally required to provide full benefit

adults and children over 12 years	2 caplets, 1 to 4 times a day
children under 12 years	ask a doctor

Other information

- each caplet contains: calcium 135 mg
- do not use if printed seal under cap is torn or missing
- store at room temperature
- protect contents from moisture

Inactive ingredients

calcium carbonate, caramel, colloidal silicon dioxide, crospovidone, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate

Principal Display Panel

Compare to the active ingredient in FIBERCON


NDC 53041-147-27

Stimulant Free

Fiber-Caps

Calcium polycarbophil 625 mg

- Relieves constipation
- Helps Restore and Maintain Regularity



**Stimulant Free
Fiber-Caps**

Fiber Laxative


Calcium polycarbophil 625 mg

90 CAPLETS

*Compare to the active ingredient in FIBERCON®
NDC 53041-147-27

WARNING: Consuming this product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/food.

• Relieves Constipation
• Helps Restore and Maintain Regularity



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

Drug Facts

Active ingredient (in each caplet) *Purpose*
Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil... Bulk-forming laxative


Uses ■ relieves occasional constipation
■ this product generally produces bowel movement in 12 to 72 hours


Warnings
Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have
■ abdominal pain, nausea or vomiting
■ difficulty in swallowing
■ a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

When using this product
■ do not use for more than 7 days unless directed by a doctor
■ do not take more than 8 caplets in a 24 hour period unless directed by a doctor

LOT:  0 53041 14727 2

EXP: 

► Peel Here for Continuing Drug Facts

<i>Drug Facts</i> (continued)	
<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you experience chest pain, abdominal pain, nausea, vomiting, difficulty in breathing or swallowing ■ you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition. 	
<p>Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.</p>	
<p><i>Directions</i> ■ take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning. ■ dosage will vary according to diet, exercise, previous laxative use or severity of constipation ■ continued use for 1 to 3 days is normally required to provide full benefit</p>	
adults & children 12 years & over	2 complete, 1 to 4 times a day
children under 12 years	ask a doctor
<p><i>Other information</i> ■ each caplet contains: calcium 135 mg ■ store at room temperature ■ protect contents from moisture</p>	
<p><i>Inactive ingredients</i> calcium carboxylate, caramel, colloidal silicon dioxide, croscapellon, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate.</p>	
<p>*This product is not manufactured or distributed by Pfizer Consumer Healthcare, the distributor of Fibrecon®.</p>	
<p align="center"><i>Guardian Drug Company</i></p> <p align="center">2 Charles Court, Dayton, NJ 08810</p> <p align="right">NFR#53041 REV 0419</p>	
<p align="center">Stop Peeling Here</p>	

FIBER CAPS

calcium polycarbophil tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53041-147
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W)		CALCIUM POLYCARBOPHIL	625 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARAMEL (UNII: T9D99G2B1R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSPVIDONE (UNII: 2S7830E561)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

Product Characteristics

Color	white (off white with black specks)	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	G147
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53041-147-27	90 in 1 BOTTLE; Type 0: Not a Combination Product	07/15/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	07/15/2010	

Labeler - Guardian Drug Company (119210276)

Revised: 1/2022

Guardian Drug Company