

**NAKED ONE AND DONE CREAM LIGHT- spf cream cream**  
**Autumn Harp Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Naked Skin One and Done, Light**

**DRUG FACTS:**

**Active Ingredients**

Octinoxate 7.5%

Zinc Oxide 3.4%

**PURPOSE: Sunscreen**

**USES: Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.**

**WARNINGS: For external use only.**

**Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**DIRECTIONS:**

For sunscreen use: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

**Other Information:**

☐Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

Water, Isododecane, Cyclopentasiloxane, Adipic Acid / Neopentyl Glycol Crosspolymer, Lauryl Dimethicone, Aloe Barbadensis Leaf Juice, Titanium Dioxide, Polyglyceryl-6 Polyricinoleate, Dimethicone/Vinyl Dimethicone Crosspolymer, Propylene Glycol, Isononyl Isononanoate, Hydrogenated Polyisobutene, Polyglyceryl-2 Isostearate, Glycerin, Phenoxyethanol, Propanediol, Dimethicone Crosspolymer, Disteardimonium Hectorite, Isopropyl Myristate, Iron Oxide (CI 77492), Sodium Chloride, Glycyrrhiza Glabra (Licorice) Root Extract, Aspergillus Ferment, Xanthan Gum,

Isoceteth-10, Silica, Iron Oxides (CI 77491), Isopropyl Titanium Triisostearate, Triethoxycaprylylsilane, Stearalkonium Hectorite, Evodia Rutaecarpa Fruit Extract, Ethoxydiglycol, Cyclotetrasiloxane, Dimethylcyclosiloxane, Iron Oxides (CI 77499), Propylene Carbonate, Polyhydroxystearic Acid, BHT, Sorbic Acid, may contain: titanium dioxide, iron oxides

**Questions or comments?**

Call toll free 1-800-784-URBAN(8722)

image content

One step and you're done. Instantly blur imperfections and even out skin tone—for beautifully perfected, ultra-definition skin.

The best of both worlds, this hybrid complexion cream combines the benefits of a sheer foundation with the coverage of a tinted moisturizer—and our high-tech, weightless formula feels amazing on your skin. One & Done provides all-day wear and covers a wide range of skin tones. But the best part is how it transforms the look of your skin! Light-diffusing spheres immediately help male flaws seem to disappear. Over time, pores appear smaller and skin appears noticeably firmer and more radiant.

We loaded One & Done with so many nourishing ingredients (including peptides, vitamins and moisturizers), you'll be tempted to skip your skin treatment. Gatuline® Radiance—derived from the wu zhu yu plant—improves the look of radiance, tone and texture. And SPF 20 protects against sun damage.

Wear alone for gorgeous skin. For the perfect application, use our Optical Blurring Brush. For extra hydration, apply after your moisturizer.

#### Drug facts

Active ingredients Purpose  
 Dimethicone, 15.5% Sunscreen  
 Zinc Oxide, 1.6%

#### Uses

• Helps prevent sunburn  
 • If used in conjunction with other sun protection measures (see Warnings), decreases the risk of sunburn and skin damage caused by the sun.

#### Warnings

For external use only.

Do not use on damaged or broken skin.

When using the product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunburn use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Features: Spending time in the sun increases your risk of skin cancer and early eye aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses.
  - Don't tanning 6 months after age 18 or older.

Other information: protect the product from extreme heat and direct sunlight.

#### Inactive ingredients

water, octadecane, octyltrimethylsiloxane, octyl sebacate, glyceryl stearate, polydimethylsiloxane, polybutene-1, polybutene-2, polybutene-3, polybutene-4, polybutene-5, polybutene-6, polybutene-7, polybutene-8, polybutene-9, polybutene-10, polybutene-11, polybutene-12, polybutene-13, polybutene-14, polybutene-15, polybutene-16, polybutene-17, polybutene-18, polybutene-19, polybutene-20, polybutene-21, polybutene-22, polybutene-23, polybutene-24, polybutene-25, polybutene-26, polybutene-27, polybutene-28, polybutene-29, polybutene-30, polybutene-31, polybutene-32, polybutene-33, polybutene-34, polybutene-35, polybutene-36, polybutene-37, polybutene-38, polybutene-39, polybutene-40, polybutene-41, polybutene-42, polybutene-43, polybutene-44, polybutene-45, polybutene-46, polybutene-47, polybutene-48, polybutene-49, polybutene-50, polybutene-51, polybutene-52, polybutene-53, polybutene-54, polybutene-55, polybutene-56, polybutene-57, polybutene-58, polybutene-59, polybutene-60, polybutene-61, polybutene-62, polybutene-63, polybutene-64, polybutene-65, polybutene-66, polybutene-67, polybutene-68, polybutene-69, polybutene-70, polybutene-71, polybutene-72, polybutene-73, polybutene-74, polybutene-75, polybutene-76, polybutene-77, polybutene-78, polybutene-79, polybutene-80, polybutene-81, polybutene-82, polybutene-83, polybutene-84, polybutene-85, polybutene-86, polybutene-87, polybutene-88, polybutene-89, polybutene-90, polybutene-91, polybutene-92, polybutene-93, polybutene-94, polybutene-95, polybutene-96, polybutene-97, polybutene-98, polybutene-99, polybutene-100.

Get details or comments?  
 Call toll free 1-800-894-1000 (x303)

# NAKED SKIN

## URBAN DECAY

one & done

HYBRID COMPLEXION PERFECTOR

BROAD SPECTRUM SPF 20

OPTICAL BLURRING LUMINOUS FINISH PARABEN FREE

40 ml / 1.3 fl. oz

Available Online

Dist. by: Distributor:  
 Urban Decay Cosmetics  
 Newport Beach, CA 92663, USA  
 106 rue Canton, 92200 La Gaiolles-Paris 16, France, Tel: 100.07. E: 0657.951185  
 C.EDB. It's all in USA. [urbandecay.com](http://urbandecay.com)



In a clinical study of NAKED SKIN ONE & DONE, a majority of participants had:

- An immediate improvement in the look of skin tone that lasted for up to 8 hours.
- A significant improvement in radiance after 12 weeks of use.
- Significantly firmer-feeling skin after 12 weeks of use.
- Visibly smaller-looking pores after 8 weeks of use.

**DRUG FACTS:**  
Active Ingredients:  
OCTINOXATE 15.5%, ZINC OXIDE 3.4%

**PURPOSE:** Sunscreen

**USES:** Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:** For sunscreen use. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including, limit time in the sun, especially from 10 a.m. to 2 p.m., wear long sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age. Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun.

**QUESTIONS OR COMMENTS:**  
CALL TOLL-FREE  
1-800-734-8722 (U.S.A. & H.K.)

  
Dist. by Urban Decay® Cosmetics LLC,  
Newport Beach, CA 92663, USA.  
455 Promenade des Anglais,  
06260 Nices, France. Made in USA  
urbandecay.com

## NAKED ONE AND DONE CREAM LIGHT

spf cream cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51514-0343
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.49 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.43 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
POLYGLYCERYL-2 MONOISOSTEARATE (UNII: 7B8OE71MQC)
GLYCERIN (UNII: PDC6A3C0OX)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
ASPERGILLUS FUMIGATUS (UNII: X88DF51T48)
XANTHAN GUM (UNII: TTV12P4NEE)
ISOCETETH-10 (UNII: 1K92T9919H)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
FERRIC OXIDE RED (UNII: 1K09F3G675)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
TETRADIUM RUTICARPUM FRUIT (UNII: Q413WWJ3X9)
DIMETHICONE (UNII: 92RU3N3Y1O)
SORBIC ACID (UNII: X045WJ989B)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB11)
ISODODECANE (UNII: A8289P68Y2)
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)
ADIPIC ACID/DIGLYCOL CROSSPOLYMER (20000 MPAS) (UNII: R9TPS68K19)
WATER (UNII: 059QF0KO0R)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51514-0343-1	1 g in 1 TUBE; Type 0: Not a Combination Product	02/04/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/04/2016	

**Labeler** - Autumn Harp Inc. (064187883)

**Registrant** - Autumn Harp Inc. (064187883)

### Establishment

Name	Address	ID/FEI	Business Operations
Autumn Harp Inc.		064187883	manufacture(51514-0343)

