

**MANNITOL 20%- mannitol injection
MWI (VetOne)**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**VetOne
MANNITOL 20%**

INDICATIONS:

Mannitol Injection 20% is indicated for use as an osmotic diuretic in canine species. Mannitol is essentially inert metabolically. When given parenterally, it is freely filtered at the glomerulus which produces osmotic diuresis as more than 90% of the mannitol injected escapes reabsorption.

Each 100 mL Contains:

Mannitol USP.....20 g
Water for Injection.....q.s.
This solution contains 1098 mOsmols/Liter

Dosage and Administration:

The usual canine dosage administered intravenously is 1.5 - 2.0 g per Kg body weight given over a 30 minute period. This is approximately 3.4-4.5 mL/lb of body weight.

Note:

Crystals of mannitol may form in a 20% saturated solution of mannitol. Dissolve the crystals by warming in hot water or autoclaving for 15 minutes. Cool to body temperature before administering. This is a single dose vial that contains no preservatives. Use entire contents when first opened.

Storage:

Store at temperatures between 15°and 30°C (59°-86°F)

Made in the USA of U.S. and imported materials.

Distributed by:

MWI

Boise, ID 83705

www.VetOne.net

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

FOR ANIMAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

Questions? Call 859-254-1221 or toll-free 800-621-8829

INDICATIONS: Mannitol Injection 20% is indicated for use as an osmotic diuretic in canine species. Mannitol is essentially inert metabolically. When given parenterally, it is freely filtered at the glomerulus which produces osmotic diuresis as more than 90% of the mannitol injected escapes reabsorption.

EACH 100 mL CONTAINS:
Mannitol, USP..... 20 g
Water for Injectionq.s.
This solution contains 1098 mOsmols/Liter

STORAGE: Store at a temperature between 15° and 30°C (59° and 86°F).

Questions? Call 859-254-1221 or toll-free 800-621-8829

Made in the USA of U.S. and imported materials.

Distributed by: MWI
Boise, ID 83705
www.VetOne.net

Rev. 07/2023
RMS# 92-530

NDC 13985-052-15

100 mL

VETone

Mannitol 20%

Injection

Sterile Solution

For animal use only.
Keep out of reach of children.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

DOSAGE AND ADMINISTRATION: The usual canine dosage administered intravenously is 1.5–2.0 g per kg body weight given over a 30 minute period. This is approximately 3.4–4.5 mL/lb of body weight.

NOTE: Crystals of mannitol may form in a 20% saturated solution of mannitol. Dissolve the crystals by warming in hot water or autoclaving for 15 minutes. Cool to body temperature before administering. This is a single dose vial that contains no preservatives. Use entire contents when first opened.

TAKE TIME  OBSERVE LABEL DIRECTIONS

 3 13985 05215 6

Exp.

Lot #

V1 501050 Net Contents: 100 mL

NDC 13985-052-15

VETONE

Mannitol 20%

Injection

Sterile Solution

For animal use only.

Keep out of reach of children.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

V1 501050

Net Contents: 100mL

INDICATIONS: Mannitol Injection 20% is indicated for use as an osmotic diuretic in canine species. Mannitol is essentially inert metabolically. When given parenterally, it is freely filtered at the glomerulus which produces osmotic diuresis as more than 90% of the mannitol injected escapes reabsorption.

EACH 100 mL CONTAINS:
Mannitol, USP..... 20 g
Water for Injectionq.s.
This solution contains 1098 mOsmols/Liter

STORAGE: Store at a temperature between 15° and 30°C (59° and 86°F).

Questions? Call 859-254-1221 or toll-free 800-621-8829

Made in the USA of U.S. and imported materials.

Distributed by: MWI
Boise, ID 83705
www.VetOne.net

Rev. 07/2023
RMS# 92-530

NDC 13985-052-15

100 mL

VETone

Mannitol 20%

Injection


Sterile Solution


For animal use only.
Keep out of reach of children.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

DOSAGE AND ADMINISTRATION: The usual canine dosage administered intravenously is 1.5–2.0 g per kg body weight given over a 30 minute period. This is approximately 3.4–4.5 mL/lb of body weight.

NOTE: Crystals of mannitol may form in a 20% saturated solution of mannitol. Dissolve the crystals by warming in hot water or autoclaving for 15 minutes. Cool to body temperature before administering. This is a single dose vial that contains no preservatives. Use entire contents when first opened.

TAKE TIME  OBSERVE LABEL DIRECTIONS

 3 13985 05215 6

Exp.

Lot #

V1 501050 Net Contents: 100 mL

MANNITOL 20%

mannitol injection

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:13985-052
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANNITOL (UNII: 3OWL53L36A) (MANNITOL - UNII:3OWL53L36A)	MANNITOL	20 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-052-15	100 mL in 1 VIAL, SINGLE-USE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/20/2011	

Labeler - MWI (VetOne) (019926120)

Revised: 5/2024

MWI (VetOne)