DYE-FREE CHILDRENS LORATADINE- loratadine tablet, chewable RITE AID

Dye-Free Children's Allergy Relief

Drug Facts

Active ingredient (in each tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.

DISTRIBUTED BY:

RITE AID 30 HUNTER LANE, CAMP HILL, PA 17011

PRINCIPAL DISPLAY PANEL - 30 Tablet Blister Pack Carton

Non Varnish Area

Batch No.

All trademarks are property of their This product is not

AGES 2 YEARS & OLDER

CHILDREN'S

CHEWABLE TABLETS • ANTIHISTAMINE

FREE FR @M DYE FREE

24 HOUR

AGES 2 YEARS & OLDER

NDC 11822-9999 -3

ingredient of Children's Claritin® Chewables'

CHEWABLE TABLETS • ANTIHISTAMINE

LORATADINE CHEWABLE TABLETS USP, 5 mg NON-DROWSY† INDOOR / OUTDOOR ALLERGIES

THE CHEWABLE TABLETS ARE TO I

AGES 2 YEARS & OLDER

CHEWABLE TABLETS • ANTIHISTAMINE

Drug Facts

Active ingredient (in each tablet) Purpose Loratadine USP, 5 mg Antihistamine

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed.

Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional

before use. Keep out of reach of children. In case of overdose, get

medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

chew or crush tablets completely before swallowing.

adults and children	chew 2 tablets daily; not more
6 years and over	than 2 tablets in 24 hours
children 2 to under	chew 1 tablet daily; not more
6 years of age	than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

 store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.

GLUE - NO COATING



0522



DYE-FREE CHILDRENS LORATADINE

loratadine tablet, chewable

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-9999

Route of Administration Oral

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strengt

Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN) Loratadine 5 mg

Inactive Ingredients

Ingredient Name	Strength		
aspartame (UNII: Z0H242BBR1)			
anhydrous citric acid (UNII: XF417D3PSL)			
silicon dioxide (UNII: ETJ7Z6XBU4)			
magnesium stearate (UNII: 70097M6I30)			
mannitol (UNII: 30WL53L36A)			
microcrystalline cellulose (UNII: OP1R32D61U)			
sodium starch glycolate type a potato (UNII: 5856J3G2A2)			
stearic acid (UNII: 4ELV7Z65AP)			

Product Characteristics

Color	WHITE (white to off-white)	Score	no score
Shape	ROUND (beveled edge)	Size	10mm
Flavor	BUBBLE GUM	Imprint Code	112
Contains			

Packaging

4	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 9999-3	3 in 1 CARTON	04/01/2022	
]	L	10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
ANDA	ANDA210088	04/01/2022		

Labeler - RITE AID (014578892)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories		184769029	MANUFACTURE(11822-9999)	

Revised: 6/2022 RITE AID