BROAD SPECTRUM SPF 50 DAYLOGIC- avobenzone 3% homosalate 13% octisalate 5% octocrylene 7% oxybenzone 4% lotion Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

3% Avobenzone

13% Homosalate

5% Octisalate

7% Octocrylene

4% Oxybenzone

Purpose

Sunscreen

Uses

• helps prevent sunburns

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early

skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Other Information

- protect this product from excessive heat and direct sun
- may stain fabrics



Drug Facts

Active ingredients **Purpose** Avobenzone 3%...... Homosalate 13%..... Sunscreen Octisalate 5%..... Sunscreen Octocrylene 7%..... .Sunscreen Oxybenzone 4%..... Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating . immediately after towel drying . at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: . limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information • protect this product from excessive heat and direct sun.

Inactive ingredients Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.



DISTRIBUTED BY: RITE AID 30 HUNTER LANE CAMP HILL, PA 17011 MADE IN THE USA WITH DOMESTIC AND FOREIGN COMPONENTS

look great 100% GUARANTEE

BROAD SPECTRUM SPF 50 DAYLOGIC

avobenzone 3% homosalate 13% octisalate 5% octocrylene 7% oxybenzone 4% lotion

Product Information

Product Type HUMAN OTC DRUG		Item Code (Source)	NDC:11822-7792
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 mL	
OCTISALATE (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	OCTISALATE	5 g in 100 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 mL	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	4 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ0 O 6 2 9 4)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)		
DIMETHICO NE (UNII: 92RU3N3Y1O)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470 XV)		
PROPYLPARABEN (UNII: Z8IX2SC10H)		
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)		
SORBITOL (UNII: 506T60A25R)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TOCOPHEROL (UNII: R0ZB2556P8)		
TROLAMINE (UNII: 903K93S3TK)		
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)		
WATER (UNII: 059QF0KO0R)		

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-7792-9	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2016	
2	NDC:11822-7792-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/22/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/12/2016	

Labeler - Rite Aid (014578892)

Registrant - Product Quest Mfg, LLC (927768135)

Establishment				
Name	Address	ID/FEI	Business Operations	
Product Quest Mfg, LLC		927768135	manufacture(11822-7792), label(11822-7792)	

Revised: 5/2018 Rite Aid