

REFRESH TEARS- carboxymethylcellulose sodium solution/ drops
Allergan, Inc.

REFRESH TEARS®
Drug Facts

Active ingredient

Carboxymethylcellulose sodium 0.5%

Purpose

Eye lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

Warnings

- **For external use only.**
- **To avoid contamination, do not touch tip of container to any surface. Replace cap after using.**
- **If solution changes color or becomes cloudy, do not use.**

Stop use and ask a doctor if

you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Use only if tape seals on top and bottom flaps are intact.
- Use before expiration date marked on container.
- Discard 90 days after opening.
- Store at 59°-77°F (15°-25°C).
- **RETAIN THIS CARTON FOR FUTURE REFERENCE.**

Inactive ingredients

Boric acid; calcium chloride dihydrate; magnesium chloride hexahydrate; potassium chloride; purified water; PURITE® (stabilized oxychloro complex); sodium borate decahydrate; and sodium chloride. May contain hydrochloric acid and/or sodium hydroxide (to adjust pH).

Questions or comments?

1.800.678.1605

refreshbrand.com

v1.0DFL0798

PRINCIPAL DISPLAY PANEL

Refresh
Tears®
Lubricating Eye Drops
ORIGINAL STRENGTH
Moisturizing Relief for
Dry, Irritated Eyes
0.5 fl oz (15 mL) Sterile

Drug Facts (continued)

- Store at 59°-77°F (15°-25°C).
- RETAIN THIS CARTON FOR FUTURE REFERENCE.

Inactive ingredients
Boric acid; calcium chloride dihydrate; magnesium chloride hexahydrate; potassium chloride; purified water; PURITE® (stabilized oxychloro complex); sodium borate decahydrate; and sodium chloride. May contain hydrochloric acid or sodium hydroxide (to adjust pH).

Questions or comments?
1.800.678.1605

Refresh Tears®
Original strength formula designed to act like your own natural tears.

Instantly moisturizes and relieves mild symptoms of eye dryness, including burning, irritation, and discomfort.

TRUST YOUR EYES TO REFRESH®

The brand with over 30 years of experience.

refreshbrand.com

Allergan, Inc.
2525 Dupont Drive
Irvine, CA 92612, U.S.A.
© 2022 Allergan. All rights reserved.
All trademarks are the property of their respective owners.
Product of US

Drug Facts

Active ingredient	Purpose
Carboxymethylcellulose sodium 0.5%	Eye lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

Warnings

- For external use only.
- To avoid contamination, do not touch tip of container to any surface. Replace cap after using.
- If solution changes color or becomes cloudy, do not use.

Stop use and ask a doctor if you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Use only if tape seals on top and bottom flaps are intact.
- Use before expiration date marked on container.
- Discard 90 days after opening.

016132 Lot: Exp.: 20074538

REFRESH TEARS

carboxymethylcellulose sodium solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0023-0798
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZI7B19X)	CARBOXYMETHYLCELLULOSE SODIUM	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORITE (UNII: G538EBV4VF)	
SODIUM CHLORATE (UNII: T95DR77GMR)	
CHLORINE DIOXIDE (UNII: 8061YMS4RM)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0023-0798-04	1 in 1 CARTON	05/16/1997	
1		3 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:0023-0798-03	1 in 1 CARTON	05/16/1997	
2		3 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
3	NDC:0023-0798-15	1 in 1 CARTON	05/16/1997	
3		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
4	NDC:0023-0798-01	2 in 1 CARTON	05/16/1997	
4		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
5	NDC:0023-0798-02	4 in 1 CARTON	05/16/1997	
5		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	05/16/1997	

Labeler - Allergan, Inc. (144796497)

Revised: 6/2022

Allergan, Inc.