

**STOOL SOFTENER LAXATIVE EXTRA STRENGTH- docusate sodium capsule,  
liquid filled**

**P & L Development, LLC**

-----

**Drug Facts**

**Active ingredient (in each softgel)**

Docusate sodium 250 mg

**Purpose**

Stool softener laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement within 12 to 72 hours

**Warnings**

**Do not use**

if you are presently taking mineral oil, unless directed by a doctor.

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor

- children under 12 years of age: ask a doctor

### **Other information**

- **each softgel contains:** sodium 13 mg
- store between 20-25°C(68-77°F); excursions permitted between 15-30°C (59-86°F)

### **Inactive Ingredients**

anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mannitol, mineral oil, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, white ink

### **Questions or comments?**

Call **1-877-753-3935** Monday- Friday 9AM-5PM EST

### **Principal Display Panel**

**extra strength**

**stool softener**

docusate sodium 250 mg

stool softener laxative

relieves occasional constipation

Stimulant-free

softgels

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

Distributed by: PL Developments

200 Hicks Street, Westbury, NY 11590

### **Product Label**



NDC 59726-059-10

# extra strength stool softener

docusate sodium 250 mg  
stool softener laxativerelieves occasional constipation  
stimulant-free

100 softgels



actual size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

<b>Drug Facts</b>
<b>Active ingredient (in each softgel)</b> Docusate sodium 250 mg..... Stool softener laxative
<b>Uses</b> ■ relieves occasional constipation (irregularity) ■ this product generally produces a bowel movement within 12 to 72 hours
<b>Warnings</b> Do not use if you are presently taking mineral oil, unless directed by a doctor. <b>Ask a doctor before use if you have</b> ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks <b>Stop use and ask a doctor if</b> ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week <b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</b>
<b>Directions</b> ■ adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor ■ children under 12 years of age: ask a doctor
<b>Other information</b> ■ each softgel contains: sodium 13 mg (99-86°F) ■ store between 20-25°C (68-77°F); excursions permitted between 15-30°C
<b>Inactive ingredients</b> anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mannitol, mineral oil, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, white ink
<b>Questions or comments?</b> Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

Distributed by: **PL Developments**  
200 Hicks Street, Westbury, NY 11590PLD-E727A  
LB00847

Lot No.:

3

59726

28510

0

Exp. Date:

## READYinCASE Extra Strength Stool Softener Laxative

### STOOL SOFTENER LAXATIVE EXTRA STRENGTH

docusate sodium capsule, liquid filled

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59726-059
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	250 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	

#### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	P4
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-059-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/16/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/16/2021	

**Labeler** - P & L Development, LLC (800014821)

Revised: 4/2024

P & L Development, LLC