

**COMPLETE MENSTRUAL RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet
Good Sense (Geiss, Destin & Dunn, Inc.)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purposes

Pain reliever

Diuretic

Antihistamine

Purposes

Pain reliever

Diuretic

Antihistamine

Uses

- for the temporary relief of these symptoms associated with menstrual periods
 - cramps
 - bloating
 - water-weight gain
 - headache
 - backache
 - muscle aches
 - fatigue

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- difficulty in urination due to an enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedative, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical even if you do not notice any sign or symptoms.

Directions

- do not take more than the recommended dose
- adults and children 12 years and older
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not take more than 6 caplets in 24 hours
- children under 12 years: consult a doctor

Other information

- store at 25°C (77°F) excursions permitted between 15°C-30°C (59°-86°F)

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Maximum Strength

Menstrual Relief Caplets

Acetaminophen, Caffeine, Pyrilamine maleate

- Pain Reliever
- Diuretic
- Antihistamine

Multi-Symptom Relief of:

- Cramps
- Bloating
- Fatigue
- Backache & Headache

Caplets

*Compare to active ingredients in Midol® Complete

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Midol® Complete.

Distributed by: Geiss, Destin & Dunn, Inc.

Peachtree City, GA 30269

www.valuelabels.com

Package Labeling

<p>Directions</p> <ul style="list-style-type: none"> do not take more than the recommended dose adults and children 12 years and older take 2 caplets with water repeat every 6 hours, as needed do not take more than 6 caplets in 24 hours children under 12 years: consult a doctor 	<p>When using this product</p> <ul style="list-style-type: none"> excitability may occur, especially in children drowsiness may occur avoid alcoholic drinks <p>Ask a doctor or pharmacist before use if you are</p> <ul style="list-style-type: none"> taking sedatives or tranquilizers taking the blood thinning drug warfarin breathing problem such as emphysema or chronic bronchitis difficulty in urination due to enlargement of the prostate gland liver disease glaucoma <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> if you have ever had an allergic reaction to this product or any of its ingredients nonprescription): If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. with any other drug containing acetaminophen (prescription or
<p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical use.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>fever gets worse or lasts more than 3 days</p> <p>pain gets worse or lasts more than 10 days</p> <p>redness or swelling is present</p> <p>new symptoms occur</p>	<p>Do not use</p> <ul style="list-style-type: none"> if a skin reaction occurs, stop use and seek medical help right away. liver disease liver disease liver disease <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none"> more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p>
<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> alcohol, sedatives, and tranquilizers may increase drowsiness be careful when driving a motor vehicle or operating machinery limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee. <p>Drug Facts (continued)</p>	<p>Drug Facts (continued)</p> <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none"> more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p>

<p>Drug Facts (continued)</p> <p>Uses</p> <ul style="list-style-type: none"> for the temporary relief of these symptoms associated with menstrual periods: cramps, bloating, fatigue, backache, water-weight gain, headache, muscle aches 	<p>Drug Facts</p> <p>Active ingredients (in each caplet)</p> <ul style="list-style-type: none"> Acetaminophen 500 mg..... Pain reliever Caffeine 60 mg..... Diuretic Pyrilamine maleate 15 mg..... Antihistamine <p>Purposes</p>
--	--

NDC 50804-183-24

GOODSENSE®

Maximum Strength

Menstrual Relief Caplets

Acetaminophen, Caffeine, Pyrilamine maleate

• Pain Reliever • Diuretic • Antihistamine

Multi-Symptom Relief of: • Cramps • Bloating • Fatigue • Backache & Headache

SUPPORTING THE FIGHT AGAINST BREAST CANCER*

***Compare to active ingredients in Midol® Complete**

100% SATISFACTION GUARANTEED

24 Caplets



TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

<p>Other information</p> <ul style="list-style-type: none"> store at 25°C (77°F); excursions permitted between 15°C-30°C (59°-86°F) colloidal silicon dioxide, 	<p>Inactive ingredients</p> <p>colloidal silicon dioxide,</p>
<p>Questions or comments?</p> <p>Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p>croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, povidone, pregelatinized starch, stearic acid, titanium dioxide</p>

GOODSENSE® PROUDLY DONATES A PORTION OF EACH PURCHASE TO BREAST CANCER EARLY DETECTION AND RESEARCH.

Distributed by: Geiss, Destin & Dunn, Inc.
Peachtree City, GA 30269
www.valuelabels.com

PLD-C1680 F0002753

8 46036 00658 2

*This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of Midol® Complete.

Good Sense Menstrual Relief Caplets

COMPLETE MENSTRUAL RELIEF

acetaminophen, caffeine, pyrilamine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-183
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE (UNII: 2S7830E561)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	TCL347
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-183-24	2 in 1 BOX	01/16/2012	12/30/2021
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	01/16/2012	12/30/2021

Labeler - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 12/2019

Good Sense (Geiss, Destin & Dunn, Inc.)