NASAL DECONGESTANT NON-DROWSY- pseudoephedrine hcl tablet, film coated CVS Pharmacy

CVS Pharm

CVS 44-112

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24
and over	hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

Other information

- each tablet contains: calcium 15 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

♥CVSHealth™

Compare to the active ingredient in Sudafed® Sinus Congestion*

Non-Drowsy

Nasal Decongestant
PSEUDOEPHEDRINE HYDROCHLORIDE

Nasal decongestant

MAXIMUM STRENGTH

Relieves:

- Nasal & sinus congestion
- Sinus pressure

24 TABLETS 30 mg EACH

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Sudafed \$ Sinus Congestion. 50844 REV0619B11208

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895 © 2024 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-14022

✓ CVS® Quality
Money Back Guarantee

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Sudafed® Sinus Congestion.
50844 REV0619B11208

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2024 CVS/pharmacy
CVS.com® 1-800-SHOP CVS V-14022



contact a Poison Control Center right away.

♥CVSHealth

Nasal Decongestant

Questions or comments? 1-800-426-9391

CVS Quality

cellubse, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, aluminum lake, hypromellose, magnesium stearate, microcrystalline phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow#6 Inactive ingredients croscarmellose sodium, dibasic calcium

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

see end flap for expiration date and lot number

Drug Facts (continued)

- BLISTER IS TORN OR BROKEN
- TAMPER EVIDENT: DO NOT USE IF OUTER PACK AGE IS OPENED OR Other information

	children under 6 years	esu ton ob
	daildren ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
-	12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
0	irections	

Keep out of reach of children. In case of overdose, get medical help or If pregnant or breast-feeding, ask a health professional before use. ■ symptoms do not improve within 7 days or occur with fever

- - nervousness, dizziness, or sleeplessness occur Stop use and ask a doctor if

When using this product do not exceed recommended dosage.

- difficulty in unination due to enlargement of the prostate gland
 - heart disease diabetes thyroid disease thyroid disease
 - Ask a doctor before use if you have

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print / No Varnish Area

Lot no. & Exp. Date

pharmacist before taking this product.

not know if your prescription drug contains an MAOI, ask a doctor or Parkinson's disease), or for 2 weeks after atopping the MAUI drug. If you do (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Do not use if you are now taking a prescription monoamine oxidase inhibitor Warnings

- fembolskijk relieves sinus congestion and pressure other upper respiratory allergies
- temporarily relieves nasal congestion due to the common cold, hay fever or

Na sal decongestant Pseudoephedrine HCI 30 mg Purpose Active ingredient (in each tablet)

Drug Facts

B-0231-112-08-HRR REV0619B11208

♥CVSHealth

Non-Drowsy

Nasal Decongestant

PSEUDOEPHEDRINE HYDROCHLORIDE/Nasal decongestant

CVSHealth.

Compare to the active ingredient in Sudafed® Sinus Congestion*

Non-Drowsy

lasal Decongestant

PSEUDOEPHEDRINE HYDROCHLORIDE Nasal decongestant

MAXIMUM STRENGTH

Relieves:

- Nasal & sinus congestion
- Sinus pressure

24 TABLETS 30 mg EACH



CVS 44-112

NASAL DECONGESTANT NON-DROWSY

pseudoephedrine hcl tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg		

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics				
Color	red	Score	no score	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	44;112	
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:59779- 112-08	1 in 1 CARTON	08/25/1981				
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product					
2	NDC:59779- 112-22	2 in 1 CARTON	08/25/1981				
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product					
3	NDC:59779- 112-46	4 in 1 CARTON	08/25/1981				
3		24 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	08/25/1981			

Labeler - CVS Pharmacy (062312574)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(59779-112)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(59779-112) , pack(59779-112)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(59779-112)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(59779-112)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(59779-112)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(59779-112)

Revised: 7/2024 CVS Pharmacy