DR.JART EVERY SUN DAY MINERAL SUN SCREEN- zinc oxide, titanium dioxide cream Have & Be Co., Ltd.

Dr.Jart Every Sun Day Mineral Sun Screen

Zinc Oxide 11.5%

Titanium Dioxide 4.1%

Sunscreen

Helps prevent sunburn

If used as directed with other sun protection meausres (see **Directions**), decreases the risk of skin cancer and early skin aging casued by the sun

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am 2 pm
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.


Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, CYCLOPENTASILOXANE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL POLYGLYCERYL-3POLYDIMETHYLSILOXYETHYL DIMETHICONE, METHYL METHACRYLATE CROSSPOLYMER, BUTYLOCTYL SALICYLATE, CAPRYLYL METHICONE, 1,2-HEXANEDIOL, DISTEARDIMONIUM HECTORITE, MAGNESIUM SULFATE, STEARIC ACID, ALUMINUM HYDROXIDE, POLYGLYCERYL-3, POLYDIMETHYLSILOXYETHYLDIMETHICONE, TRIETHOXYCAPRYLYLSILANE, SORBITAN CAPRYLATE, CITRUS AURANTIUM DULCIS (ORANGE) OIL, GLYCERYL CAPRYLATE, ETHYLHEXYLGLYCERIN, CITRUS NOBILIS (MANDARIN ORANGE) PEEL OIL, LITSEA CUBEBA FRUIT OIL, TOCOPHEROL

Protect the product in this container from excessive heat and direct sunlight

You may report a serious adverse event from use of this product to: Report Reaction,

Route of Administration



DR. JART EVERY SUN DAY MINERAL SUN SCREEN zinc oxide, titanium dioxide cream **Product Information Product Type** HUMAN OTC DRUG Item Code (Source) NDC:49404-143 **TOPICAL**

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.05 mg in 50 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	5.75 mg in 50 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49404- 143-02	1 in 1 CARTON	10/31/2019			
1		50 mL in 1 CONTAINER; Type 0: Not a Combination Product				
2	NDC:49404- 143-03	5 mL in 1 TUBE; Type 0: Not a Combination Product	12/21/2021			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	10/31/2019			

Labeler - Have & Be Co., Ltd. (690400408)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co., Ltd.		963271750	manufacture(49404-143)

Revised: 6/2024 Have & Be Co., Ltd.