# WELLY BRAVERY TRIPLE ANTIBIOTIC- bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment Welly Health PBC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

# Active ingredients (In each gram)

Bacitracin 400

Neomycin 3.5 mg

Polymyxin B 5,000 units

# Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

#### Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

# Warnings

# For external use only

# Allergy alert:

• do not use if you are allergic to any of the ingredients

#### Do not use

- in or near the eyes
- on large areas of the body

# Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

# When using this product

• do not use longer than 1 week

# Stop use and consult a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days

• a rash or other allergic reaction develops

**Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center immediately.

# **Directions**

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

# Other information

• Store at a controlled room temperature 68°-77°F (20°-25°C)

# **Inactive ingredient**

Petrolatum

Questions? 1-833-BEWELLY

**Principal Dispaly Panel - Tube** 



NET WT 0.50 oz (14 g)

Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate

Active ingredients (in each gram): Bacitracin 400 Units, Neomycin 3.5 mg, Polymyxin B 5,000 Units Purpose: First aid antibiotic Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns Warnings: For external use only. Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients. Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns. Stop use and ask a doctor if • you need to use longer than 1 week • condition persists or gets worse • symptoms persist for more than 1 week, or clear up and occur again within a few days • rash or other allergic reaction develops. Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately. Directions: • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage. Other information: Store at a controlled room temperature 68°-77°F (20°-25°C) Inactive ingredient: Petrolatum Distributed by: Welly Health PBC Minneapolis, MN 55402 1-833-BE-WELLY

Welly First aid NDC 72663-162-58

Triple Action First Aid Antibiotic Ointment

NET WT 0.5 oz (14g)

Bacitracin Zinc, Neomycin Sulfate, Polymixin B Sulfate

Principal Display Panel -Case







Warnings continued 
sain aloctor before use if you have • deep or puncture wounds 
sainal bites • serious burns. 

Stop use and ask a doctor if • you need to use longer than 1 week 
condition persists or gets worse • symptoms persist for more than 
week, or clear up and occur again within a few days • rash or other 
likergic reaction develops. Keep out of the reach of children. 
Swallowed get medical help or contact a Poison Control Center 
mmediately.

Directions • clean affected area • appty a small amount (equal to the 
with a sterile bandage.

Other information • Store at a controlled room temperature 

38-77-F (20°-25°C)

Inactive ingredient Petrolatum

Petrolatum

Other ingredient Petrolatum

Welly First Aid NDC 72663-162-58
Bravery Balm
Triple Action First aid Antibiotic Ointment
NET WT 0.50 oz (14g)

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

#### WELLY BRAVERY TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72663-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Bacitracin Zinc (UNII: 89 Y4M234ES) (Bacitracin - UNII:58 H6 RWO52I)	Bacitracin	400 [USP'U] in 1 g	
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [USP'U] in 1 g	
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
Petrolatum (UNII: 4T6H12BN9U)	

Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1	NDC:72663-162-58	1 in 1 CASE	0 1/3 1/20 19	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	0 1/23/20 11		

# Labeler - Welly Health PBC (116766884)

# Registrant - Welly Health PBC (116766884)

Establishment					
Name	Address	ID/FEI	Business Operations		
Sheffield Pharmaceuticals LLC		151177797	MANUFACTURE(72663-162)		

Revised: 2/2019 Welly Health PBC