

**STOPAIN CLINICAL- menthol gel**  
**Troy Manufacturing, Inc.**

-----  
**Stopain Clinical**

***Drug Facts***

***Active Ingredient***

Menthol 10.0%

***Purpose***

Topical Analgesic

***Uses***

For the temporary relief of minor aches and pains of muscles and joints associated with: • simple backache • arthritis • strains • bruises • sprains

***Warnings***

Avoid contact with eyes. **For external use only.**

**Flammable: Keep away from fire or flame.**

**When using this product**

• use only as directed • do not bandage tightly or use a heating pad • do not apply to wounds or damaged skin

**Stop use and ask a doctor if**

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • excessive irritation of the skin develops

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

• apply directly onto affected area without the need to bandage • repeat if necessary, but do not apply more than 4 times daily. **Adults and children over 12 years:**

ask a doctor. **Children 12 years of younger:**

### Other Information

- Store at room temperature

### Inactive Ingredients

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

### Package Labeling:

© 2023 Troy Healthcare, LLC  
2-567 REV 00 / 0123

**Drug Facts**

Active Ingredient	Purpose
Menthol 10.0%.....	Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** For external use only. Avoid contact with eyes.  
**Flammable: Keep away from fire or flame.**

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily.  
**Children 12 years or younger:** ask a doctor.

**Other Information** ■ Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

TROY HEALTHCARE

MADE IN USA

Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive  
Hazleton, PA 18202  
800-201-PAIN (7246)

CLINICAL  
**Stopain**  
CLINICAL

Immediate, Penetrating Relief from:  
**Arthritis • Muscle Aches  
Joint & Back Pain**  
with MSM & Glucosamine

**GEL**

Contains 12 Individual 3g Packets

To learn more about Stopain® Clinical products visit: [StopainClinical.com](http://StopainClinical.com)

**MAXIMUM PERFORMANCE  
PAIN RELIEF**

7 24909 97512 1

**Drug Facts**

**Active Ingredient** **Purpose**  
Menthol 10.0%.....Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** For external use only. Avoid contact with eyes.

**Flammable: Keep away from fire or flame.**

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** **Adults and children over 12 years:** ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily. **Children 12 years or younger:** ask a doctor.

**Other Information** ■ Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).



Manufactured for:  
Troy Healthcare, LLC  
130 Lions Drive, Hazleton, PA 18202  
800-201-PAIN (7246)



©2022 Troy Healthcare, LLC 2-750 REV 00 / 0622

**FOR PROFESSIONAL RE-SALE ONLY**

For more information visit [www.StopainClinical.com](http://www.StopainClinical.com)



CLINICAL

MAXIMUM PERFORMANCE  
PAIN RELIEF

Immediate, Penetrating Relief from  
Arthritis / Muscle Aches / Joint & Back Pain  
with MSM & Glucosamine

GEL

NET WT 3g

**STOPAIN CLINICAL**

menthol gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63936-9751
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
-----------------	----------

<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GLUCOSAMINE SULFATE</b> (UNII: 1FW7WLR731)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>PEG-8 DIMETHICONE</b> (UNII: GIA7T764OD)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9751-1	12 in 1 BOX	01/31/2023	
1		3 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/31/2023	

**Labeler** - Troy Manufacturing, Inc. (160075248)

### Establishment

Name	Address	ID/FEI	Business Operations
Troy Manufacturing, Inc.		160075248	manufacture(63936-9751)

Revised: 10/2023

Troy Manufacturing, Inc.