

RIMMEL BB CREAM BEAUTY BALM VERY LIGHT - octinoxate cream
RIMMEL BB CREAM BEAUTY BALM LIGHT - octinoxate cream
RIMMEL BB CREAM BEAUTY BALM LIGHT MEDIUM- octinoxate cream
RIMMEL BB CREAM BEAUTY BALM MEDIUM - octinoxate cream
RIMMEL BB CREAM BEAUTY BALM DARK- octinoxate cream
Rimmel Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rimmel BB Cream Beauty Balm

Active ingredients

Octinoxate 4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or high and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long - sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Cyclopentasiloxane, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, Butylene Glycol, Glycerin, Magnesium Sulfate, BHT, Bis-PEG/PPG-14/14 Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Distearidimonium Hectorite, Laureth-7, Lecithin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Carbonate, Silica Dimethyl Silylate, Triethoxycaprylylsilane, Xanthan Gum, Chlorphenesin, Phenoxyethanol, Fragrance, Titanium Dioxide, Iron Oxides

Questions or comments?

Call **1-800-715-4023**

9:00 am to 5:00 pm ET

Monday - Friday

Principal Display Panel - 30 mL Bottle Very Light Label

RIMMEL

LONDON

BROAD SPECTRUM SPF15

BB CREAM

BEAUTY BALM

VERY LIGHT

9 in1

SUNSCREEN BB CREAM

LONG-LASTING

UP TO 24HR HYDRATION

EVEN SKIN TONE

1 fl oz 30 ml



9 benefits in 1, our light-weight long-lasting BB Cream

- 1) Hydrates for up to 24HR
- 2) Primes
- 3) Protects with Broad Spectrum SPF 15
- 4) Helps minimise the appearance of pores
- 5) Smoothes
- 6) Conceals & covers for an even skin tone
- 7) Mattifies
- 8) Brightens and
- 9) Provides all day long comfort on the skin.

BAR CODE AREA
25 x 10MM

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

Drug Facts ▶

Peel back for more information.

Drug Facts (continued)

Active ingredients Purpose
Octinoxate 4% Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. ▶

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and ▶

Drug Facts (continued)

other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
Water, Cyclopentasiloxane, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, ▶

Drug Facts (continued)

Butylene Glycol, Glycerin, Magnesium Sulfate, BHT, Bis-PEG/PPG-14/14 Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Disteardimonium Hectorite, Laureth-7, Lecithin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Carbonate, Silica Dimethyl Silylate, Triethoxycaprylylsilane, Xanthan Gum, Chlorphenesin, Phenoxyethanol, Fragrance, Titanium Dioxide, Iron Oxides

Questions or comments?
Call 1-800-715-4023
9:00 am to 5:00 pm ET
Monday – Friday

Principal Display Panel - 30 mL Bottle Light Label

RIMMEL
LONDON

BROAD SPECTRUM SPF15

BB CREAM

BEAUTY BALM

LIGHT

9 in1

SUNSCREEN BB CREAM

LONG-LASTING

UP TO 24HR HYDRATION

EVEN SKIN TONE

1 fl oz 30 ml



9 benefits in 1, our light-weight long-lasting BB Cream

- 1) Hydrates for up to 24HR
- 2) Primes
- 3) Protects with Broad Spectrum SPF 15
- 4) Helps minimise the appearance of pores
- 5) Smoothes
- 6) Conceals & covers for an even skin tone
- 7) Mattifies
- 8) Brightens and
- 9) Provides all day long comfort on the skin.

BAR CODE AREA
25 x 10mm

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

Drug Facts

Peel back for more information.

Drug Facts (continued)

Active ingredients Purpose
Octinoxate 4% Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and

Drug Facts (continued)

other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
Water, Cyclopentasiloxane, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone,

Drug Facts (continued)

Butylene Glycol, Glycerin, Magnesium Sulfate, BHT, Bis-PEG/PPG-14/14 Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Distearidimonium Hectorite, Laureth-7, Lecithin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Carbonate, Silica Dimethyl Silylate, Triethoxycaprylylsilane, Xanthan Gum, Chlorphenesin, Phenoxethanol, Fragrance, Titanium Dioxide, Iron Oxides

Questions or comments?
Call 1-800-715-4023
9:00 am to 5:00 pm ET
Monday – Friday

Principal Display Panel - 30 mL Bottle Light Medium Label

RIMMEL

LONDON

BROAD SPECTRUM SPF15

BB CREAM

BEAUTY BALM

LIGHT MEDIUM

9 in1

SUNSCREEN BB CREAM

LONG-LASTING

UP TO 24HR HYDRATION

EVEN SKIN TONE

1 fl oz 30 ml



9 benefits in 1, our light-weight long-lasting BB Cream

- 1) Hydrates for up to 24HR
- 2) Primes
- 3) Protects with Broad Spectrum SPF 15
- 4) Helps minimise the appearance of pores
- 5) Smoothes
- 6) Conceals & covers for an even skin tone
- 7) Mattifies
- 8) Brightens and
- 9) Provides all day long comfort on the skin.

BAR CODE AREA
25 x 10mm

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

Drug Facts ▶

Peel back for more information. ▶

Drug Facts (continued)

Active ingredients Purpose
Octinoxate 4% Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. ▶

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and ▶

Drug Facts (continued)

other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
Water, Cyclopentasiloxane, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, ▶

Drug Facts (continued)

Butylene Glycol, Glycerin, Magnesium Sulfate, BHT, Bis-PEG/PPG-14/14 Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Distearidimonium Hectorite, Laureth-7, Lecithin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Carbonate, Silica Dimethyl Silylate, Triethoxycaprylylsilane, Xanthan Gum, Chlorphenesin, Phenoxyethanol, Fragrance, Titanium Dioxide, Iron Oxides

Questions or comments?
Call **1-800-715-4023**
9:00 am to 5:00 pm ET
Monday – Friday

Principal Display Panel - 30 mL Bottle Medium Label

RIMMEL
LONDON

BROAD SPECTRUM SPF15

BB CREAM

BEAUTY BALM

MEDIUM

9 in1

SUNSCREEN BB CREAM

LONG-LASTING

UP TO 24HR HYDRATION

EVEN SKIN TONE

1 fl oz 30 ml



9 benefits in 1, our light-weight long-lasting BB Cream

- 1) Hydrates for up to 24HR
- 2) Primes
- 3) Protects with Broad Spectrum SPF 15
- 4) Helps minimise the appearance of pores
- 5) Smoothes
- 6) Conceals & covers for an even skin tone
- 7) Mattifies
- 8) Brightens and
- 9) Provides all day long comfort on the skin.

BAR CODE AREA
25 x 10MM

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

Drug Facts ▶

Peel back for more information.

Drug Facts (continued)

Active ingredients Purpose
Octinoxate 4% Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. ▶

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and ▶

Drug Facts (continued)

other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
Water, Cyclopentasiloxane, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, ▶

Drug Facts (continued)

Butylene Glycol, Glycerin, Magnesium Sulfate, BHT, Bis-PEG/PPG-14/14 Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Disteardimonium Hectorite, Laureth-7, Lecithin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Carbonate, Silica Dimethyl Silylate, Triethoxycaprylylsilane, Xanthan Gum, Chlorphenesin, Phenoxyethanol, Fragrance, Titanium Dioxide, Iron Oxides

Questions or comments?
Call 1-800-715-4023
9:00 am to 5:00 pm ET
Monday – Friday

Principal Display Panel - 30 mL Bottle Dark Label

**RIMMEL
LONDON**

BROAD SPECTRUM SPF15

BB CREAM

BEAUTY BALM

Dark

9 in1

SUNSCREEN BB CREAM

LONG-LASTING

UP TO 24HR HYDRATION

EVEN SKIN TONE

1 fl oz 30 ml

laquer free area


BROAD SPECTRUM SPF 15
BB
CREAM
 BEAUTY BALM

DARK

9

IN 1

SUNSCREEN
BB CREAM
LONG-LASTING
UP TO 24HR
HYDRATION
EVEN SKIN TONE

1 fl oz 30 ml

non-printable area

9 benefits in 1, our light-weight long-lasting BB Cream

- 1) Hydrates for up to 24HR
- 2) Primes 3) Protects with Broad Spectrum SPF 15
- 4) Helps minimise the appearance of pores
- 5) Smoothes 6) Conceals & covers for an even skin tone
- 7) Mattifies 8) Brightens and
- 9) Provides all day long comfort on the skin.

BAR CODE AREA
25 x 10mm

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

Drug Facts

Peel back for more information.

Drug Facts (continued)

Active ingredients Purpose
Octinoxate 4% Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and

Drug Facts (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
Water, Cyclopentasiloxane, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone,

Drug Facts (continued)

Butylene Glycol, Glycerin, Magnesium Sulfate, BHT, Bis-PEG/PPG-14/14 Dimethicone, Dimethicone Crosspolymer, Disodium EDTA, Distearidimonium Hectorite, Laureth-7, Lecithin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Carbonate, Silica Dimethyl Silylate, Triethoxycaprylylsilane, Xanthan Gum, Chlorphenesin, Phenoxethanol, Fragrance, Titanium Dioxide, Iron Oxides

Questions or comments?
Call **1-800-715-4023**
9:00 am to 5:00 pm ET
Monday – Friday

RIMMEL BB CREAM BEAUTY BALM VERY LIGHT

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1074
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.3 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-7 (UNII: Z95S6G8201)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1074-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2017	

RIMMEL BB CREAM BEAUTY BALM LIGHT

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1075
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.3 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-7 (UNII: Z95S6G8201)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1075-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2017	

RIMMEL BB CREAM BEAUTY BALM LIGHT MEDIUM

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1076
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.3 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-7 (UNII: Z95S6G8201)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIETHOXYCAPRYL SILANE (UNII: LDC331P08E)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1076-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

RIMMEL BB CREAM BEAUTY BALM MEDIUM

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1077
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.3 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-7 (UNII: Z95S6G8201)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1077-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2017	

RIMMEL BB CREAM BEAUTY BALM DARK

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1078
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.3 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
LAURETH-7 (UNII: Z95S6G8201)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1078-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	10/01/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2017	10/01/2020

Labeler - Rimmel Inc. (401011325)

Registrant - Coty US LLC (039056361)

Establishment

Name	Address	ID/FEI	Business Operations
Coty Lancaster S.A.M.		401011325	manufacture(76485-1074, 76485-1075, 76485-1076, 76485-1077, 76485-1078)

Revised: 10/2020

Rimmel Inc.