

**WAX B GONE EAR WAX REMOVAL DROPS- carbamide peroxide -
6.5% solution/ drops
SIGMAR, LLC**

Drug Facts

Active ingredient

Carbamide Peroxide, 6.5%

□ Purpose

Earwax Removal Aid

Uses

For occasional use as an aid to soften, loosen and remove excessive ear wax.

□ Warnings

Ask a Doctor before use if you have

- eardrainage, discharge,
- ear pain
- irritation or rash in the ear
- dizziness
- injury or perforation (hole) of the ear drum
- recently had ear surgery

Stop Use and ask a Doctor if

- you need to use for more than 4 days
- excessive ear wax remain after use of this product

When using this product

- do not use for more than four days
- avoid contact with the eyes. If accidental contact with the eyes occurs, flush eyes with water and consult a doctor
- if excessive earwax remains after the use of this product, consult a doctor

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

□ Directions FOR USE IN THE EAR ONLY

- **Adults and children over 12 years of age:**
- Tilt head sideways and place 5 to 10 drops into ear.
- Tip of applicator should not enter ear canal.
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear.
- Use twice daily for up to 4 days if needed, or as directed by a doctor.
- Any earwax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe.
- When the ear canal is irrigated, the tip of the ear syringe should not obstruct the flow of water leaving the ear canal.
- **Children under 12 years:** consult a doctor.

□ **Other information**

- Protect from heat and direct sunlight
- product foams on contact with ear wax due to release of oxygen, there may be associated cracking
- Keep cap on bottle when not in use.
- Lot No. and EXP date: see label, bottom container or box.

□ **Inactive ingredients**

Citric Acid, Glycerin, Propylene Glycol, Sodium Citrate, Sodium Lauryl Sulfate, Tartaric Acid

Principal Display Panel Bottle Label 0.5 FL OZ

Wax B Gone NDC 82498-149-15

Ear Wax Removal drops

Carbamide Peroxide 6.5%

0.5 FL OZ (15ml)

ACTIVE INGREDIENT: Carbamide peroxide, 6.5% **USES:** For occasional use as an aid to soften, loosen and remove excessive ear wax. **WARNINGS:** Ask a doctor if you have ear drainage or discharge, ear pain, irritation or rash in the ear, dizziness, had an injury or perforation (hole) of the ear drum or recently had ear surgery. Stop use and ask a doctor if you need to use for more than 4 days or if excessive ear wax remains after use of the product. When using this product, do not get into eyes **Keep out of reach of children.** In case of accidental overdose or allergic reaction get medical help or contact a Poison Control Center immediately.

Questions or comments? 704-610-3450

Distributed By: Sigmar, LLC
20488 Chartwell Center Dr.
Cornelius, NC 28031



Doctor Recommended

EARWAX REMOVAL

Softening Drops

Safe • Gentle • Doctor Approved

0.5 fl oz (15 ml)

DIRECTIONS: FOR USE IN THE EAR ONLY. **Adults and children over the age of 12 years:** Tilt head sideways and place 5-10 drops into ear. Tip of applicator should not enter the ear canal. Keep drops in for several minutes by keeping your head tilted or placing cotton in your ear. Use twice daily up to 4 days, if needed, or as directed by a doctor. Any wax remaining after treatment may be removed by gently flushing the ear with warm water using a soft rubber bulb ear syringe. Children under 12 years of age: Consult a doctor. **OTHER INFORMATION:** Avoid exposing bottle to excessive heat or direct sunlight. Product foams on contact with ear wax due to release of oxygen. Keep cap on bottle when not in use.

INACTIVE INGREDIENTS: See carton.

790875

Principal Display Panel - Carton label 0.5 FL OZ

Wax B Gone NDC 82498-149-15

Ear wax Remover Drops

Carbamide Peroxide 6.5%

Ear wax removal aid

0.5 FL OZ (15ml)

Swax Bgone
EARWAX REMOVAL
 Softening Drops
 Safe • Gentle • Doctor Approved
CARBAMIDE PEROXIDE 6.5%
 Earwax Removal Aid

DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

Drug Facts

Active Ingredient	Purpose
Carbamide Peroxide 6.5%...Earwax Removal Aid	

Uses for occasional use as an aid to soften, loosen and remove excessive ear wax

Warnings

Ask a doctor before use if you have

- ear drainage or discharge • ear pain
- irritation or rash in the ear • dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive ear wax remains after use of this product

When using this product do not get into eyes

Keep out of reach of children. In case of accidental overdose or allergic reaction, get medical help or contact a Poison Control Center immediately.

Directions FOR USE IN THE EAR ONLY

- **Adults and children over 12 years of age:** Tilt head sideways and place 5-10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in for several minutes by keeping head tilted or placing cotton in ear. Use twice daily up to 4 days if needed, or as directed by a doctor. Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe.
- **Children under 12 years:** Consult a doctor ▶

Distributed by: **Sigmar, LLC**
 20488 Chartwell Center Dr.
 Cornelius, NC 28031
 (704) 610-3450

Drug Facts
 (continued)

Other information

- Avoid exposing bottle to excessive heat or direct sunlight.
- Product foams on contact with ear wax due to release of oxygen. There may be an associated crackling
- Keep cap on bottle when not in use.
- Lot no. and exp. date: see label or bottom of box.

Inactive ingredients
 Citric Acid, Glycerin, Propylene Glycol, Sodium Citrate, Sodium Lauryl Sulfate, Tartaric Acid

Made in USA
 with US and
 Imported Ingredients

Compare to Debrox®
 active ingredient*



EARWAX REMOVAL

Softening Drops

Safe • Gentle • Doctor Approved

CARBAMIDE PEROXIDE 6.5%
 Earwax Removal Aid

- Safe, gentle, non-irritating
- Easily cleanses ear



Actual Size

0.5 FL OZ (15 ml)

LOT
 EXP



Wax B Gone
EARWAX REMOVAL
 Softening Drops
 Safe • Gentle • Doctor Approved
CARBAMIDE PEROXIDE 6.5%
 Earwax Removal Aid

DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

Drug Facts

Active Ingredient	Purpose
Carbamide Peroxide 6.5%...	Earwax Removal Aid

Uses for occasional use as an aid to soften, loosen and remove excessive ear wax

Warnings

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive ear wax remains after use of this product

When using this product do not get into eyes

Keep out of reach of children. In case of accidental overdose or allergic reaction, get medical help or contact a Poison Control Center immediately.

Directions FOR USE IN THE EAR ONLY

- **Adults and children over 12 years of age:** Tilt head sideways and place 5-10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in for several minutes by keeping head tilted or placing cotton in ear. Use twice daily up to 4 days if needed, or as directed by a doctor. Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe.
- **Children under 12 years:** Consult a doctor ▶

Distributed by: **Sigmar, LLC**
 20488 Chartwell Center Dr.
 Cornelius, NC 28031
 (704) 610-3450

Drug Facts
 (continued)

Other information

- Avoid exposing bottle to excessive heat or direct sunlight.
- Product foams on contact with ear wax due to release of oxygen. There may be an associated crackling
- Keep cap on bottle when not in use.
- Lot no. and exp. date: see label or bottom of box.

Inactive ingredients
 Citric Acid, Glycerin, Propylene Glycol, Sodium Citrate, Sodium Lauryl Sulfate, Tartaric Acid

Made in USA with US and Imported Ingredients

Compare to Debrox® active ingredient*

Wax B Gone

EARWAX REMOVAL
 Softening Drops
 Safe • Gentle • Doctor Approved

CARBAMIDE PEROXIDE 6.5%
 Earwax Removal Aid

- Safe, gentle, non-irritating
- Easily cleanses ear



Actual Size

0.5 FL OZ (15 ml)

LOT
 EXP

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82498-149	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)		CARBAMIDE PEROXIDE	65 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
TARTARIC ACID (UNII: W4888I119H)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82498-149-15	1 in 1 CARTON	03/30/2022	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M014	03/30/2022		

Labeler - SIGMAR, LLC (118478699)

Revised: 1/2024

SIGMAR, LLC