

DEXTROLYTE- electrolyte with dextrose injection, solution

MWI (VetOne)

Reference Label Set Id: 84d34a9f-3701-45ab-914c-31c51babbd22

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DextroLyte

For animal use only. Keep out of reach of children and pets.

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

INDICATIONS:

For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses: 1000 to 2000 mL

Calves, Ponies and Foals: 500 to 1000 mL

Adult Sheep and Swine: 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

CONTRAINDICATIONS:

Do not administer intraperitoneally to horses.

CONTAINS:

Each 500 mL of sterile aqueous solution contains:

Dextrose.H2O.....12.50 g

Sorbitol.....12.50 g

Sodium Lactate.....3.95 g

Sodium Chloride.....	2.40 g
Potassium Chloride.....	0.37 g
Magnesium Chloride.6H2O.....	0.21 g
Calcium Chloride.2H2O.....	0.19 g

Milliequivalents per liter

Cations

Sodium	153 mEq/L
Potassium.....	9 mEq/L
Calcium.....	6 mEq/L
Magnesium.....	4 mEq/L

Anions

Chloride.....	101 mEq/L
Lactate.....	71 mEq/L

Osmolarity (calc.): 602 mOsmol/L

CAUTION:

This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

STORAGE:

Store between 15 degree C - 30 degree C (59 degree F - 86 degree F).

CONTAINS:

Each 500 mL of sterile aqueous solution contains:

Dextrose • H2O	12.50 g
Sorbitol.	12.50 g
Sodium Lactate.	3.95 g
Sodium Chloride.	2.40 g
Potassium Chloride.	0.37 g
Magnesium Chloride • 6H2O	0.21 g
Calcium Chloride • 2H2O	0.19 g

Milliequivalents per liter

Cations

Sodium	153 mEq/L
Potassium	9 mEq/L
Calcium	6 mEq/L
Magnesium	4 mEq/L

Anions

Chloride	101 mEq/L
Lactate	71 mEq/L

Osmolarity (calc.): 602 mOsmol/L

CAUTION: This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

STORAGE: Store between 15°C–30°C (59°F–86°F).



NDC 13985 804 01

1000 mL



DextroLyte™

Injection

**Sterile Solution
Electrolytes
Dextrose**



For animal use only.
Keep out of reach of
children and pets.

CAUTION: Federal law restricts this drug to use by
or on the order of a licensed veterinarian.

V1 510184

Net Contents: 1000 mL

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

DOSAGE AND ADMINISTRATION: Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses: 1000 to 2000 mL
Calves, Ponies and Foals: 500 to 1000 mL
Adult Sheep and Swine: 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

Distributed by: MWI
Boise, ID 83705
(888) 694-8381
www.vetone.net



Lot#

Exp.

18-804-60

RMS 92-599

CONTAINS:
 Each 500 mL of sterile aqueous solution contains:
 Dextrose • H₂O 12.50 g
 Sorbitol 12.50 g
 Sodium Lactate 3.95 g
 Sodium Chloride 2.40 g
 Potassium Chloride 0.37 g
 Magnesium Chloride • 6H₂O 0.21 g
 Calcium Chloride • 2H₂O 0.19 g

Milliequivalents per liter

Cations
 Sodium 153 mEq/L
 Potassium 9 mEq/L
 Calcium 6 mEq/L
 Magnesium 4 mEq/L

Anions
 Chloride 101 mEq/L
 Lactate 71 mEq/L
 Osmolarity (calc.): 602 mOsmol/L

CAUTION: This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

STORAGE: Store between 15°C–30°C (59°F–86°F).




NDC 13985 804 05

500 mL

VETone
DextroLyte™

Injection

**Sterile Solution
 Electrolytes
 Dextrose**



For animal use only.
 Keep out of reach of
 children and pets.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

V1 510183

Net Contents: 500 mL

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

DOSAGE AND ADMINISTRATION: Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses: 1000 to 2000 mL
 Calves, Ponies and Foals: 500 to 1000 mL
 Adult Sheep and Swine: 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

Distributed by: MWI
 Boise, ID 83705
 (888) 694-8381
 www.vetone.net



Lot#

Exp.

18-804-50

RMS 92-1002

DEXTROLYTE

electrolyte with dextrose injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:13985-804
Route of Administration	INTRAVENOUS, INTRAPERITONEAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dextrose Monohydrate (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SLOG7ROOK)	Dextrose Monohydrate	12.50 g in 500 mL
Sorbitol (UNII: 506T60A25R) (SORBITOL - UNII:506T60A25R)	Sorbitol	12.50 g in 500 mL
Sodium Lactate (UNII: TU7HW0W0QT) (SODIUM CATION - UNII:LYR4M0NH37)	Sodium Lactate	3.95 g in 500 mL
Sodium Chloride (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	Sodium Chloride	2.40 g in 500 mL
Potassium Chloride (UNII: 660YQ98I10) (Potassium Cation - UNII:295O53K152)	Potassium Chloride	0.37 g in 500 mL
Magnesium Chloride (UNII: 02F3473H9O) (Magnesium Cation - UNII:T6V3LHY838)	Magnesium Chloride	0.21 g in 500 mL
Calcium Chloride (UNII: M4I0D6VV5M) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Chloride	0.19 g in 500 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-804-05	500 mL in 1 BOTTLE, PLASTIC		

2 NDC:13985-804-01 1000 mL in 1 BOTTLE, PLASTIC

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/15/2011	

Labeler - MWI (VetOne) (019926120)

Revised: 8/2024

MWI (VetOne)