

ACID REDUCER - omeprazole tablet, delayed release
CVS Pharmacy, Inc.

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts

Active ingredient (in each tablet)

Omeprazole delayed-release tablet 20 mg (equivalent to 20.6 mg omeprazole magnesium USP)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug.

Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months

- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77° F) and protect from moisture

Inactive ingredients

crospovidone, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, methacrylic acid and ethyl acrylate copolymer dispersion, microcrystalline cellulose, polyethylene glycol, polysorbate 80, red iron oxide, silicified microcrystalline cellulose, sodium hydroxide, sodium stearyl fumarate, sugar spheres [which contains liquid glucose, starch (maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Questions?

Call **1-855-274-4122**

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/Pharmacy

Made in India

Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Tablet Bottle)

CVSHealth NDC 69842-941-05

Omeprazole

DELAYED RELEASE TABLETS 20 mg

Acid Reducer

Treats Frequent Heartburn!

14 TABLETS

One 14-day course of treatment

May take 1 to 4 days for full effect

Top Ply

 NDC 69842-941-05

Omeprazole
DELAYED RELEASE TABLETS 20 mg
Acid Reducer
Treats Frequent Heartburn!

14 TABLETS
One 14-day course of treatment
May take 1 to 4 days for full effect

 24 Hr

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2021 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

Made in India
V-33009



TAMPER EVIDENT - Do not use if seal over bottle opening is broken or missing.

Code: TS/DRUGS/22/2009
P1428928 LM-4706

Lift Here

No Varnish

Top Ply (Page #1)

Active ingredient (in each tablet)
Omeprazole delayed-release tablet, 20 mg (equivalent to 20.6 mg omeprazole magnesium USP)

Purpose
Acid reducer

Use ■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings Allergy alert: Do not use if you are allergic to omeprazole. Do not use if you have: ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools ■ heartburn with lightheadedness, sweating or dizziness ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain. These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have: ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if: ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea ■ you develop a rash or joint pain If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or

P1428928 LM-4706

Back of Top Ply (Page #2)

Bottom Ply

contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ for adults 18 years of age and older ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours 14-Day Course of Treatment ■ swallow 1 tablet with a glass of water before eating in the morning ■ take every day for 14 days ■ do not take more than 1 tablet a day ■ do not use for more than 14 days unless directed by your doctor ■ swallow whole. Do not chew or crush tablets. Repeated 14-Day Courses (if needed) ■ you may repeat a 14-day course every 4 months ■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor ■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition. Other information ■ read the directions and warnings before use ■ keep the carton. It contains important information. ■ store at 20° to 25°C (68° to 77°F) and protect from moisture. Inactive ingredients: crospovidone, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, methacrylic acid and ethyl acrylate copolymer dispersion, microcrystalline cellulose, polyethylene glycol, polysorbate 80, red iron oxide, silicified microcrystalline cellulose, sodium hydroxide, sodium stearoyl fumarate, sugar spheres [which contains liquid glucose, starch (maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide. Questions? Call 1-855-274-4122

P1428928 LM-4706

Base (Page #3)

CVS

Health

Compare to the active ingredient
in Prilosec OTC®*

NDC 69842-941-05

24

HR

Omeprazole

DELAYED RELEASE TABLETS 20 mg

Acid Reducer

Treats Frequent Heartburn!

Actual Size

14 TABLETS

One 14-day course of treatment

May take 1 to 4 days for full effect



PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg Blister Carton Label

CVSHealth

Compare to the active ingredient
in Prilosec OTC®*

NDC 69842-941-01

Omeprazole
DELAYED RELEASE TABLETS 20 mg
Acid Reducer
24
HR
Treats Frequent Heartburn!

Actual Size
14 TABLETS
One 14-day course of treatment
May take 1 to 4 days for full effect

Let: XXXXXXXX
EXP: MM/YYYY
Prefix & Variables
of Lot, EXP shall be
printed online during
packing.

No Varnish Area

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Raise the head of your bed
- Eat slowly and avoid big meals
- Do not wear tight-fitting clothing around the stomach
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- If overweight, lose weight
- Do not eat before bedtime
- Quit smoking

Code: TR/D/RUGS/22/209
 Made in India
 CVS Quality
 CVS.com 1-800-8-HCP
 © 2021 CVS/pharmacy
 One CVS Drive, Wood Dale, IL 0285
 Distributed by CVS Pharmacy, Inc.
 All other trademarks are the property of their respective owners.

Drug Facts (continued)

14-Day Course of Treatment
 All tablets with a glass of water before eating in the morning.
 Take every day for 14 days. Do not take more than 1 tablet a day.
 Do not eat for more than 14 days unless directed by your doctor.
 Do not chew or crush tablets.
 Repeat 14-Day Courses (if needed)
 You may repeat a 14-day course every 4 months.
 Do not take for more than 14 days or more often than every 4 months unless directed by a doctor.

Warnings
 Do not use if you have: trouble or pain swallowing food, vomiting with blood, or bloody or black stools; heartburn with lightheadedness, swelling or dizziness; chest pain or shoulder pain with shortness of breath; sweating, pain spreading to arms, neck or shoulders; or lightheadedness; frequent chest pain; These may be signs of a serious condition. See your doctor.
 Use if you have: had heartburn over 3 months; frequent heartburn; frequent weight loss; nausea or vomiting; stomach pain.
 Ask a doctor or pharmacist before use if you are taking a prescription drug. Your doctor may need to change the dose or stop one of the drugs. Stop use and ask a doctor if:
 Your heartburn continues or worsens; you need to take this product for more than 14 days; you need to take more than 1 course of treatment every 4 months; you get diarrhea; you develop a rash or joint pain.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 For adults 18 years of age and older: this product is to be used once a day (every 24 hours), every day for 14 days. It may take 1 to 4 days for full effect. For children, consult your doctor.
 within 24 hours

Purpose
 Active ingredient (in each tablet)
 Omeprazole delayed-release tablet 20 mg (equivalent to 20.0 mg omeprazole magnesium USP).....Add reducer

Drug Facts

Active ingredient (in each tablet)
 Omeprazole delayed-release tablet 20 mg (equivalent to 20.0 mg omeprazole magnesium USP).....Add reducer

Purpose
 Active ingredient (in each tablet)
 Omeprazole delayed-release tablet 20 mg (equivalent to 20.0 mg omeprazole magnesium USP).....Add reducer

Warnings
 Do not use if you have: trouble or pain swallowing food, vomiting with blood, or bloody or black stools; heartburn with lightheadedness, swelling or dizziness; chest pain or shoulder pain with shortness of breath; sweating, pain spreading to arms, neck or shoulders; or lightheadedness; frequent chest pain; These may be signs of a serious condition. See your doctor.
 Use if you have: had heartburn over 3 months; frequent heartburn; frequent weight loss; nausea or vomiting; stomach pain.
 Ask a doctor or pharmacist before use if you are taking a prescription drug. Your doctor may need to change the dose or stop one of the drugs. Stop use and ask a doctor if:
 Your heartburn continues or worsens; you need to take this product for more than 14 days; you need to take more than 1 course of treatment every 4 months; you get diarrhea; you develop a rash or joint pain.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 For adults 18 years of age and older: this product is to be used once a day (every 24 hours), every day for 14 days. It may take 1 to 4 days for full effect. For children, consult your doctor.
 within 24 hours



CVS Health.

Omeprazole
 DELAYED RELEASE TABLETS 20 mg

SAFETY FEATURE - Do not use if tablet blister unit is open or torn.

NOT FOR RESALE

CVS Health.

Compare to the active ingredient in Prilosec OTC[®]
 NDC 69842-94-194-01

Omeprazole

DELAYED RELEASE TABLETS 20 mg

Acid Reducer

Treats Frequent Heartburn!

24 HR

Actual Size

14 TABLETS
 One 14-day course of treatment
 May take 1 to 4 days for full effect

ACID REDUCER
omeprazole tablet, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-941
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE (35 .MU.M) (UNII: 40UAA97IT9)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROXYPROPYL CELLULOSE (90000 WAMW) (UNII: UKE75GEA7F)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 4000 (UNII: 4R4HFI6D95)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYDROXYPROPYL CELLULOSE (45000 WAMW) (UNII: 8VAB711C5E)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	

Product Characteristics

Color	PINK	Score	no score
Shape	RECTANGLE (Oblong)	Size	14mm
Flavor		Imprint Code	Z;69
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:69842-941-05	1 in 1 CARTON	09/23/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-941-61	2 in 1 CARTON	09/23/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842-941-62	3 in 1 CARTON	09/23/2020	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:69842-941-01	1 in 1 CARTON	09/23/2020	
4		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:69842-941-03	3 in 1 CARTON	09/23/2020	
5		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206877	09/23/2020	

Labeler - CVS Pharmacy, Inc. (062312574)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(69842-941) , MANUFACTURE(69842-941)

Revised: 6/2024

CVS Pharmacy, Inc.