

**ISOPROPYL RUBBING ALCOHOL 70%- isopropyl alcohol liquid**  
**Universal Distribution Center LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Isopropyl Rubbing Alcohol 70%**

**Active Ingredients (by volume)**

Isopropyl alcohol (70% conc.)

**Purpose**

First aid antiseptic

**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns

**Warnings**

**For external use only; flammable, keep away from fire or flame, heat, spark, electrical**

**Ask a doctor before use if you have**

- deep punctured wounds, animal bites or serious burns

**When using this product**

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

**Stop using this product if**

- condition persists or gets worse

**Keep this and all drugs out of the reach of children**

In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1212) immediately

**Directions**

- clean effected area
- apply small amount of this product on the area 1-3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

**Other information**

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbance if taken internally

**Inactive ingredient**

Water(Aqua)

**PRINCIPAL DISPLAY PANEL**

ISOPROPYL RUBBING ALCOHOL 70%  
FIRST AID ANTISEPTIC  
12 FL.OZ (355 mL)



70%  
ISOPROPYL

# Rubbing Alcohol

FIRST AID ANTISEPTIC

For Rubbing & Massaging

Use only in a well ventilated area;  
Fumes may be harmful.



**WARNING FLAMMABLE!**  
Keep away from fire or flame!

12 FL. OZ. (355 mL)



**Isopropyl rubbing alcohol**  
70% by volume

### Drug Facts

Active ingredients (by volume):	Purpose
Isopropyl alcohol (70% conc.)	first aid antiseptic

**Uses** ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns

**Warnings**  
For external use only; flammable, keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use if you have**  
■ deep punctured wounds, animal bites or serious burns

**When using this product**  
■ do not get into eyes  
■ do not apply over large areas of the body  
■ do not use longer than one week unless directed by a doctor

**Stop using this product if**  
■ condition persists or gets worse

**Keep this and all drugs out of the reach of children.**  
In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.

**Directions**  
■ clean effected area  
■ apply small amount of this product on the area 1-3 times daily  
■ May be covered with a sterile bandage  
■ If bandaged, let dry first

**Other information**  
■ store at room temperature  
■ does not contain, nor is intended as a substitute for grain or ethyl alcohol, will produce serious gastric disturbances if taken internally.

**Inactive Ingredient** Water (Aqua)

**TAMPER EVIDENT: DO NOT USE IF THE UNDER CAP SAFETY FOIL IS BROKEN OR MISSING.**

IN86008

MH/DRUGS/KD-313



Made in India

Distributed by: Universal Distribution Center  
96 Distribution Boulevard • Edison, NJ 08817

isopropyl alcohol liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52000-010
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52000-010-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	
2	NDC:52000-010-02	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	
3	NDC:52000-010-03	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	
4	NDC:52000-010-04	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	
5	NDC:52000-010-05	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	
6	NDC:52000-010-06	414 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	
7	NDC:52000-010-07	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/15/2012	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333A	03/15/2012	

**Labeler** - Universal Distribution Center LLC (019180459)

**Registrant** - Universal Distribution Center LLC (019180459)

## Establishment

Name	Address	ID/FEI	Business Operations
Anicare Pharmaceuticals Pvt. Ltd		916837425	manufacture(52000-010)

Revised: 11/2022

Universal Distribution Center LLC