

BAREMINERALS SPF 20 CORRECTING CONCEALER- titanium dioxide cream
Bare Escentuals Beauty Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BareMinerals® SPF 20 Correcting Concealer

Drug Facts

Active ingredients

Titanium dioxide 15%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **Skin cancer/skin aging alert:** spending time in the sun increases your risk of skin cancer and early aging
- **This product has been shown only to help prevent sunburn, not skin cancer or early aging**
- **For external use only**

- **Do not use on** damaged or broken skin

- **When using this product** keep out of eyes. Rinse with water to remove

- **Stop use and ask a doctor** if rash occurs

- **Keep out of reach of children**
- If product is swallowed, get medical help or contact a poison control center right away

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water-resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: ask a doctor

Inactive ingredients

Alumina, Bismuth Oxochloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexyllactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Trioctyl dodecyl Citrate, VP/Hexadecene Copolymer.

Other information

- Protect this product from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-795-4747

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - LIGHT 1

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

LIGHT 1

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60012

Drug Facts

Active ingredients
Titanium dioxide 15%Sunscreen

Purpose

Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging • **This product has been shown only to help prevent sunburn, not skin cancer or early aging • For external use only • Do not use on** damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children** • If product is swallowed, get medical help or contact a poison control center right away

Directions • Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or

Drug Facts (continued)

higher and other sun protection measures including:
• Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor

Inactive ingredients Alumina, Bismuth Oxychloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Triethylhexyl Citrate, VP/Hexadecene Copolymer.

Other information • Protect this product from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



59664

BARE ESSENTUALS

59578

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - LIGHT 2

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

LIGHT 2

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60013

Drug Facts		Drug Facts (continued)
Active ingredients Titanium dioxide 15%	Purpose Sunscreen	higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor
Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun		Inactive ingredients Alumina, Bismuth Oxychloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Trioctyldodecyl Citrate, VP/Hexadecene Copolymer.
Warnings • Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging • This product has been shown only to help prevent sunburn, not skin cancer or early aging • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children • If product is swallowed, get medical help or contact a poison control center right away		Other information • Protect this product from excessive heat and direct sun
Directions • Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or		Questions or comments? Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



BARE ESSENTUALS

59579

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - MEDIUM 1

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

MEDIUM 1

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60014

Drug Facts

Active ingredients	Purpose
Titanium dioxide 15%	Sunscreen

Uses - Helps prevent sunburn - If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings - Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging - **This product has been shown only to help prevent sunburn, not skin cancer or early aging - For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes.** Rinse with water to remove - **Stop use and ask a doctor** if rash occurs - **Keep out of reach of children** - If product is swallowed, get medical help or contact a poison control center right away

Directions - Apply liberally 15 minutes before sun exposure - Use a water-resistant sunscreen if swimming or sweating - Reapply at least every 2 hours - **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or ▶

Drug Facts (continued)

higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m. - Wear long-sleeve shirts, pants, hats, and sunglasses - Children under 6 months: ask a doctor

Inactive ingredients Alumina, Bismuth Oxychloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Triethylhexyl Citrate, VP/Hexadecene Copolymer.

Other information - Protect this product from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



59666

BARE ESSENTUALS

59580

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - MEDIUM 2

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

MEDIUM 2

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60015

Drug Facts		Drug Facts (continued)
Active ingredients Titanium dioxide 15%	Purpose Sunscreen	higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor
Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun		Inactive ingredients Alumina, Bismuth Oxychloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Trioctyldodecyl Citrate, VP/Hexadecene Copolymer.
Warnings • Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging. • This product has been shown only to help prevent sunburn, not skin cancer or early aging • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children • If product is swallowed, get medical help or contact a poison control center right away		Other information • Protect this product from excessive heat and direct sun
Directions • Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or ▶		Questions or comments? Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



BARE ESSENTUALS

59581

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - TAN 1

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

TAN 1

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

.....
**CORRECTEUR
SPF 20**

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60016

Drug Facts		Drug Facts (continued)
Active ingredients Titanium dioxide 15%	Purpose Sunscreen	higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor
Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun		Inactive ingredients Alumina, Bismuth Oxide, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Triethylhexyl Citrate, VP/Hexadecene Copolymer.
Warnings • Skin cancer/skin aging alert: Spending time in the sun increases your risk of skin cancer and early aging • This product has been shown only to help prevent sunburn, not skin cancer or early aging • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children • If product is swallowed, get medical help or contact a poison control center right away		Other information • Protect this product from excessive heat and direct sun
Directions • Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or ▶		Questions or comments? Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crémieux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



BARE ESSENTUALS

59582

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - TAN 2

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

TAN 2

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60017

Drug Facts		Drug Facts (continued)
Active ingredients Titanium dioxide 15%	Purpose Sunscreen	higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor
Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun		Inactive ingredients Alumina, Bismuth Oxide, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Triethylhexyl Citrate, VP/Hexadecene Copolymer.
Warnings • Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging • This product has been shown only to help prevent sunburn, not skin cancer or early aging • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children • If product is swallowed, get medical help or contact a poison control center right away		Other information • Protect this product from excessive heat and direct sun
Directions • Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or		Questions or comments? Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



BARE ESSENTUALS

59583

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - DARK 2

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

DARK 2

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60018

Drug Facts

Active ingredients
Titanium dioxide 5%
Purpose
Sunscreen

Uses - Helps prevent sunburn - If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings - Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging - **This product has been shown only to help prevent sunburn, not skin cancer or early aging - For external use only - Do not use on damaged or broken skin - When using this product** keep out of eyes. Rinse with water to remove - **Stop use and ask a doctor** if rash occurs - **Keep out of reach of children** - If product is swallowed, get medical help or contact a poison control center right away

Directions - Apply liberally 15 minutes before sun exposure - Use a water-resistant sunscreen if swimming or sweating - Reapply at least every 2 hours - **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or

Drug Facts (continued)

higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m. - Wear long-sleeve shirts, pants, hats, and sunglasses - Children under 6 months: ask a doctor

Inactive ingredients Alumina, Bismuth Oxychloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Trioctylododecyl Citrate, VP/Hexadecene Copolymer.

Other information - Protect this product from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB - MADE IN CANADA



01966

BARE ESSENTUALS

59584

PRINCIPAL DISPLAY PANEL - 2 g Container Carton - DEEP 2

bareMinerals®

**SPF 20 CORRECTING
CONCEALER**

2 g / 0.07 Oz.

DEEP 2

bareMinerals®

SPF 20 CORRECTING
CONCEALER

.....
CORRECTEUR
SPF 20

2 g / 0.07 Oz.

Disguise skin imperfections with this creamy concealer.
Provides SPF protection and diminishes the appearance
of dark spots and discolorations over time.



213-60019

Drug Facts		Drug Facts (continued)
Active ingredients Titanium dioxide 5%	Purpose Sunscreen	higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor
Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun		Inactive ingredients Alumina, Bismuth Oxychloride, Butylene/Ethylene/Styrene Copolymer, Calcium Aluminum Borosilicate, Cetyl Esters, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Palmitate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire de Candelilla), HDI/Trimethylol Hexylactone Crosspolymer, Hydrogen Dimethicone, Hydrogenated Polyisobutene, Iron Oxides, Isocetyl Alcohol, Isodecyl Isononanoate, Lactobacillus/Lemon Peel Ferment Extract, Lauryl PCA, Lecithin, Mica, Octadecenedioic Acid, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Polymethylsilsesquioxane, Saccharomyces/Copper Ferment, Silica, Titanium Dioxide, Tocopheryl Acetate, Trioctylododecyl Citrate, VP/Hexadecene Copolymer.
Warnings • Skin cancer/skin aging alert: spending time in the sun increases your risk of skin cancer and early aging • This product has been shown only to help prevent sunburn, not skin cancer or early aging • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children • If product is swallowed, get medical help or contact a poison control center right away		Other information • Protect this product from excessive heat and direct sun
Directions • Apply liberally 15 minutes before sun exposure • Use a water-resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 15 or		Questions or comments? Call toll free 1-888-795-4747

Masquez les imperfections cutanées grâce à ce correcteur ultra-crèmeux. Il protège la peau contre les rayons solaires et réduit visiblement les marques foncées et claires au fil du temps.

Dist. by Bare Escentuals Beauty, Inc., SF, CA 94105 USA
London W1D 3QB • MADE IN CANADA



BARE ESSENTUALS

59585

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-664
---------------------	----------------	---------------------------	---------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1D56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Light 1)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-664-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-665
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1D56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Light 2)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-665-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-666
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1DI56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Medium 1)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-666-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-667
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1D56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Medium 2)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-667-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-668
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1D56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Tan 1)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-668-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER
titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-669
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients	
Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1DI56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics			
Color	BROWN (Tan 2)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-669-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-670
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1DI56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Dark 2)	Score	
-------	----------------	-------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-670-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

BAREMINERALS SPF 20 CORRECTING CONCEALER

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-671
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.3 g in 2 g

Inactive Ingredients

Ingredient Name	Strength
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Lecithin, Soybean (UNII: 1DI56QDM62)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Isocetyl Alcohol (UNII: 1800H64066)	
High Density Polyethylene (UNII: UG00KM4WR7)	
Octadecenedioic Acid (UNII: 565ZMT5QRG)	
Candelilla Wax (UNII: WL0328HX19)	
Lauryl PCA (UNII: 29C5O2BJYA)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Mica (UNII: V8A1AW0880)	
Polymethylsilsesquioxane (4.5 Microns) (UNII: 59Z907ZB69)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Aluminum Oxide (UNII: LMI26O6933)	

Product Characteristics

Color	BROWN (Deep 2)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-671-01	1 in 1 CARTON		
1		2 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/26/2012	

Labeler - Bare Escentuals Beauty Inc. (087008363)

Revised: 5/2012

Bare Escentuals Beauty Inc.